

1906.

—
QUEENSLAND:

VITAL STATISTICS, 1905.

FORTY-SIXTH ANNUAL REPORT

OF

THE GOVERNMENT STATISTICIAN.

PRESENTED TO BOTH HOUSES OF PARLIAMENT BY COMMAND.

BRISBANE:

BY AUTHORITY: GEORGE ARTHUR VAUGHAN, GOVERNMENT PRINTER, WILLIAM STREET.

—
1906.

C. A. 59—1906.

FORTY-SIXTH REPORT OF THE GOVERNMENT STATISTICIAN ON
THE VITAL STATISTICS OF QUEENSLAND.

TO THE UNDER SECRETARY, HOME DEPARTMENT.

SIR,—I have the honour to submit my report on the Vital Statistics of Queensland for the year 1905. Owing to the rearrangement of the statistical staff instituted two years ago, I have been compelled for 1904, and on this occasion, to postpone the issue of this report to a later period of the year than formerly, in order to give precedence to general statistical information, and see no way to avoid doing so, although aware that this proceeding causes inconvenience in some directions.

The experience of Queensland in relation to vital statistics for 1905 was not satisfactory, the births were fewer and the deaths more numerous than in 1904, whilst the migration, chiefly due to the exodus of Pacific Islanders, was against the State. These circumstances were in part compensated for by an increase in the number of marriages. The low marriage rates of 1903 and 1904 were reflected in the small number of births recorded last year, whilst the larger number of deaths was due to the wide-spread epidemic of malaria, chiefly classed as dengue.

POPULATION.

In framing the estimates of population certain percentage additions in terms of Schedule A of VII. Edward, No. 11 of 1905 (Commonwealth) are required to be made to the over-sea departures and to the borderwise migration of both kinds by train to allow for the arrivals and departures of those who are presumed to escape record. These proportional additions were determined at the Statistical Conference held at Melbourne in September, 1903, and no doubt at that time the proposed adjustments were calculated to reduce in a practical way the tendency to over-estimate the populations of the several States, although differences of opinion might exist as to whether they dealt with the real causes of the error. At the present time, however, I believe that the additions to the over-sea departures to some extent operate unfairly to Queensland, as there is a considerable exodus of coloured aliens in progress, and these departures are most accurately counted, and yet in common with all departures a 10 per cent. addition is made to them.

There were 528,048 persons comprised in the estimated population at the end of 1905. Of this total population 290,206 were males and 237,842 females.

The details upon which this estimate is framed are furnished in the following table:—

A.

	Males.	Females.	Persons.	EXCESS.			Males.	Females.	Persons.
				Males.	Females.	Persons.			
<i>Estimated Population on 1st January, 1905</i>	287,799	233,856	521,655
Births registered during March Quarter	1,723	1,731	3,454			
Deaths registered during March Quarter	891	523	1,414			
Natural Increase to Population during March Quarter				832	1,208	2,040			
Arrivals by sea and by rail during March Quarter* ...	7,623	3,725	11,348						
Departures by sea and by rail during March Quarter† ...	7,827	3,976	11,803						
Decrease by Excess of Departures over Arrivals during Quarter*†	−204	−251	−455			
Total Increase to Population during March Quarter	628	957	1,585
<i>Estimated Population on 31st March, 1905</i>	288,427	234,813	523,240
Births registered during June Quarter	1,761	1,600	3,361			
Deaths registered during June Quarter	927	484	1,411			
Natural Increase to Population during June Quarter ...				834	1,116	1,950			
Arrivals by sea and by rail during June Quarter* ...	7,074	3,404	10,478						
Departures by sea and by rail during June Quarter† ...	6,550	2,763	9,313						
Increase by Excess of Arrivals over Departures during Quarter*†	524	641	1,165			
Total Increase to Population during June Quarter	1,358	1,757	3,115
<i>Estimated Population on 30th June, 1905</i>	289,785	236,570	526,355
Births registered during September Quarter	1,807	1,725	3,532			
Deaths registered during September Quarter	838	469	1,307			
Natural Increase to Population during September Quarter				969	1,256	2,225			
Arrivals by sea and by rail during September Quarter* ...	7,058	3,173	10,231						
Departures by sea and by rail during September Quarter† ...	7,179	3,167	10,346						
Decrease by Excess of Departures over Arrivals during Quarter*†	−121	6	−115			
Total Increase to Population during September Quarter	848	1,262	2,110
<i>Estimated Population on 30th September, 1905</i>	290,633	237,832	528,465
Births registered during December Quarter	1,687	1,592	3,279			
Deaths registered during December Quarter	843	528	1,371			
Natural Increase to Population during December Quarter				844	1,064	1,908			
Arrivals by sea and by rail during December Quarter* ...	7,441	3,239	10,680						
Departures by sea and by rail during December Quarter† ...	8,712	4,293	13,005						
Decrease by Excess of Departures over Arrivals during December Quarter*†	−1,271	−1,054	−2,325			
Total Increase or − Decrease to Population during December Quarter	−427	10	−417
Net Increase to Population during 1905	2,407	3,986	6,393			
<i>Estimated Population on 31st December, 1905</i>	290,206	237,842	528,048

* Including allowance for unrecorded arrivals.

† Including allowance for unrecorded departures.

‡ Exclusive of full-blooded aborigines.

The first three quarters of the year showed increases to the population aggregating 6,810, but in the fourth quarter a decrease of 417 is recorded, leaving an increase for the year of 6,393. The last quarter of each year invariably either shows a decrease or at least a very reduced increase; the large number of persons who leave Queensland at that period for trips to the southern States causing this result. The natural increase amounted to 8,123, of which 3,479 were males and 4,644 were females. The net results of migration with the aggregate adjustment for the purpose of framing population estimates showed a deficiency of 1,730. If from these figures be deducted excess of coloured alien departures, 1,414, and the net allowance made on coloured alien departures, 233, in terms of Statistical Conference, then the excess of European departures for 1905 would amount to 83 only, for it may certainly be claimed that coloured alien departures should be exempted from such allowance—as there are certainly few if any omissions in these—as such arrivals and departures are subjected to a special individual count.

The centesimal increase of population for Queensland last year was 1·23, which is below that of any Australasian State except Victoria and Tasmania.

Aa.

Queensland	1·23	Western Australia	5·16
New South Wales	2·36	Tasmania	0·50
Victoria	0·68	New Zealand	2·91
South Australia	1·48		

The greatest proportionate increase was in Western Australia, 5·16 per cent., followed by New Zealand, 2·91, and New South Wales, 2·36.

The estimated populations of each State on the 31st December, 1905, were as follow :—

Ab.

State.	Estimated Population, 31st December, 1905.			Proportion of each sex in each 100 of the Population.		Proportion per cent. of the Population of each Federal State to the total Population of the Commonwealth.
	Males.	Females.	Persons.	Males.	Females.	
Queensland	290,206	237,842	528,048	54·96	45·04	13·02
New South Wales	794,400	701,650	1,496,050	53·10	46·90	36·88
Victoria	609,674	608,897	1,218,571	50·03	49·97	30·04
South Australia	197,487	180,721	378,208	52·22	47·78	9·32
Western Australia	150,495	104,284	254,779	59·07	40·93	6·28
Tasmania	93,466	87,639	181,105	51·61	48·39	4·46
Total Commonwealth ...	2,135,728	1,921,033	4,056,761	52·65	47·35	100·00
New Zealand	467,366	415,096	882,462	52·96	47·04	
Total Australasia	2,603,094	2,336,129	4,939,223	52·70	47·30	

The population of the Commonwealth was 4,056,761, and, with New Zealand added, approximated very closely to 5,000,000 persons. Of the total population of the Commonwealth Queensland contributes 13 per cent., New South Wales 37, and Victoria 30, the two latter between them thus containing upwards of two-thirds of the entire number. The sex ratios are very diverse, varying from only 41 females to each 100 of the population in Western Australia to 49·97 in Victoria. In Queensland the proportion was 45. The females in this State were at the end of 1905 in the proportion of 82 to each 100 males. The ratios at the end of each quinquennial period since 1875 were as follow :—

Ac.

	Males to each 100 Persons.	Females to each 100 Persons.	Females to each 100 Males.
1880	58·71	41·29	70·32
1885	58·91	41·09	69·75
1890	56·93	43·07	75·65
1895	56·27	43·73	77·71
1900	55·63	44·37	79·77
1905	54·96	45·04	81·96

At the present time there are 12 more females to each 100 males than there were in 1880.

A study of the ratios of population increase in Queensland since Separation and of the proportion of such increase which has been contributed by excess of births over deaths must lead to the

conclusion that population must be drawn from beyond the State if past progress is to continue or even be maintained. The following table furnishes in detail information on this point for each year since 1862 :—

Ad.

SHOWING EXCESS of BIRTHS over DEATHS and of IMMIGRATION over EMIGRATION by SEA and OVERLAND by RAILWAY.—
RETURN from 1862 to 1905.

Year.	Population on the 31st December.	EXCESS OF BIRTHS OVER DEATHS.					EXCESS OF IMMIGRATION OVER EMIGRATION BY SEA AND OVERLAND BY RAILWAY.					Total increase to Population to 31st December.	Centesimal ratio of total increase to Population of previous year.	Proportion of Females to each 100 Males in total increase.
		Males.	Females.	Total.	Centesimal ratio to Population of previous year.	Centesimal proportion which the excess of Births over Deaths bears to the total Population increase.	Males.	Females.	Total.	Centesimal ratio to Population of previous year.	Centesimal proportion which the excess of Immigration over Emigration bears to the total Population increase.			
1862 ...	45,077	387	518	905	2·63	8·45	5,988	3,817	9,805	28·53	91·55	10,710	31·16	68·00
1863 ...	61,640	296	650	946	2·10	6·46	8,534	5,155	13,689	30·37	93·54	*16,563	*36·74	65·74
1864 ...	74,036	572	865	1,437	2·34	11·61	7,365	3,594	10,959	17·78	88·39	12,399	20·12	56·19
1865 ...	87,804	807	992	1,799	2·43	13·07	6,993	4,976	11,969	16·17	86·93	13,768	18·60	76·51
1866 ...	96,201	692	1,073	1,765	2·01	21·02	3,299	3,333	6,632	7·55	78·98	8,397	9·56	110·37
1867 ...	99,849	1,187	1,544	2,731	2·84	74·86	1,342	— 425	917	0·95	25·14	3,648	3·79	44·24
1868 ...	107,427	1,102	1,559	2,661	2·67	38·30	4,135	152	4,287	4·29	61·70	*7,578	*7·59	32·67
1869 ...	109,897	1,263	1,630	2,893	2·69	117·13	— 423	...	—17·13	2,470	2·30	...
1870 ...	115,567	1,495	1,765	3,260	2·97	57·50	1,563	847	2,410	2·19	42·50	5,670	5·16	85·43
1871 ...	125,146	1,484	1,936	3,420	2·96	50·45	2,230	1,129	3,359	2·91	49·55	*9,579	8·29	82·61
1872 ...	133,553	1,382	1,947	3,329	2·66	39·60	3,614	1,464	5,078	4·06	60·40	8,407	6·72	68·27
1873 ...	146,690	1,574	1,896	3,470	2·60	26·41	5,963	3,704	9,667	7·24	73·59	13,137	9·84	74·30
1874 ...	163,517	1,503	2,086	3,589	2·45	21·33	9,203	4,035	13,238	9·02	78·67	16,827	11·47	57·17
1875 ...	181,288	761	1,841	2,602	1·59	14·64	12,651	2,518	15,169	9·28	85·36	17,771	10·87	32·50
1876 ...	187,100	1,291	2,145	3,436	1·90	22·07	9,720	2,416	12,136	6·69	77·93	*5,812	*3·21	22·60
1877 ...	203,084	1,546	2,250	3,796	2·03	23·75	9,495	2,693	12,188	6·52	76·25	15,984	8·55	44·77
1878 ...	210,510	1,045	2,132	3,177	1·56	42·78	1,639	2,610	4,249	2·09	57·22	7,426	3·65	176·69
1879 ...	217,851	1,902	2,761	4,663	2·22	63·52	1,357	1,321	2,678	1·27	36·48	7,341	3·49	125·25
1880 ...	226,077	2,176	3,003	5,179	2·37	62·96	1,173	1,874	3,047	1·40	37·04	8,226	3·77	145·63
1881 ...	226,968	2,087	2,813	4,900	2·17	41·13	4,554	2,460	7,014	3·10	58·87	* 891	*0·39	...
1882 ...	248,255	1,597	2,647	4,244	1·87	19·94	11,091	5,952	17,043	7·51	80·06	21,287	9·38	67·77
1883 ...	287,475	1,811	3,038	4,849	1·95	12·36	22,587	11,784	34,371	13·85	87·64	39,220	15·80	60·75
1884 ...	309,913	705	3,113	3,818	1·33	17·02	11,746	6,874	18,620	6·48	82·98	22,438	7·81	80·20
1885 ...	326,916	1,786	3,651	5,437	1·75	31·98	7,222	4,344	11,566	3·73	68·02	17,003	5·48	88·75
1886 ...	342,614	2,813	4,194	7,007	2·14	34·69	8,268	4,922	13,190	4·03	65·31	*15,698	*4·80	83·27
1887 ...	366,940	3,600	4,747	8,347	2·44	34·31	9,907	6,072	15,979	4·66	65·69	24,326	*7·10	80·10
1888 ...	387,463	3,718	5,000	8,718	2·37	42·48	7,267	4,538	11,805	3·22	57·52	20,523	5·59	86·83
1889 ...	406,658	3,519	4,750	8,269	2·13	43·08	6,572	4,354	10,926	2·82	56·92	19,195	4·95	90·22
1890 ...	422,776	4,222	5,547	9,769	2·40	60·61	4,097	2,252	6,349	1·56	39·39	16,118	3·96	93·75
1891 ...	410,330	4,162	5,383	9,545	2·26	85·87	1,122	448	1,570	0·37	14·13	*†12,446	*†2·94	†9·48
1892 ...	421,297	4,383	5,254	9,637	2·35	87·87	1,024	306	1,330	0·32	12·13	10,967	2·67	102·83
1893 ...	432,299	3,773	4,926	8,699	2·06	79·07	2,055	248	2,303	0·55	20·93	11,002	2·61	88·78
1894 ...	445,155	3,840	4,839	8,679	2·01	67·51	3,201	976	4,177	0·96	32·49	12,856	2·97	82·59
1895 ...	460,550	4,367	5,355	9,722	2·18	63·15	3,959	1,714	5,673	1·27	36·85	15,395	3·45	84·90
1896 ...	472,179	3,512	4,860	8,372	1·82	71·99	1,941	1,316	3,257	0·71	28·01	11,629	2·53	113·26
1897 ...	484,700	3,794	5,096	8,890	1·88	71·00	2,965	666	3,631	0·77	29·00	12,521	2·65	85·25
1898 ...	498,523	3,312	4,378	7,690	1·59	55·63	4,986	1,147	6,133	1·26	44·37	13,823	2·85	66·59
1899 ...	512,604	3,185	4,570	7,755	1·56	55·07	4,657	1,669	6,326	1·27	44·93	14,081	2·82	79·56
1900 ...	*494,166	3,921	5,133	9,054	1·77	90·82	419	496	915	0·18	9·18	†18,438	†3·60	†46·07
1901 ...	505,944	3,443	4,853	8,296	1·68	70·44	‡3,327	‡155	‡3,482	0·70	29·56	11,778	2·38	73·97
1902 ...	510,853	3,355	4,657	8,012	1·58	163·21	‡—1,819	‡—1,284	‡—3,103	—0·61	—63·21	4,909	0·97	219·60
1903 ...	515,580	2,476	3,799	6,275	1·23	134·17	‡—374	‡—1,224	‡—1,598	—0·31	—34·17	4,677	0·92	122·50
1904 ...	521,655	3,875	4,957	8,832	1·71	144·20	‡—1,373	‡—1,334	‡—2,707	—0·53	—44·20	6,125	1·19	144·80
1905 ...	528,048	3,479	4,644	8,123	1·56	127·06	‡—1,072	‡—658	‡—1,730	—0·33	—27·06	6,393	1·23	165·60

NOTE.—* Figures adjusted after actual population ascertained by census.

† Decrease due to census adjustment.

‡ Including allowances for unrecorded arrivals and departures.

— Excess of departures.

A reference to columns 7 and 12 discloses the relation between natural increase and migration as contributories to the population accessions. A consideration of the question is facilitated by the following statement :—

Ae.

Increase by Excess of Arrivals over Departures.				Increase by Excess of Births over Deaths.			
Year.		Males.	Females.	Persons.	Males.	Females.	Persons.
1876 to 1880	...	23,384	10,914	34,298	7,960	12,291	20,251
1881 to 1885	...	57,200	31,414	88,614	7,987	15,261	23,248
1886 to 1890	...	36,111	22,138	58,249	17,872	24,238	42,110
1891 to 1895	...	11,361	3,692	15,053	20,525	25,757	46,282
1896 to 1900	...	14,968	5,294	20,262	17,724	24,037	41,761
1901 to 1905	...	—*1,311	—*4,345	—*5,656	16,628	22,910	39,538

— Excess of departures.

* Including allowances for unrecorded arrivals and departures.

Not only has the migration flow been against Queensland during the past five years, but the natural increase has been much reduced in ratio as compared with previous quinquenniums. The former point is, of course, to some extent discounted when it is borne in mind that considerable numbers have at each Census been written off the estimates of population based on these figures. This, it is anticipated, will not be necessary for the current intercensal period, as the arbitrary additions to departures year by year already referred to are designed to attain the same result, and must, undoubtedly, bring the resulting estimated population closer to the enumerated figures at the next Census.

During the twenty-five years 1876-1900, 87,261 were written off estimated populations as a result of Census corrections.

Migration.

Full details of immigration and emigration, as returned by the Customs and Railway authorities, are recorded at Tables Nos. I. and II. in the Appendix of this report; of these the following statement is a summary:—

B.

	Adults.			Children, 1 to 12 years.			Infants.			Total.		
	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.
Arrivals, 1905 ...	25,754	10,988	36,742	1,645	1,708	3,353	81	56	137	27,480	12,752	40,232
Departures, 1905 ...	25,665	11,181	36,846	1,751	1,643	3,394	100	84	184	27,516	12,908	40,424
Excess of Arrivals or — Departures }	89	—193	—104	—106	65	— 41	— 19	— 28	— 47	— 36	—156	—192

This is one of the weakest points in connection with statistical collections. It seems impossible, notwithstanding the greatest care and attention, to secure reliable figures on this head. There were 40,232 persons—27,480 males and 12,752 females—recorded as arriving in this State during 1905, and 40,424—of whom 27,516 were males and 12,908 were females—recorded as departing therefrom, or an excess of 192 departures. Of the arrivals, 36,742 were adults, and of the departures 36,846, or percentages of 91 in each case. Of the total passenger traffic, 91 per cent. is with the other States of the Commonwealth, and of this particulars are furnished in the following table:—

Ba.

Quarter.	By Sea or Railway.	ARRIVALS.									
		Brisbane.		Rockhampton.		Townsville.		Other Ports.		Total Arrivals.	
		Males.	Females.	Males	Females.	Males.	Females.	Males.	Females.	Males.	Females.
First ...	Sea	1,740	913	124	61	170	97	226	52	6,719	3,436
	Railway	4,459	2,313		
Second	Sea	1,726	954	100	58	257	176	182	47	6,346	3,154
	Railway	4,081	1,919		
Third ...	Sea	1,763	941	58	33	172	93	278	132	6,341	2,922
	Railway	4,070	1,723		
Fourth...	Sea	1,656	816	71	27	141	117	156	52	6,570	2,952
	Railway	4,546	1,940		
Year ...	Sea	6,885	3,624	353	179	740	483	842	283	25,976	12,464
	Railway	17,156	7,895		
Grand Total		6,885	3,624	353	179	740	483	17,998	8,178	25,976	12,464

Ba—continued.

Quarter.	By Sea or Railway.	DEPARTURES.									
		Brisbane.		Rockhampton.		Townsville.		Other Ports.		Total Departures.	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
First ...	Sea ...	1,689	972	106	105	139	107	159	52	6,363	3,479
	Railway	4,270	2,243		
Second ...	Sea ...	1,057	615	63	44	124	48	128	48	5,127	2,401
	Railway	3,755	1,646		
Third ...	Sea ...	1,419	781	70	45	144	96	187	45	5,906	2,776
	Railway	4,086	1,809		
Fourth...	Sea ...	1,770	1,110	142	75	167	135	211	84	7,206	3,779
	Railway	4,916	2,375		
Year ...	Sea ...	5,935	3,478	381	269	574	386	685	229	24,602	12,435
	Railway	17,027	8,073		
Grand Total ...		5,935	3,478	381	269	574	386	17,712	8,302	24,602	12,435

Rather less than two-thirds of the total passenger traffic with the south is conducted by rail.

Bb.

1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.
35·54	40·59	36·85	38·28	48·30	53·87	50·78	52·47	64·53	62·18

Ten years ago 36 per cent. went by rail and 64 by sea ; now the positions are nearly reversed.

As already pointed out, the departure of coloured aliens has, during 1905, mainly contributed to the loss of population by excess of emigration.

There were 1,323 persons of this class who arrived during 1905, and 2,737 who departed, an excess of the latter of 1,414. The following table gives further particulars :—

C.

Race.	Arrivals.			Departures.			Excess.	
	Males.	Females.	Persons.	Males.	Females.	Persons.	Arrivals.	Departures.
							Persons.	Persons.
Chinese ...	312	5	317	612	8	620	...	303
Pacific Islanders ...	134	6	140	1,050	70	1,120	...	980
Japanese ...	123	4	127	190	17	207	...	80
Natives of India and Ceylon (coloured) ...	182	...	182	199	...	199	...	17
Other Asiatic Races ...	554	3	557	566	25	591	...	34
Total ...	1,305	18	1,323	2,617	120	2,737	...	1,414

It will be seen that 140 Pacific Islanders entered Queensland during last year. Practically all of these came from New South Wales, a few individual members of ships' crews entering by Northern ports. Departures of this race numbered 1,120, whilst 303 more Chinese and 80 more Japanese left the State than entered it.

Coloured Alien Population.

The population of coloured aliens, as estimated to the 31st December, is shown in the following table :—

Ca.

ESTIMATED NUMBER and PROPORTION of MALES, FEMALES, and PERSONS of COLOURED ALIEN RACE in the POPULATION of QUEENSLAND on the 31st December, 1905.

—					Males.	Females.	Persons.	Percentage to Total Estimated Population.
Estimated Chinese Population	8,698	590	9,288	1·76
„ Pacific Islanders Population	6,251	504	6,755	1·28
„ Japanese Population	1,883	134	2,017	0·38
„ Population of Coloured Natives of India and Ceylon	918	21	939	0·18
„ Other Asiatic Population	1,784	250	2,034	0·38
„ Population of all other Nationalities	270,672	236,343	507,015	96·02
Total Estimated Population of the State					290,206	237,842	528,048	100·00

Thus, 96 per cent. of the population is of European extraction, and 1·76 per cent. Chinese, 1·28 Pacific Islanders, and 0·94 per cent. "Other Asiatics." The gradual elimination of this element of the population can be seen from the following table :—

Cb.					
	Census.	Estimated 31st December.	Estimated 31st December.	Estimated 31st December.	Estimated 31st December.
	1891.	1902.	1903.	1904.	1905.
Chinese	2·18	2·00	1·95	1·85	1·76
Pacific Islanders ...	2·39	1·73	1·66	1·51	1·28
Other Asiatics	0·47	1·01	0·98	0·99	0·94
European Extraction ...	94·96	95·26	95·41	95·65	96·02
	100·00	100·00	100·00	100·00	100·00

The Pacific Island question is now, of course, a thing of the past, and Chinese, the only other race at all numerous, are on the decrease.

POPULATION IN FINANCIAL DIVISIONS.

For administrative purposes it is the practice to formulate an estimate of the population of the three areas, recognised as the great financial divisions of the State. The figures are approximate only, as they are based on the ratios to the total population found to obtain at the last Census.

D.					
Population, Census 1901—					
Number—					
Males	70,145	36,343	173,604	280,092
Females	40,812	27,576	154,786	223,174
Persons	110,957	63,919	328,390	503,266
Proportion, per cent.—					
Males to total Males	25·04	12·98	61·98	100·00
Females to total Females	18·29	12·35	69·36	100·00
Estimated Population, 31st December, 1905—					
Males	72,667	37,669	179,870	290,206
Females	43,501	29,374	164,967	237,842
Total Persons	116,168	67,043	344,837	528,048

Of the total population of 528,048 persons 116,168, or 22 per cent., are estimated as in the Northern division ; 67,043, or 13 per cent., in the Central ; and 344,837, or 65 per cent., in the South.

Population, Metropolitan Area.

The difficulties of framing population estimates are intensified when the latter relate to restricted areas, and an arithmetical calculation on the basis of Census enumeration data would be quite misleading. Through the kind assistance of the town clerks of local authorities, comprising the metropolis, fairly reliable estimates are practicable for that area, and the results appear in the following table :—

Da.							Males.	Females.	Persons.
City of Brisbane	19,060	19,031	38,091
City of South Brisbane	14,763	15,754	30,517
Brisbane Registry District	33,823	34,785	68,608
Outside Registry District, but Within Ten-mile Radius	30,418	30,710	61,128
Brisbane Metropolitan Area (Ten-mile Radius)							64,241	65,495	129,736

The population of greater Brisbane (10 miles) was, on 31st December, 1905, estimated at 129,736, with a slightly preponderating number of females. The city of Brisbane comprised 38,091 of these, and the city of South Brisbane 30,517, altogether rather more than half the total number.

Mean Population.

This is determined by dividing the sum of the means of the populations at the beginning and end of each quarter by four. The estimated mean population for 1905 was—

Males.	Females.	Persons.
289,462	236,266	525,728

Federal Effective Population.

This is the population upon which is computed the representation permissible to each State in the Federal House of Representatives in terms of the Commonwealth Constitution Act. The following table contains full information on this point:—

Db.

State.	Effective Population 11th December, 1905.	Quota.	Quotient and Remainder.		Number of Representatives.	
			Quotient.	Remainder.	Number as per Quota.	Statutory Number.
Queensland	506,935	55,596	9	6,571	9	9
New South Wales	1,483,393		26	37,897	27	27
Victoria	1,214,098		21	46,582	22	22
South Australia	372,768		6	39,192	7	7
Western Australia	247,072		4	24,688	4	5
Tasmania	178,627		3	11,839	3	5
Commonwealth	4,002,893	75

Thus as the House of Representatives consists of 75 members, New South Wales absorbs 36·00 per cent. of the total representation, Victoria 29·33 per cent., Queensland 12·00 per cent., South Australia 9·33 per cent., Western Australia and Tasmania 6·67 per cent. each, Queensland's small remainder of 6,571 will require to be largely augmented to secure another representative for this State.

MARRIAGES.

Full particulars respecting the number of marriages registered in each district can be ascertained at Table No. VIII. in the Appendix. For the whole State the registrations for 1905 numbered 3,173 against 3,078 in the previous year, or an increase of 95. Of the 1905 registrations 816 were in the first quarter, 756 in the second, 801 in the third, and 800 in the fourth. The following table shows the number recorded in each district in which 100 or more were celebrated:—

E.

District.	Number.	District.	Number.
Brisbane	616	Bundaberg	127
Kennedy	203	Townsville	120
Drayton and Toowoomba	166	Moreton West	115
Rockhampton	128	Cairns	100

Marriage Rate.

In 1894, and again in 1903, the low-water mark of marriage ratios to date was reached when on each occasion there were only 5·7 marriages to each 1,000 of the mean population. After the first-named date the proportion rose gradually until 6·9 was attained in 1900, again to decline during the three following years, rising in 1904 and 1905 to 5·9 and 6·04 respectively. The marriage ratio for each year since the inauguration of registration is shown in the following table:—

Ea.

Year.	Number of Marriages per 1,000 mean Population.	Year.	Number of Marriages per 1,000 mean Population.	Year.	Number of Marriages per 1,000 mean Population.
1857	8·2	1874	8·6	1891	7·1
1858	9·4	1875	8·6	1892	6·7
1859	9·3	1876	7·6	1893	5·9
1860	10·8	1877	7·6	1894	5·7
1861	10·2	1878	7·0	1895	6·2
1862	14·4	1879	7·5	1896	6·1
1863	14·5	1880	7·0	1897	6·0
1864	14·0	1881	7·7	1898	6·0
1865	13·3	1882	8·6	1899	6·8
1866	11·6	1883	8·9	1900	6·9
1867	9·5	1884	8·9	1901	6·6
1868	8·3	1885	8·9	1902	6·3
1869	8·3	1886	8·3	1903	5·7
1870	7·8	1887	8·2	1904	5·9
1871	8·1	1888	8·7	1905	6·04
1872	8·7	1889	7·9		
1873	9·6	1890	7·8		

In earlier years, when the population comprised a larger proportion of young adult life, high marriage rates obtained; but, as the conditions assumed more normal proportions, a reduction in the relative number of marriages was inevitable. In Western Australia, where young adults are still in greater proportion than in the Eastern States, the ratio of marriages is higher. The marriage rates for 1905 in each State were as follow:—

		Eb.									
		1901.		1902.		1903.		1904.		1905.	
Queensland	...	6.61	...	6.31	...	5.72	...	5.93	...	6.04	
New South Wales	...	7.68	...	7.53	...	6.86	...	7.21	...	7.42	
Victoria	...	6.99	...	7.02	...	6.29	...	6.80	...	7.24	
South Australia	...	6.38	...	6.55	...	6.21	...	6.85	...	6.94	
Western Australia	...	9.66	...	9.77	...	9.33	...	8.83	...	8.48	
Tasmania	...	7.71	...	7.47	...	7.57	...	7.55	...	7.61	
New Zealand	...	7.83	...	8.01	...	8.23	...	8.26	...	8.28	

The rate for Western Australia is rapidly becoming assimilated to that of the other States. On the other hand New Zealand records show an ascending ratio, probably in response to material prosperity.

Marriages by Denominations.

The following table shows the number of marriages celebrated by each of the more important religious bodies for each of the past ten years:—

F.												
Denomination.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	Total Ten Years.	
Church of England	720	787	794	904	910	921	883	741	789	779	8,228	
Roman Catholic Church	593	617	595	722	689	678	645	589	619	616	6,363	
Methodist	494	473	486	570	536	570	523	476	521	607	5,256	
Presbyterian	406	419	437	553	469	439	445	441	444	427	4,480	
Baptist	130	146	143	151	154	150	156	158	157	158	1,503	
Lutheran	110	126	137	148	144	145	130	130	139	136	1,345	
Congregational	112	87	79	122	139	104	122	104	104	107	1,080	
Salvation Army	18	24	25	24	28	24	16	9	21	15	204	
Other Christian Sects	20	15	30	46	59	75	93	84	124	139	685	
Hebrew	1	1	2	5	2	...	1	1	1	14	
By Registrars and Marrying Justices ...	220	199	245	207	238	233	230	200	159	188	2,119	
Totals	2,823	2,894	2,972	3,449	3,371	3,341	3,243	2,933	3,078	3,173	31,277	

The last column gives the aggregate number for the decade of marriages performed by ministers of each denomination, and from these figures may be readily deduced the average annual number and comparisons made with the figures of any year. Of the first seven denominations, four showed decreases for 1905 on the average for the ten years—Church of England, 44; Roman Catholic Church, 20; Presbyterian, 21; and Congregational, 1. The following three showed increases:—Methodist, 81; Baptist, 8; and Lutheran, 1.

The ratios of adherents of the different churches to the total population and the ratios of marriages by their respective ministers to the total marriages show wide divergence.

		Fa.	
		Proportion per cent. each Denomination to total—	
		Population, Census, 1901.	Marriages, 1905.
Church of England	...	36.76	24.55
Roman Catholic Church	...	23.98	19.41
Methodist Church	...	9.25	19.13
Presbyterian Church	...	11.45	13.46
Lutheran Church	...	5.07	4.29
Baptist Church	...	2.43	4.98
Congregational Church	...	1.94	3.37

Thus Church of England members comprised 37 per cent. of the population, but ministers of that church celebrated only 25 per cent. of all marriages. Roman Catholics numbered 24 in each 100 of the population, but only contributed through their own church 19 per cent. of the marriages. On the other hand, for the following churches the ratios were—Methodist, 9 per cent. of the population, 19 per cent. of the marriages; and Presbyterians, 11 per cent. of the population, 13 per cent. of marriages. Further particulars on the subject of marriages by the several denominations can be ascertained by reference to Table No. IX. in the Appendix.

Birthplaces of Persons Married.

A reference to Appendix Table No. X. will furnish full information on this head. So large a proportion of parties to marriage are natives of the State, that the question of birthplace possesses less significance than was formerly the case. Out of 3,173 men married, 1,707, or 54 per cent.—of the same

number of women, 2,200, or 69 per cent—were born in Queensland, giving a percentage of both on persons married of 62 per cent. The following table shows the growth of native-born element as regards marriage during the past thirty years :—

G.

1875.	1880.	1885.	1890.	1900.	1905.
7·20	13·77	19·63	25·98	49·38	61·57

The next largest contributories were natives of England and Wales, 529 husbands and 359 wives claiming these countries as their birthplace; followed by New South Wales, 276 men, 183 women; Ireland, 157 and 126; and Scotland, 135 and 86.

Age and Conjugal Condition of Persons Married.

Table XI. in the Appendix details very fully ages of husbands and wives. Of husbands, the youngest was one of 17, married to a girl of the same age, and 6 one year older; the most advanced age recorded was 68, 4 having married at that age. Of wives, there were 14 children who had not yet reached their sixteenth birthday, 2 of them being under 15 years of age. The oldest was a bride of 63. Of cases of disparity with respect to age, the husband being the elder, men of 56 and 64 respectively married girls of 22 and 24, whilst on the other hand men of 22 and 29 married women of 43 and 51. An analysis of the Appendix table referred to is given in the following statement :—

H.**HUSBANDS.**

HUSBANDS.												
Ages of Husbands.	No. of Husbands at each Age Group.	MARRIED TO WIVES —										
		YOUNGER THAN THEMSELVES.					Same Age as themselves.	OLDER THAN THEMSELVES.				
		By 5 and more years.	By 4 years.	By 3 years.	By 2 years.	By 1 year.		By 1 year.	By 2 years.	By 3 years.	By 4 years.	By 5 and more years.
Under 21 years	79	1	6	3	9	12	17	9	6	8	4	4
21 to 25 years	1,120	207	114	147	153	140	129	81	55	35	17	42
26 to 30 „	990	478	102	83	77	78	66	33	25	12	11	25
31 to 35 „	488	365	21	22	14	12	16	9	5	6	4	14
36 to 40 „	271	214	14	7	6	9	13	5	4	4	1	4
41 to 45 „	114	95	3	2	3	1	2	2	1	...	2	3
46 to 50 „	49	36	1	4	2	2	2	1	...	1
Upwards of 50 years	62	56	...	1	2	1	1	1
Totals	3,173	1,452	261	269	266	255	236	139	96	66	39	94

WIVES.

Age of Wives.	No. of Wives at each Age Group.	MARRIED TO HUSBANDS—										
		YOUNGER THAN THEMSELVES.					Same Age as themselves.	OLDER THAN THEMSELVES.				
		By 5 and more years.	By 4 years.	By 3 years.	By 2 years.	By 1 year.		By 1 year.	By 2 years.	By 3 years.	By 4 years.	By 5 and more years.
Under 21 years	820	2	17	33	58	78	95	537
21 to 25 years	1,410	2	7	24	42	78	129	151	147	129	121	580
26 to 30 „	569	24	15	26	33	38	66	50	43	40	23	206
31 to 35 „	196	27	11	8	11	12	16	9	8	14	13	67
36 to 40 „	93	19	4	5	2	5	3	8	5	2	6	34
41 to 45 „	43	12	...	2	3	4	2	1	2	1	3	18
46 to 50 „	23	4	2	1	2	2	2	5	...	5
Upwards of 50 years	14	6	1	1	1	5
Totals	3,173	94	39	66	96	139	236	255	266	269	261	1,452

One man out of 8 marries a wife older than himself and 1 in every 14 marries a wife of the same age; whilst of youths below 21 years of age, 1 out of every 2 marries an older woman, and 1 out of 4 a girl of the same age.

The mean age at marriage remains remarkably constant, with, however, a slightly upward tendency; but with respect to all marriages rather than first ones.

Ha.

	All Husbands.	Bachelors.	All Wives.	Spinsters.
1881-1885, Average of Means ...	28·22	...	23·29	...
1886-1890, „ „ „ ...	27·52	...	23·23	...
1891-1895, „ „ „ ...	28·38	...	23·69	...
1896-1900, „ „ „ ...	28·91	27·79	24·22	23·22
1901	29·31	28·28	24·57	23·47
1902	29·05	27·98	24·57	23·48
1903	29·26	28·15	24·48	23·37
1904	29·06	27·92	24·28	23·24
1905	29·06	28·03	24·23	23·39

It will be observed that the difference between the mean age for all marriages and for first marriages is about one year only, being in this respect the same for either sex. The mean age for husbands being 29 and for bachelors 28 years. For wives, 24 years; and for spinsters, 23 years.

The numbers and the mean ages of persons of different conjugal conditions married during 1905 are shown in the following table:—

Hb.

Amongst Marriages of—		1905.			
		Numbers Married.	Proportion Per Cent. to Total Marriages.	THE MEAN AGES AT MARRIAGE WERE—	
				Husbands.	Wives.
Bachelors to Spinsters	...	2,827	89.10	27.68	23.15
Bachelors to Widows	...	126	3.97	35.72	35.98
Bachelors to Divorced Women	...	5	0.16	34.60	31.40
Widowers to Spinsters	...	150	4.73	41.13	27.80
Widowers to Widows	...	62	1.95	48.48	40.47
Widowers to Divorced Women
Divorced Men to Spinsters	...	3	0.09	33.67	25.67
Divorced Men to Widows
Divorced Men to Divorced Women
Of all Males Married—Bachelors		2,958	93.23	28.03	...
Widowers		212	6.68	43.28	...
Divorced Men		3	0.09	33.67	...
Of all Females Married—Spinsters		2,980	93.92	...	23.39
Widows		188	5.92	...	37.46
Divorced Women		5	0.16	...	31.40
TOTAL PERSONS MARRIED		6,346	200.00	29.06	24.23

Of the 3,173 men married 2,958, or 93 per cent., were bachelors, of whom 2,827 married spinsters, 126 were married to widows. Widowers remarried numbered 212, and 150 of them selected spinsters for their consorts and 62 of them widows. Spinsters numbered 2,980, or 94 per cent. of all wives. Of persons married in 1905, the mean age of bachelors was 28 years, of spinsters 23 years, of widowers 43 years, and of widows 37 years. There were three divorced men and five divorced women remarried during that year, and although there is no direct connection between the number of divorced persons remarried and of divorces granted, inasmuch as the divorces may not have been granted in this State, yet it is not unreasonable to assume that over a prolonged period there would be some relation between them; the following statement may, therefore, be of interest:—

Hc.

	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.
Dissolutions	3	6	7	10	12	14	6	8	13	4
Marriage of Divorcees	8	3	7	13	15	21	14	12	9	8

In the ten years shown there were 83 dissolutions granted in the State, equal to 166 divorced persons, whilst during the same period 110 persons described themselves on their marriage certificates as having been divorced. It is, of course, quite possible that some persons otherwise described were really divorcees.

Signature of Marriage by Mark.

Education of an elementary character is now so universal that the number of marksmen and markswomen who thus sign the marriage certificate possesses little significance. The following table provides information on this point for the last thirty years:—

I.

Number of Persons in each Year who signed Marriage Certificate with a Mark.					Proportion to each 100.				
					Marriages.		Persons Married.		
					Males.	Females.	Persons.		
Year.	Males.	Females.							
1875	135	267	9.08	17.96	...	13.52	
1880	90	187	5.82	12.09	...	8.95	
1885	107	209	3.76	7.35	...	5.56	
1890	94	115	2.94	3.60	...	3.27	
1895	82	76	2.90	2.69	...	2.80	
1900	58	88	1.72	2.61	...	2.17	
1905	44	44	1.39	1.39	...	1.39	

One person out of each 72 were unable to sign their marriage certificate last year, whilst thirty years ago 1 person out of 7 were in the same position.

BIRTHS.

The substantial revival in the number of births recorded, which took place in 1904, was not continued last year; the registrations being fewer than in any year of the decade, except 1903, numbering 13,626, of whom 7,134 were males, and 6,948 were females. In 1904 there were 14,082 births recorded, so that last year's figures showed a decrease of 456. The number of births with the increase for ten years is shown in the following table :—

J.

Year.	Births.	Increase or —Decrease on Previous Year.		Year.	Births.	Increase or —Decrease on Previous Year.	
		Numerical.	Centesimal.			Numerical.	Centesimal.
1896 ...	14,017	...—857	...—5·76	1901 ...	14,303	... —498	... —3·36
1897 ...	14,313	... 296	... 2·11	1902 ...	14,216	... —87	... —0·61
1898 ...	13,933	...—380	...—2·65	1903 ...	12,621	—1,595	...—11·22
1899 ...	13,899	... —34	...—0·24	1904 ...	14,082	... 1,461	... 11·58
1900 ...	14,801	... 902	... 6·49	1905 ...	13,626	... —456	... —3·24

In 1904 there was a numerical increase of 1,461, so that the registrations for 1905 are still more than a thousand in excess of those for 1903.

Full particulars can be obtained respecting the registration of births from tables in the Appendix ; a summary of these is contained in the following statement :—

Ja.

BIRTHS, 1904 AND 1905.

Registry District.	1904.			1905.			Total Increase or —Decrease in the latter Year.	Females born to every 100 Males born in 1904.	Females born to every 100 Males born in 1905.
	Males.	Females.	Persons.	Males.	Females.	Persons.			
Brisbane	865	879	1,744	908	858	1,766	22	101·62	94·49
Bundaberg	196	209	405	178	211	389	—16	106·63	118·54
Drayton and Toowoomba	287	307	594	318	313	631	37	106·97	98·42
Enoggera	332	314	646	311	304	615	—31	94·58	97·75
Gympie	264	256	520	260	268	528	8	96·97	103·08
Ipswich	212	209	421	208	200	408	—13	98·58	96·15
Kennedy	447	415	862	432	399	831	—31	92·84	92·36
Logan	160	131	291	128	129	257	—34	81·88	100·78
Mackay	148	147	295	162	142	304	9	99·32	87·65
Maryborough	184	184	368	164	187	351	—17	100·00	114·02
Moreton West	368	355	723	345	343	688	—35	96·47	99·42
Mount Morgan	180	163	343	168	152	320	—23	90·56	90·48
Nundah	207	206	413	201	173	374	—39	99·52	86·07
Rockhampton	289	259	548	282	269	551	3	89·62	95·39
Townsville	241	238	479	216	223	439	—40	98·76	103·24
Other Districts	2,754	2,676	5,430	2,697	2,477	5,174	—256	97·17	91·84
Totals	7,134	6,948	14,082	6,978	6,648	13,626	—456	97·39	95·27

Details are here furnished respecting all districts in which the number of birth registrations in 1905 exceeded 250. The largest increase—37—was at Toowoomba, and the biggest decrease—40—at Townsville. Other decreases were—Nundah, 39; Moreton West, 35; Logan, 34; Enoggera, 31; Kennedy, 31; and Mount Morgan, 23. These, it will be noted, comprise impartially, suburban, farming, and mining areas.

There was an unusually large proportion of male births in 1905, females numbering 2·12 in each 100 fewer than in 1904. Amongst any considerable number of births, males almost invariably predominate. Last year, however, at Bundaberg, where 389 registrations took place, females were in the proportion of 119 to 100 males. Other districts specified in the above table, in which females were in excess, were Maryborough 114 to each 100; Townsville, Gympie, and Logan with considerably smaller ratios. The proportion of female to male births in the State for each of the past ten years is given in the following table :—

Jb.

Females born to every 100 males born.				Females born to every 100 males born.			
1896	97·81	1901	96·44
1897	96·69	1902	95·30
1898	96·71	1903	96·37
1899	94·99	1904	97·39
1900	94·78	1905	95·27

The ratio for 1905 was—with the exception of those for 1899, 94·99, and 1900, 94·78—the lowest for any year of the decade.

Birth Rate.

The decreasing birth rate not only in Queensland but throughout Australia and, indeed, further afield is a much debated question. Whilst the causes and the effects may both afford room for a diversity of opinion, of the fact itself there can be no question. Not only is the marriage rate declining but the

fertility of marriage itself is decreasing; both these causes tending to a diminution in the relative number of births. Cause and effect so react on one another that at times conclusions, based on apparently the most logical deductions, may be at fault. Some argue that the diminished birth rate may be, and is, partially at least, counterbalanced by a decrease in the number of deaths, the latter being due to the better conditions obtaining with respect to hygiene and to the advance in medical knowledge. Even this being admitted may it not in turn react on the birth rate by securing a greater survival of the unfit, who would otherwise be eliminated. The following table shows the birth rate at quinquennial periods since 1860:—

K.

1860 ...	47·9	1880 ...	36·9	1900 ...	30·2	1904 ...	27·1
1865 ...	43·6	1885 ...	36·7	1901 ...	28·3	1905 ...	25·9
1870 ...	43·5	1890 ...	37·2	1902 ...	27·7		
1875 ...	37·5	1895 ...	32·8	1903 ...	24·6		

The ratios of births to population recorded in the earlier years of this State's history, when extremes of age were numerically few in number, cannot be looked for as these conditions pass away, and, whatever the cause, any considerable increase in the relative number of births seems improbable.

At present the proportion of births to population is adversely influenced by the number of coloured aliens comprised in the population. These numbered 21,852 souls, but yet contributed only 90 births to the registers, as shown by the following table:—

Ka.

			Males.		Females.		Persons.
Chinese	22	...	19	...	41
Pacific Islanders	11	...	10	...	21
Japanese	1	...	1
Natives of India and Ceylon	2	2
Other Asiatics	19	...	6	...	25
Totals	54		36		90

These figures give a birth rate of 4 per 1,000 only, and if these disturbing elements be eliminated from birth-rate calculations, the ratio of births for Europeans is found to be nearly 1 per 1,000 better than the general rate.

Kb.

Year.	Birth Rate Proper.							Birth Rate on the basis of excluding Coloured Aliens from the calculation.		
1896	30·06	31·23
1897	29·92	31·12
1898	28·28	29·46
1899	27·31	28·60
1900	30·19	31·60
1901	28·28	29·93
1902	27·68	29·28
1903	24·62	25·59
1904	27·12	28·12
1905	25·92	26·86

The birth rate for each State of the Commonwealth is as follows:—

Kc.

	Birth Rate, 1901.	Birth Rate, 1902.	Birth Rate, 1903.	Birth Rate, 1904.	Birth Rate, 1905.	Average of the rates for the quinquennial period.
Queensland ...	28·28	27·68	24·62	27·12	25·92	26·72
New South Wales ...	27·60	27·17	25·28	26·73	26·72	26·70
Victoria ...	25·78	25·23	24·46	24·65	24·83	24·99
South Australia ...	25·16	24·60	23·24	24·70	23·66	24·27
Western Australia ...	30·32	30·09	30·27	30·34	30·30	30·26
Tasmania ...	28·40	28·95	28·61	29·59	29·32	28·97
New Zealand ...	26·34	25·89	26·61	26·94	27·22	26·60

Taking the 1905 rate for the seven States of Australasia, it is seen that the Queensland birth rate was exceeded by those for Western Australia, Tasmania, New Zealand, and New South Wales, whilst above those for Victoria and South Australia. Western Australia was the only State with a birth rate exceeding 30. There the age condition of the population is further from normal than in any other State, the proportion of young adults being excessive. The rate for the United Kingdom for 1905 was 27·12, the lowest yet recorded.

An approximate estimate of the number of children to each marriage can be formulated by dividing the number of legitimate births by the number of marriages of the previous year. On this basis there would appear in recent years to be, on an average, 4 children to each marriage. This is below the experience of from ten to fifteen years ago, as may be seen from the following statement:—

Kd.

1890	4·69	1902	4·00
1895	5·65	1903	3·63
1900	4·02	1904	4·47
1901	3·99	1905	4·12

The number of children born to each 1,000 females of child-bearing age is, however, a surer test as to the decadence of fecundity. The following table supplies figures bearing on this question :—

Ke.

Census Year.	FEMALES 15 YEARS TO 45 YEARS OF AGE.		BIRTHS.		BIRTHS PER 1,000.		
	Married.	Unmarried.	Legitimate.	Illegitimate.	Legitimate Births to Married Females 15 years to 45 years of age.	Illegitimate Births to Unmarried Females 15 years to 45 years of age.	Total Births to all Females 15 years to 45 years of age.
1861 ...	5,788		245·85
1871 ...	15,502	6,830	5,074	131	327·31	19·18	233·07
1881 ...	24,178	15,441	7,875	345	325·71	22·34	207·48
1891 ...	44,537	34,607	14,031	684	315·04	19·76	185·93
1901 ...	53,617	50,561	13,455	848	250·95	16·77	137·29

Information on this point is only available, of course, for Census years, when the numbers alive at each age are definitely ascertainable.

This table covers a period of forty years, but is unfortunately complete for the last thirty of them only. From the sixth column it will be seen that during the ten years 1891-1901, the decrease in the number of children was very pronounced.

Illegitimate Births.

Out of 13,626 births recorded during 1905, 950 were illegitimate. Of these 488 were males, and 462 females. The numbers registered during each quarter of the year were as follow :—

L.

					Males.		Females.		Persons.
First Quarter	124	...	125	...	249
Second Quarter	113	...	107	...	220
Third Quarter	143	...	127	...	270
Fourth Quarter	108	...	103	...	211
Total	488	...	462	...	950

The ratio of bastardy in Queensland is a high one.

La.

1896 ...	5·22	1900 ...	6·40	1903 ...	6·79
1897 ...	6·02	1901 ...	5·93	1904 ...	6·90
1898 ...	6·04	1902 ...	6·04	1905 ...	6·97
1899 ...	5·97				

The records of each year of the last decade fail to furnish any evidence of improvement. The ratios of the last three years each approximate very closely to 7 per cent. This is in excess of any State except New South Wales.

Lb.

	Per Cent. to Total Births.		Per Cent. to Total Births.
Queensland ...	6·97	Western Australia ...	4·19
New South Wales ...	7·37	Tasmania ...	5·52
Victoria ...	5·61	New Zealand ...	4·57
South Australia...	4·35		

Western Australia, South Australia, and New Zealand all contributed less than 5 per cent. of illegitimacy to the total births, the ratios, respectively, being 4·19, 4·35, and 4·57.

Twins, Triplets, &c.

There were 120 cases of multiple confinement during 1905. One hundred and nineteen of them comprised twin births, and one case of triplets.

The following statement gives further particulars respecting the twins :—

Lc.

					Males.	Females.
First Quarter	31	33
Second Quarter	22	30
Third Quarter	31	35
Fourth Quarter	30	26
					114	124

DEATHS.

There were only 5,503 deaths registered during 1905, of whom 3,499 were males and 2,004 were females. This is a little in excess of the number for 1904, but below that for every other year of the decade except 1897. The number of deaths and the death rates of each of the past ten years were as follow :—

M.

YEAR.	DEATHS.					
	Total Number.			Proportion of Total Deaths per 1,000 of Mean Population.		
	Males.	Females.	Persons.	Males.	Females.	Persons.
1896	3,574	2,071	5,645	13·65	10·13	12·10
1897	3,483	1,940	5,423	13·00	9·22	11·33
1898	3,771	2,472	6,243	13·66	11·42	12·67
1899	3,943	2,201	6,144	13·80	9·87	12·07
1900	3,678	2,069	5,747	13·45	9·54	11·72
1901	3,838	2,169	6,007	13·62	9·68	11·88
1902	3,924	2,280	6,204	13·74	10·00	12·08
1903	3,951	2,395	6,346	13·92	10·46	12·38
1904	3,259	1,991	5,250	11·36	8·57	10·11
1905	3,499	2,004	5,503	12·09	8·48	10·47

The death rate—i.e., the number in relation to each 1,000 of the population—was, both for persons and for males, the lowest, except for 1904, for any year of the decennium—namely, 10·47 and 12·09 respectively; whilst for females even 1904 proved no exception. In the year 1898—the one of the ten with the greatest relative mortality—the female death rate was 11·42, against 8·48 last year.

It has already been pointed out that the coloured alien population is hostile to the birth rate, not contributing to the births at all in proportion to their numbers; unfortunately, they prove equally inimical to the death rate from exactly an opposite cause, the deaths amongst them being excessive. The deaths and death rates amongst coloured aliens and Europeans for 1905 were as follow :—

Ma.

	Estimated Mean Population.	Number of Deaths.	Death Rate.
Chinese	9,468	99	10·46
Pacific Islanders	7,317	164	22·41
Japanese	2,066	20	9·68
Coloured Natives of India and Ceylon	948	3	3·16
Other Asiatic Races	2,053	28	13·64
Total Coloured Aliens	21,852	314	14·37
All Persons, exclusive of Chinese, Pacific Islanders, other Asiatic Races }	503,876	5,189	10·30
All Persons	525,728	5,503	10·47

Comprising a population of 21,852 persons, they contributed 314 deaths to the total record, a rate per 1,000 of 14·37, or 40 per cent. in excess of that of the European population, although not having to carry any appreciable infant mortality, as they consist almost entirely of adults.

The death rate for each State of the Commonwealth is shown in the following table :—

Mb.

	Rate in 1901.	Rate in 1902.	Rate in 1903.	Rate in 1904.	Rate in 1905.	Average of the Rates for the Quinquennial Period.
Queensland	11·88	12·08	12·38	10·11	10·47	11·38
New South Wales	11·68	11·95	11·59	10·62	10·13	11·19
Victoria	13·22	13·40	12·90	11·92	12·10	12·71
South Australia	11·22	11·86	10·79	10·22	10·15	10·85
Western Australia	13·36	13·63	12·60	11·91	10·83	12·47
Tasmania	10·45	10·90	11·92	11·04	10·13	10·89
New Zealand	9·81	10·50	10·40	9·57	9·27	9·91

It will be noticed that last year the Queensland rate was below that for either Victoria or Western Australia.

Deaths by Districts and Months.

Appendix Table No. XIII. gives full particulars as to month and district of registration of all deaths occurring during 1905. A short summary is appended.

N.

	Males.	Females.	Persons.
First Quarter	891	523	1,414
Second Quarter	927	484	1,411
Third Quarter	838	469	1,307
Fourth Quarter	843	528	1,371
Totals	3,499	2,004	5,503

Of the 1,414 deaths registered in the first quarter, 509 were recorded in January—the greatest number in any month of the year—433 in February, and 472 in March. During the second quarter, 454 were registered in April, 495 in May, and 462 in June. There were only 1,307 deaths reported in the

third quarter, and of them 415 were in July—the smallest monthly return of the year—447 in August, and 445 in September. Of the last quarter, when 1,371 deaths were registered, 426 were in October, 474 in November, and 471 in December.

Passing the Brisbane Registry District where 1,057 deaths were registered, the greatest number of deaths—264—were in Kennedy (Charters Towers), followed by 254 in Moreton East, where the Benevolent Asylum peopled by aged and invalid persons is situated, 243 in Drayton and Toowoomba, 193 each in Enoggera, Ipswich, and Rockhampton, 190 in Gympie, 180 in Townsville, 156 in Cairns, and 155 in Moreton West. In all other districts registrations of death did not exceed 150.

Birthplaces of Persons Who Died.

Information is furnished in Appendix Table No. XV. with respect to birthplaces of all persons dying during 1905. A summary of this is given in the subjoined statement:—

						Centesimal Proportion to Total Population borne by each Nationality, Census of 1901. Proportion.	Number and Centesimal Proportion to Total Deaths borne by Deaths of each Nationality, Year 1905. Number.	Proportion.
Queensland	57.09	2,280	41.43
Other Australasian States including New Zealand						8.16	316	5.74
England	13.77	1,084	19.70
Scotland	4.00	326	5.92
Ireland	7.56	733	13.32
Other British Possessions	0.82	39	0.71
Germany	2.64	271	4.93
Other Countries of Europe	1.59	102	1.85
China	1.70	99	1.80
Pacific Islands	1.77	164	2.98
Elsewhere	0.90	89	1.62
						100.00	5,503	100.00

Of the 5,503 deaths 2,280 were of natives of this State, comprising 41 per cent. of all deaths ; whilst Queenslanders contributed 57 per cent. of the population. The next in number were persons born in England 1,084, or 20 per cent., of the deaths, which ratio is 6 per cent. in excess of the population proportion. Natives of Ireland contributed 733 deaths, or 13 per cent., of the total ; their population proportion being 8 per cent. Other large contributors to the mortality were Scotch 326, other Australasians 316, Germans 271, Pacific Islanders 164. Of these the first third and fourth contributed to the death rate in excess of their population proportions.

Occupations of Persons who Died.

The following statement gives a summary of the information contained in Table No. XVI. in the Appendix, and shows by classes the occupations of all persons who died in 1905 :—

CLASSES.				YEARS.									
				1901.		1902.		1903.		1904.		1905.	
				M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Class I.—Professional	101	22	116	24	97	21	103	16	104	15
„ II.—Domestic	83	118	118	146	82	154	84	148	81	171
„ III.—Commercial	207	4	240	9	213	8	193	5	211	5
„ IV.—Transport and Communication	181	1	195	1	180	...	163	...	168	...
„ V.—Industrial	704	13	700	36	671	19	564	20	666	23
„ VI.—Agricultural, &c.	1,083	18	1,136	12	1,066	14	915	7	951	8
„ VII.—Indefinite	66	106	85	55	96	137	82	81	102	131
„ VIII.—Dependants	1,413	1,887	1,334	1,997	1,546	2,042	1,155	1,714	1,216	1,651
Totals	3,838	2,169	3,924	2,280	3,951	2,395	3,259	1,991	3,499	2,004
				6,007		6,204		6,346		5,250		5,503	

The classification adopted is the scheme approved by the International Association of Statisticians, and in the large table in the Appendix the headings are subdivided into orders, thus furnishing the particulars in much greater detail.

Of the 5,503 deaths 2,867, or 52 per cent., were dependents, consisting mainly of wives, grown up daughters not following any specific calling, inmates of Government Institutions (residential), and all children, and 233, or 4 per cent., of persons of independent means or of indefinite occupation, leaving 2,403 persons, or 44 per cent., earning a livelihood by some definite employment. Of these 119, or 5 per cent. of the workers, were engaged in professional pursuits ; 252, or 10 per cent., were either receiving wages or working for themselves in one of the domestic callings ; 216, or 9 per cent., were engaged in commerce ; 168, or 7 per cent., followed avocations connected with transport and communication ; 689, or 29 per cent., were employed in industrial pursuits, chiefly to do with secondary production ; whilst 959, or 40 per cent., were occupied in connection with agriculture, mining, and other sources of primary production. Interesting deductions as to the healthiness or otherwise of certain occupations can be drawn from a comparison of the death rates of the various callings, but for this it is, of course, necessary

to have accurate figures as to the numbers engaged in the various employments, and these can only be secured at or soon after each Census enumeration. As the last Census was taken in 1901, any conclusions based on data then collected would now be unreliable.

Mortality of the Metropolitan Area.

Seeing that Brisbane is now a city of such size as to contain the invariable accompaniments of a large aggregation of population, the death rate is an exceedingly low one. The following table shows the mean population, the number of deaths, and the death rate in Greater Brisbane (10-mile radius) for 1905.

Pa.						Estimated Mean Population.	Total Deaths.	Rate per 1,000.
City of Brisbane	37,766	750	*19.86
City of South Brisbane	29,529	307	10.40
Brisbane Registry District						67,295	1,057	15.71
Outside Registry District, but within Ten-mile Radius						60,409	493	8.16
Brisbane Metropolitan Area (Ten-mile Radius)						127,704	1,550	12.14
State						525,728	5,503	10.47

The rate for the whole area was 12.14 and but for deaths in public institutions, which are to a considerable extent contributed to by a much more extensive population than that contained in greater Brisbane, would have approximated even more closely to the ratio for the whole State, namely, 10.47.

The effect of the two largest institutions on the mortality of the city of Brisbane is seen in the greatly increased death rate in that section of the area and which is reflected in the proportion for the Brisbane Registry District.

The number of deaths during the last ten years in the public institutions situated in the metropolitan area is given in the following statement:—

Pb.												
	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.		
										Males.	Females.	Persons.
Brisbane Hospital	269	224	286	237	211	271	305	284	261	206	94	300
Lady Bowen Hospital	5	9	13	7	19	14	17	20	19	4	3	7
Children's Hospital	54	70	66	67	60	78	59	103	69	40	42	82
Brisbane Plague Hospital†	6	8	5	3	4	1	5
Diamantina Orphanage	...	1
Hosptl. for Chronic Diseases†	7	22	41	38	33	25	58
Lady Lamington Hospital†	2	2	1	2	...	3	3
Infants' Asylum	2	4	9	4	12	18	2	1	1	2
Immigration Depôt	...	1	1	1
Lunatic Reception House	...	1	1	1	1	...	1
Brisbane Gaol	...	1	1	...	1	5	1	3	...	2	...	2
Magdalen Asylum†	5	...	10	4	6	6	12
Brisbane Suspect Hospital‡	4	5
Industrial Home	1	2	3
Totals	330	311	376	316	304	388	419	491	399	297	177	474

These 474 deaths constitute 31 per cent. of the total deaths of the whole area. The Hospital for Chronic Diseases, situated in the city of South Brisbane, draws patients from all over the State. If these were allowed for, the death ratio for that municipality, which even thus loaded is a low one, would be materially reduced.

The following table referring to the principal hospitals throughout the State, although dealing with a matter not perhaps strictly within the range of mortality statistics, may yet be of interest to the class of persons who make use of this report:—

Pc.														
Where Situated.	Number of In-patients.	Number of In-patient Days.	Cost of Administration and Management for In-patients.	Cost of each In-patient per Day.	HOSPITAL STAFF.									
					PAID.						HONORARY.			
					Medical.		Nursing.		Other.		Committee.		Medical.	
					M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Brisbane	4,018	78,270	£ 14,256	s. d. 3 7 ³ / ₄	4	66	43	28	7	4	21	...
„ Children's	1,111	27,307	3,281	2 4 ¹ / ₂	...	1	...	31	1	12	5	12	11	1
Bundaberg	455	10,677	1,926	3 7 ¹ / ₂	1	7	2	3	15	...	3	...
Charters Towers...	1,011	30,992	5,083	3 3 ¹ / ₂	1	...	2	15	4	8	15	...	4	...
Ipswich	665	16,002	2,907	3 7 ¹ / ₂	1	13	5	7	9	...	9	...
Mackay	564	11,680	2,089	3 7	1	...	1	7	1	4	13	...	2	...
Maryborough	489	9,429	2,167	4 7	1	7	4	6	9	...	4	...
Mount Morgan	574	12,217	2,834	4 7 ³ / ₄	1	...	1	9	2	5	9	...	2	...
Rockhampton	731	17,300	3,264	3 9 ¹ / ₂	1	...	5	12	7	5	16
Toowoomba	1,123	22,188	3,868	3 5 ¹ / ₂	2	16	7	11	8	...	4	...
Townsville	899	21,535	3,775	3 6 ¹ / ₂	1	12	7	5	15
Warwick	433	12,220	1,680	2 9	1	7	2	...	6	...	4	...

Passing the Children's Hospital, Brisbane, as treating a different class of patient, it is found that the daily cost of each patient ranges from 2s. 9d. at Warwick to 4s. 7³/₄d. at Mount Morgan.

* The General and Children's Hospitals are in the City of Brisbane. † Appearing for the first time in 1901. ‡ Appearing for the first time in 1902.

DEATHS BY AGES.

Infant Mortality.

Restricting this term first to its narrowest definition of what is known as "true infantile mortality," the conditions obtaining here when compared with those elsewhere are eminently satisfactory. The ratios of deaths under 1 year to the total births for the last ten years have been as follow :—

Q.

SHOWING TRUE INFANTILE MORTALITY.—RETURN FOR TEN YEARS 1896-1905.

1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	Mean for the 10 years.
10·46	9·46	11·05	10·94	9·84	10·19	10·02	11·99	7·61	7·55	9·89

The true infantile mortality for 1904 was the lowest up to that time ever experienced in Queensland, whilst the figures for 1905 show a slight improvement even on that ratio. Satisfactory as this is, yet there still seems room for reflection as to why the mortality amongst infants under 1 year should be seven times greater than with persons of all ages. Great improvement with respect to infant mortality has taken place, as may be seen from the following statement :—

Qa.

1875	12·46	1895	11·07
1880	12·98	1900	10·31
1885	13·64	1905	9·89
1890	12·65				

During the ten years, 1875-1885, the rate approximated to 13 per cent., whilst during the last ten years it has been fully 2 per cent. lower; but even then, after making every allowance for physical and constitutional frailty of the very young, it seems difficult to avoid the conclusion that there yet remains a wide field of usefulness in this direction.

The following table gives the true infantile mortality in all the States of Australasia for 1905 :—

Qb.

	1905.
Queensland	7·55
New South Wales	8·06
Victoria	8·33
South Australia	7·30
Western Australia	10·42
Tasmania	7·90
New Zealand	6·75

The most favourable experience was that of New Zealand with a ratio of 6·75; then South Australia, 7·30; and Queensland, 7·55; followed by Tasmania, New South Wales, Victoria, and Western Australia in the order named, the last having an infant mortality rate of 10·42.

Although the brunt of infant loss by death is borne by those under 1 year, yet during the second year of life the mortality is still very great. The following table contains information as to deaths of children under 2 and 5 years of age for last year :—

Qc.

Registry District.	Number of Deaths in District.	CHILDREN UNDER 2 YEARS OF AGE.			CHILDREN UNDER 5 YEARS OF AGE.		
		Census 1901— Centesimal Ratio of Children under 2 years of age to Population of Dis- trict.	Number of Deaths in District.	Proportion per cent. to Total Deaths in District.	Census 1901— Centesimal Ratio of Children under 5 years of age to Population of Dis- trict.	Number of Deaths in District.	Proportion per cent. to Total Deaths in District.
Brisbane	1,057	4·35	222	21·00	10·61	263	24·88
Bundaberg	145	5·49	28	19·31	13·61	31	21·38
Drayton and Toowoomba	243	4·67	63	25·93	11·73	67	27·57
Enoggera	193	5·49	73	37·82	13·40	79	40·93
Gympie	190	5·58	51	26·84	13·66	56	29·47
Ipswich	193	4·96	38	19·69	12·63	48	24·87
Kennedy*	264	5·52	76	28·79	13·58	80	30·30
Mackay	132	4·49	25	18·94	11·61	28	21·21
Maryborough	139	5·17	25	17·99	12·56	28	20·14
Mount Morgan	95	6·93	34	35·79	16·74	36	37·89
Rockhampton	193	5·31	53	27·46	12·59	63	32·64
Townsville	180	4·59	23	12·78	11·89	35	19·44
All Other	2,479	5·12	504	20·33	12·64	580	23·40
Totals	5,503	5·08	1,215	22·08	12·54	1,394	25·33

* Includes Charters Towers.

Thus children under 2 comprised at the last Census just 5 per cent. of the total population, the ratio now is certainly a little more, but during 1905, 22 per cent. of all deaths were of children of that age. After attaining 2 years of life, the prospects of surviving rapidly advance, for of those over 2 and under 5,

comprising some 7·5 per cent. of the population, their ratio of contribution to the total deaths was 3·25 per cent. only. The districts detailed in the foregoing table contain within their boundaries all the populous towns of the State, and it will be noticed that, although the proportions of children to the populations vary considerably, they do not do so to anything like the same extent as do the deaths. Take Enoggera, a populous western suburb of Greater Brisbane, whilst children under 2 and under 5 comprised, respectively, 5·49 and 13·40 of the population of all ages, the deaths of these ages formed 37·82 and 40·93 of the total deaths, whilst for Mount Morgan the like ratios were to population under 2, 6·93; under 5, 16·74; and for deaths, 35·79 and 37·89. If these two districts had experienced a child mortality in proportion to their child population as satisfactory as that of Townsville—the most favourable district shown in the above table—their death rates would have been: Enoggera, under 2, 15·29; under 5, 21·91; Mount Morgan, under 2, 19·30; under 5, 27·37. This would have meant that only 42 children at Enoggera and 26 children at Mount Morgan would have died, instead of 79 and 36 respectively, or a saving of 37 lives in the former and 10 lives in the latter district during the one year only.

Deaths at each Age Period.

The following table furnishes the best information available on this point and the particulars would at or soon after a Census be practically correct, but as the date of last Enumeration recedes they become less reliable:—

R.

Age Period.	Proportion of Popu- lation at each Age Period to Total Population, Census 1901.	Number of Mean Popu- lation, 1905, at each Age Period on basis of Census Ratio.	Deaths, 1905.	
			Number.	Rate per 1,000 of Mean Population.
Under 1 year	2·58	13,564	1,029	75·86
1 to 2 years	2·46	12,933	186	14·38
2 to 3	2·42	12,722	80	6·29
3 to 4	2·53	13,301	62	4·66
4 to 5	2·45	12,880	37	2·87
Total under 5 years	12·44	65,401	1,394	21·31
5 to 10 years	12·63	66,399	139	2·09
10 to 15	11·59	60,932	98	1·61
15 to 20	9·39	49,366	168	3·40
20 to 25	9·30	48,893	219	4·48
25 to 30	8·48	44,582	233	5·23
30 to 35	7·78	40,902	249	6·09
35 to 40	7·19	37,800	301	7·96
40 to 45	5·85	30,755	282	9·17
45 to 50	4·09	21,502	307	14·28
50 to 55	3·25	17,086	302	17·68
55 to 60	2·57	13,511	277	20·50
60 to 65	2·15	11,303	355	31·41
65 to 70	1·30	6,834	361	52·82
70 to 75	0·72	3,785	338	89·30
75 and upwards	0·54	2,839	478	168·37
Unspecified	0·73	3,838	2	0·52
Total	100·00	525,728	5,503	10·47

Deaths under 1 year to the estimated mean population at that age were 76 per 1,000, which strangely enough it will be noticed agrees exactly with the similar ratio of the “true infantile mortality,” based on the relation of deaths under 1 year to the births, and thus affords confirmation as to the approximate correctness of the estimated mean population at this age, and inferentially, therefore, of the other ages also. The 20 years of life, 5 to 25, comprise 43 per cent. of the population, but contribute only 12 per cent. of the deaths. The first decade of this period embracing 24 per cent. of the population but less than 4 per cent. of the deaths only.

Death Index.

The following table furnishing information on this subject is published to comply with the express desire of the Bureau of International Statistics:—

Ra.

Year.	Classes of Age.	% of Queens- land Population at each Age Period, Census 1901.	Estimated Mean Population.	Number of Deaths.	Coefficient %.	% of Swedish Population at each Age Period.	Queensland Index %.
1905	Under 1 year	2·58	13,564	1,029	7·59	2·55	1·93
	1 to 20 years	43·47	228,534	770	0·34	39·80	1·34
	20 to 40	33·19	174,489	1,002	0·57	26·96	1·55
	40 to 60	15·98	84,011	1,168	1·39	19·23	2·67
	60 years and upwards	4·78	25,130	1,534	6·10	11·46	7·00
	Totals	100·00	525,728	5,503	1·05	100·00	14·49

This table is designed to correct for comparative purposes the death ratios of all countries on the basis of a common condition with regard to the numbers of the population at each age period. Sweden has been selected by the Bureau as the “fugleman” for this purpose, it being considered that the population of that country is in the most normal condition with respect to age. On the basis of this “Index” it is seen that the death rate for Queensland for 1905 would have been 14·49 per 1,000 of the population had the Swedish conditions with respect to age obtained in this State.

The following table supplies particulars with regard to deaths from 1860 to the end of 1905 :—

Year.	Under 1 Year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 Years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Age not stated.	Total all Ages.	Mean Age at Death.	Mean Age Living, Census Years.
1860	141	46	16	5	7	215	10	4	7	25	22	36	34	27	24	21	9	17	5	4	2	16	478	21.31	22.97
1861	136	41	6	7	14	196	14	8	14	25	34	40	36	37	29	17	8	10	4	5	2	23	499	22.07	22.97
1862	222	74	30	20	18	362	14	14	18	36	44	53	47	53	38	33	25	15	9	6	3	20	797	20.55	22.97
1863	329	158	61	43	28	627	65	21	28	67	75	80	62	51	42	47	24	20	9	8	7	55	1,275	17.15	22.97
1864	365	155	47	38	34	639	73	19	34	97	111	93	73	64	47	47	25	19	10	10	8	77	1,446	18.46	22.97
1865	580	206	70	27	20	903	59	30	38	113	126	107	75	64	44	43	28	30	10	4	3	56	1,733	15.80	22.97
1866	690	320	94	55	23	1,182	63	28	58	168	192	167	116	64	71	55	41	30	26	16	10	75	2,362	17.03	23.06
1867	578	228	73	43	25	947	39	31	84	84	114	119	90	52	62	45	28	26	11	8	7	52	1,745	16.06	23.06
1868	552	197	77	48	21	895	51	25	28	70	110	113	104	71	52	47	36	46	11	15	14	103	1,799	18.15	23.06
1869	528	199	53	33	14	827	39	16	28	71	119	142	103	82	71	46	32	41	25	15	13	91	1,761	19.58	23.06
1870	526	129	63	30	18	766	41	27	30	48	112	117	93	79	62	70	43	34	17	15	12	73	1,645	19.92	22.70
1871	516	137	67	46	26	792	47	28	53	81	121	120	101	89	53	53	45	47	25	18	26	102	1,785	20.54	22.70
1872	578	178	67	47	22	892	54	27	35	69	131	129	102	116	51	78	42	43	27	20	21	99	1,936	20.15	22.70
1873	701	209	94	55	37	1,096	84	40	43	84	128	134	119	100	72	112	44	56	31	19	21	125	2,250	18.38	22.70
1874	776	251	91	53	34	1,205	92	45	48	127	151	175	137	144	107	107	72	56	32	42	22	177	2,794	20.95	22.70
1875	1,025	429	194	92	84	1,824	194	59	92	183	186	237	238	185	132	100	59	70	41	31	39	434	4,104	18.33	23.30
1876	994	331	110	68	45	1,548	96	50	105	166	190	162	208	164	114	85	80	66	51	38	41	303	3,467	19.58	23.30
1877	1,058	326	102	55	30	1,571	101	54	102	153	138	170	166	154	107	93	74	65	50	37	42	296	3,373	18.87	23.30
1878	1,234	415	142	76	42	1,809	93	47	104	191	179	205	201	196	152	107	95	92	51	56	46	466	4,220	19.76	23.30
1879	917	248	107	52	42	1,366	92	56	97	177	151	160	190	176	140	94	66	72	52	44	37	252	3,207	20.62	23.32
1880	865	188	85	44	31	1,213	62	45	110	196	172	188	192	155	138	98	73	85	44	48	37	161	3,017	22.35	23.32
1881	918	256	96	36	41	1,347	84	54	147	265	222	193	164	166	158	129	86	81	61	38	56	69	3,320	22.29	23.32
1882	1,188	374	114	64	47	1,787	109	60	204	382	312	240	199	174	166	134	99	100	70	63	80	75	4,274	21.35	23.32
1883	1,319	471	174	103	63	2,130	125	80	305	522	383	272	200	237	177	147	106	94	83	68	88	44	5,041	20.78	23.32
1884	1,574	436	154	93	72	2,329	144	114	410	987	641	383	283	286	210	207	138	124	93	93	101	37	6,861	21.80	23.32
1885	1,733	395	129	100	62	2,419	154	71	442	631	538	367	256	321	214	212	148	131	124	101	111	64	6,235	21.71	23.32
1886	1,584	423	131	103	59	2,300	129	71	265	497	443	290	265	258	212	203	144	132	96	69	111	70	5,575	22.06	23.60
1887	1,526	330	140	93	47	2,136	135	82	241	382	355	255	246	249	227	206	155	143	109	78	111	26	5,166	22.80	23.60
1888	1,719	338	132	63	57	2,309	122	89	246	432	391	317	231	241	224	216	181	156	130	83	138	23	5,529	22.91	23.60
1889	1,962	397	153	112	63	2,687	135	87	208	448	409	341	280	245	269	265	204	187	114	115	126	12	6,132	22.54	23.60
1890	1,548	352	153	101	99	2,253	206	82	176	376	377	363	266	242	248	265	181	183	112	117	140	51	5,638	23.95	23.60
1891	1,489	300	131	119	73	2,112	158	65	205	363	362	310	229	199	206	225	175	161	137	106	163	17	5,170	23.92	23.60
1892	1,591	277	121	89	48	2,126	170	77	151	326	325	293	253	199	230	277	193	176	124	124	182	27	5,266	25.01	23.60
1893	1,691	363	171	109	63	2,397	201	90	199	294	372	323	242	207	230	250	182	200	165	121	193	29	5,695	24.10	23.60
1894	1,369	301	162	115	91	2,038	166	84	165	250	351	287	267	223	203	269	199	226	199	160	201	10	5,298	26.88	23.60
1895	1,356	264	117	87	75	1,899	196	108	187	235	306	281	238	219	220	246	215	209	174	134	220	15	5,152	27.10	23.60
1896	1,466	293	108	94	69	2,030	151	108	166	261	312	298	216	274	240	296	282	277	217	165	229	23	5,645	28.57	23.60
1897	1,354	245	107	79	56	1,834	170	84	148	244	315	326	337	275	244	241	260	267	214	148	280	16	5,423	29.67	23.60
1898	1,540	374	159	129	79	2,281	226	127	162	260	289	308	321	311	260	260	281	302	287	207	350	11	6,243	29.12	23.60
1899	1,521	309	141	95	59	2,125	178	122	211	329	384	356	340	264	236	268	306	283	215	222	295	10	6,144	28.88	23.60
1900	1,456	234	87	64	49	1,890	133	110	197	303	292	302	310	308	258	237	290	277	293	225	302	20	5,747	30.78	23.60
1901	1,458	250	98	58	50	1,914	128	112	192	285	287	343	349	312	262	299	295	315	286	259	354	15	6,007	31.88	23.60
1902	1,424	221	77	63	33	1,818	137	120	173	307	334	322	350	324	268	289	310	380	369	308	378	17	6,204	33.63	23.60
1903	1,513	316	113	81	58	2,081	176	129	170	235	304	309	306	308	276	284	312	385	318	290	378	13	6,346	32.42	23.60
1904	1,072	192	100	63	55	1,482	139	106	154	231	219	266	283	319	250	285	257	309	246	246	368	...	5,250	34.65	23.60
1905	1,029	186	80	62	37	1,394	139	98	168	219	233	249	301	282	307	302	277	355	361	338	478	2	5,503	37.38	23.60

This table is a summary for each year mentioned of the particulars which for 1905 will be found in Appendix Tables Nos. XII., XVIII., XIX., XX., and in a compact form gives valuable information as to deaths at each age period. The last two columns are of especial interest, as giving the mean age of persons dying each year, and the mean of all persons alive at each Census. It will be readily seen that, whilst the mean age at death has advanced by some 12 to 15 years, the advance in the average age of persons living has not been nearly as great, due largely to the improved conditions with regard to child mortality.

Causes of Death.

In agreement with the Statistical Conference of 1902, deaths occurring in Queensland are classified with respect to "Cause" in accordance with the scheme adopted by the Registrar-General of England. This is a modification of the Bertillon and Farr systems, but is more closely allied to the former than to the latter, which was the one previously in use. These two methods of classification are shown in juxtaposition in the following table, as for the first two of the five years embraced, the old scheme was in vogue, and for the last three years deaths were classified under the new:—

T.

TABLE comparing the PERCENTAGE which the several CAUSES of DEATHS bear to the TOTAL DEATHS in each YEAR.—RETURN for the FIVE YEARS.

Cause of Death.	1901.	1902.	Cause of Death.	1903.	1904.	1905.
I.—ZYMOTIC DISEASES.			CLASS I.—GENERAL DISEASES.			
1. Miasmatic Diseases	7·32	5·63	Sub-class—			
2. Diarrhœal Diseases	6·24	5·03	1	6·40	8·36	4·61
3. Malarial Diseases	1·10	0·89	2	6·73	3·24	6·49
4. Zoogenous Diseases	3	0·47	0·61	0·64
5. Venereal Diseases	0·57	0·56	4	0·58	0·63	0·49
6. Septic Diseases	0·93	0·77	5	1·27	1·62	1·23
			6	8·56	9·58	8·69
TOTALS	16·16	12·88	7	0·35	0·29	0·13
			8	1·53	1·08	1·51
II.—PARASITIC DISEASES	0·12	0·39	9	0·79	1·01	1·13
			10	3·97	5·66	6·38
III.—DIETETIC DISEASES	2·31	2·09	11	1·29	1·20	1·54
			12	5·44	6·36	5·81
			TOTALS	37·38	39·64	38·65
IV.—CONSTITUTIONAL DISEASES ...	16·80	16·23	CLASS II.—LOCAL DISEASES.			
V.—DEVELOPMENTAL DISEASES ...	6·06	6·66	Sub-class—			
			1. Diseases of Nervous System ...	7·11	6·97	6·52
VI.—LOCAL DISEASES.			2. Diseases of Organs of Special Sense	0·14	0·13	0·18
1. Diseases of Nervous System ...	9·44	9·77	3. Diseases of Heart	6·87	6·84	7·76
2. Diseases of Organs of Special Sense	0·10	0·18	4. Diseases of Blood Vessels ...	2·90	3·83	3·73
3. Diseases of Circulatory System ...	9·04	8·85	5. Diseases of the Respiratory Organs	10·10	10·74	11·03
4. Diseases of Respiratory System ...	10·44	12·02	6. Diseases of Digestive System ...	15·47	11·62	11·43
5. Diseases of Digestive System ...	13·28	13·30	7. Lymphatic Diseases	0·16	0·40	0·15
6. Diseases of Lymphatic System and Ductless Glands	0·13	0·08	8. Diseases of Urinary System ...	4·65	4·99	5·14
7. Diseases of Urinary System ...	3·83	4·61	9. Diseases of Generative System ...	0·38	0·46	0·38
8. Diseases of Organs of Generation ...	0·20	0·53	10. Accidents of Childbirth	0·91	1·47	0·80
9. Diseases of Parturition	0·83	0·95	11. Joint Diseases	0·17	0·32	0·29
10. Diseases of Organs of Locomotion ...	0·30	0·23	12. Skin Diseases	0·32	0·44	0·46
11. Diseases of Integumentary System ...	0·40	0·43	TOTALS	49·18	48·21	47·87
TOTALS	47·99	50·95	CLASS III.—OTHER SPECIFIED DISEASES			
			CLASS IV.—ILL-DEFINED AND NOT SPECIFIED DISEASES.			
VII.—VIOLENCE.			Sub-class 1	4·66	3·37	4·54
1. Accident or Negligence	7·41	7·75	CLASS V.—VIOLENT DEATHS.			
2. Homicide	0·28	0·24	Sub-class—			
3. Suicide	1·63	1·57	1. Accident or Negligence	7·12	6·72	6·89
4. Execution	0·09	...	2. Homicide	0·22	0·23	0·27
TOTALS	9·41	9·56	3. Suicide	1·41	1·83	1·74
VIII. ILL-DEFINED AND NOT SPECIFIED CAUSES	1·15	1·24	4. Execution	0·03	...	0·04
			TOTALS	8·78	8·78	8·94
TOTALS	100·00	100·00	GRAND TOTALS	100·00	100·00	100·00

Fuller details respecting the scheme now in use are given at the first page of the Appendix, showing every definition, under one of which each death recorded has to be tabulated. To do this, the cause of death, as furnished on his certificate by the doctor in attendance, has to be carefully scrutinised and classified. For the most part medical men, by the care with which they fill in these documents, render the task an easy one, but in some cases much trouble would be saved to the staff of this Department if the writers of these certificates fully realised that every one of them has to be brought within the four corners of the above scheme of classification, and so selected their verbiage as to leave no doubt as to the line to which the cause of death should be tabulated. In accordance with the foregoing scheme all deaths in the

State are classified to their proper causes by ages, by months, and by districts; tables giving like particulars for the metropolitan area being given in addition. This information is embraced in Tables Nos. XVIII. *et seq.* in the Appendix.

In the tables relating to ages full particulars are given for each year up to 5 years of age, and thereafter in quinquennial periods up to 75 years, all above that age being entered in one column—75 and upwards; further particulars respecting the exact age of these is given in the following table:—

Ta.

CAUSES OF DEATH—OLD PEOPLE 75 YEARS OF AGE AND UPWARDS.

Cause of Death.	AGE LAST BIRTHDAY.																																91 and ups.	TOTAL DEATHS OVER 75 YEARS.		
	75		76		77		78		79		80		81		82		83		84		85		86		87		88		89		90					
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.				
Influenza		1					1									1								1			1					3	2	5		
Mumps																																1	1	1		
Diarrhœa, Choleraic Diarrhœa	1	1	2					1		1				2		1					1										9	1	10			
Dysentery																															4		4			
Malarial Fever { Dengue Fever...	4	1	1		1		2	2		4	1		2			1	1		2	1	1				1	1			1		15	12	27			
{ Other								1																							1		1			
Erysipelas																1															1		1			
Phlegmon, Carbuncle (not Anthrax)			1																												1		1			
Tubercular Phthisis, Pulmonary Tuberculosis																	1															1	1			
Chronic Rheumatism											1										1							1			3		3			
Sarcoma		1	2	2						1	1									1											4	4	8			
Sarcoma			1																												1		1			
Malignant Disease, Cancer		1	1	1	1	1		1		1	2	1			1	1	1	1					1							6	9	15				
Purpura																	1				1										1	1	2			
Anæmia, Leucocythæmia			1					1		1	1																		1		4	2	6			
Diabetes, Mellitus				1		1																									2	2	2			
Softening of Brain			2																		1										2	1	3			
Insanity (not Puerperal)...				1																												1	1			
Paraplegia, Disease of Cord	1		1				1																								3		3			
Nervous System, Other Diseases	1			1			1													1				2			1			1		6	3	9		
Valvular Disease, Endocarditis (not Infective)	2	3	2		5		2	3	1	1	1	2					2	3	3			1		1						18	14	32				
Pericarditis	1			1																											1	1	2			
Angina Pectoris			1							1																					2		2			
Dilatation of Heart				1			1						1				1							1			1				2	4	6			
Fatty Degeneration of Heart					1		1	1				1																		4	1	5				
Syncope, Heart Disease (not Specified)	4	1		2	1	3	1	1	1			1	1															3		11	8	19				
Cerebral Hæmorrhage (Embolism, Thrombosis)		2	1	1		3				1	1			1										1		1				4	9	13				
Apoplexy, Hemiplegia			1	2				1		3			1	1		1	1			1	1	2			1					1	10	8	18			
Senile Gangrene			1					1						1	1		1	1						1						5	3	8				
Blood Vessels, Other Diseases				1			1																								1	1	2			
Bronchitis	4	2	1	1	5	2	2	2	1	1			2	2					1				1	1	1	1				2	19	14	33			
Broncho, Catarrhal, Lobular, Pneumonia													1				1														1	1	2			
Pneumonia	2	4	1		1			1	2	1				1			1	2	1	1		1								11	9	20				
Emphysema, Asthma		2	1				1		2	1				1				1		1	1									7	4	11				
Pleurisy		1																													1		1			
Respiratory Diseases, Other	1			1						1			1																		2	2	4			
Mouth Pharynx Disease (not Specified)																					1										1		1			
Gastric Ulcer		1																													1		1			
Stomach, Other Diseases (not Malignant)					3																1										1	3	4			
Enteritis (not Epidemic)...																1												1			1	2	3			
Gastro Enteritis									1																							1	1	1		
Appendicitis, Perityphlitis		1																													1		1			
Hernia		1																													1		1			
Other Diseases of Intestines																	1															1	1			
Cirrhosis of Liver			1				1		1																						2	1	3			
Liver and Gall Bladder, Other Diseases	1									1																	1				1	2	3			
Digestive System, Other Diseases			1																		1										1	1	2			
Nephritis, Acute		1									1																				1	1	2			
Chronic Bright's Disease, Albuminuria			2	2	1		1	1		2		1					1														5	6	11			
Calculus (not Biliary)																	1															1	1			
Bladder and Prostate Disease	2		3		3		1		3		1				1		2		2										1	18	1	19				
Urinary System, Other Diseases								1										1													2		2			
Ovarian Tumour (not Malignant)																								1								1	1			
Arthritis, Periostitis																															1		1			
Ulcer, Bedsore																					1											1	1			
Skin Diseases, Other								1	1																						1	1	2			
Old Age	5	2	2	3	7	3	6	4	4	1	4	4	5	2	6	5	4	3	6	2	4	5	2	4	2	3	1	6		2	3	8	1	65		
Dropsy, Ascites, Anasarca								1																									1	1		
Tumour											1																					1	1	1		
Accident—Horses, &c.		3																														3		3		
" Burns and Scalds								1								1															1	1	2			
" Drowning						1																										1	1	1		
" Falls, Otherwise		1				1															1											3		3		
" Sunstroke and Heat Apoplexy		1													1																1	2	3			
" Otherwise or not Stated				1																												1		1		
Suicide by Poison		1																														1		1		
" Hanging or Strangulation		1																														1		1		
" Cutting Instruments		1																														1		1		
Totals—Ages	44	23	29	22	23	14	25	18	25	11	19	16	13	10	12	11	18	10	15	11	10	12	12	10	8	8	4	10	2	3	8	1	6	278		
																																200		478		

In 1905 there were 478 deaths of persons over 75 years of age, 278 males and 200 females. The cause assigned for the death of 117 of these was the very indefinite term, old age. Passing these, since the so-called cause possesses no significance from the standpoint of fatality of specific diseases, we find that the most frequent contributory to the death of old people was bronchitis, from which last year 32

succumbed, 19 males and 14 females. Valvular disease and endocarditis were responsible for 32 deaths, dengue for 27, pneumonia for 20, syncope for 19, disease of bladder and prostate 19, apoplexy 18, and malignant disease and cancer 15.

The following statement summarises the ages in the foregoing table :—

Tb.							Males.	Females.	Persons.
75 to 80	151	88	239
80 to 85	77	58	135
85 to 90	36	43	79
90 to 95	12	9	21
95 to 100	2	2	4
100 and upwards
							278	200	478

Of the 478 deaths over 75, 50·00 per cent. exactly, died between that age and 80, 28 per cent. between 80 and 85, 17 per cent. between 85 and 90, 4 per cent. between 90 and 95, whilst four persons only survived the latter period of life, aged respectively 95, 96, 98, and 99, the last, the oldest death recorded, was that of a woman who thus just failed to complete the century.

Appendix Tables Nos. XVIII. to the end supply information as to the causes of the 5,503 deaths which were registered during 1905. The following table gives comparative figures with respect to the 17 most fatal of these, both with respect to previous years' mortality and also as regards their relation to the numbers of the population and to the total deaths :—

Tc.

RETURN for THREE YEARS showing the NUMBER of DEATHS from some of the PRINCIPAL CAUSES in the ORDER of their DEGREE of FATALITY in 1905, also their PROPORTION per 10,000 of the TOTAL DEATHS and per 100,000 of the MEAN POPULATION, respectively, for each of the YEARS 1903-5.

Most Common Cause of Death.	1903.			1904.			1905.		
	Number of Deaths.	Proportion per 10,000 of Total Deaths.	Proportion per 100,000 of Mean Population.	Number of Deaths.	Proportion per 10,000 of Total Deaths.	Proportion per 100,000 of Mean Population.	Number of Deaths.	Proportion per 10,000 of Total Deaths.	Proportion per 100,000 of Mean Population.
Phthisis, Tuberculous Phthisis	402	633	78	410	781	79	397	721	76
Carcinoma, Sarcoma, Cancer, Malignant Disease ...	252	397	49	297	566	57	351	638	67
Valvular Disease, Endocarditis (not infective)	227	358	44	190	362	37	252	458	48
Gastro Enteritis	433	682	84	255	486	49	250	454	48
Malarial Fever, including Dengue	54	85	11	37	70	7	239	434	45
Pneumonia	256	403	50	205	390	39	228	414	43
Old Age	185	292	36	113	215	22	196	356	37
Chronic Bright's Disease, Albuminuria	180	284	35	153	291	29	160	291	30
Bronchitis	155	244	30	141	269	27	153	278	29
Premature Birth	171	269	33	175	333	34	149	271	28
Convulsions	177	279	35	139	265	27	116	211	22
Enteritis (not epidemic)	163	257	32	91	173	18	106	193	20
Syncope, Heart Disease (not specified)	142	224	28	112	213	22	103	187	20
Enteric Fever	189	298	37	91	173	18	95	173	18
Congenital Defects	59	93	12	73	139	14	77	140	15
Cerebral Hæmorrhage (Embolism and Thrombosis) ...	76	120	15	74	141	14	76	138	14
Apoplexy, Hemiplegia	54	85	11	58	110	11	70	127	13
Total Deaths each Year from all Causes	6,346	5,250	5,503
Mean Population for each Year	512,690	519,178	525,728	...

Although in the Appendix tables pulmonary tuberculosis and phthisis are shown on separate though adjoining lines, and carcinomatous troubles when variously designated are shown separately also, yet these have each respectively been brought together in the tables illustrating degree of fatality. Although Professor Von Schron and his supporters express themselves as satisfied that phthisis and pulmonary tuberculosis are distinct diseases, yet so long as medical men *here* use these terms—as they frequently do—as synonymous, and whilst deaths recorded under them are tabulated in the sub-class devoted to tuberculosis, there seems no sufficient justification for separating them in a consideration of the question of frequency.

Pulmonary tuberculosis—including phthisis (undefined) and all tubercular affections of the respiratory organs and passages—was responsible for 397 deaths in 1905, against 410 in 1904, a decrease last year of 13. This is equivalent to 7·21 per cent. of all deaths, and 0·76 per 1,000 of the population, or 1 death to each 1,324 persons.

It was decided at the last conference of the Statisticians of the States of the Commonwealth to publish annually a statement showing the length of residence in Australia of all persons dying from any form of tuberculosis. This information for Queensland is given in the following tables, and is tabulated in such a way as to distinguish between Australasians, Pacific Islanders, and “others.” Moreover, pulmonary and laryngeal tuberculosis are kept distinct from tuberculosis affecting other parts.

Td.

DEATHS FROM PHTHISIS AND TUBERCULOSIS OF THE PULMONARY AND LARYNGEAL ORGANS.

RETURN showing BIRTHPLACES and DURATION OF RESIDENCE in QUEENSLAND of PERSONS who DIED from the above CAUSES, 1901-1905.

Birthplaces.			Duration of Residence in Queensland.										Total.	
			Under 6 Months.	6-12 Months.	1-2 Years.	2-3 Years.	3-4 Years.	4-5 Years.	5-10 Years.	10-15 Years.	15-20 Years.	20 Years and Up.		Unspecified.
1901	Australian States and New Zealand		3	...	2	1	2	...	1	2	13	80	9	113
	Pacific Islands		17	7	9	10	2	2	10	7	2	6	4	76
	Elsewhere		2	4	1	8	3	...	9	30	59	106	16	238
	Totals		22	11	12	19	7	2	20	39	74	192	29	427
1902	Australian States and New Zealand		4	1	1	...	2	1	5	5	11	70	9	109
	Pacific Islands		7	11	23	15	2	...	7	10	3	4	5	87
	Elsewhere		5	9	8	2	5	3	13	29	54	110	24	262
	Totals		16	21	32	17	9	4	25	44	68	184	38	458
1903	Australian States and New Zealand		4	...	2	1	2	1	1	4	12	64	9	100
	Pacific Islands		4	2	6	7	4	4	8	8	3	3	8	57
	Elsewhere		4	4	5	3	...	5	4	17	34	114	55	245
	Totals		12	6	13	11	6	10	13	29	49	181	72	402
1904	Australian States and New Zealand		1	1	4	6	15	93	9	129
	Pacific Islands		2	5	7	8	4	2	8	6	5	10	3	60
	Elsewhere		1	1	1	2	1	4	12	13	45	114	27	221
	Totals		4	6	8	11	5	6	24	25	65	217	39	410
1905	Australian States and New Zealand		1	...	1	1	1	1	5	9	19	106	3	147
	Pacific Islands	3	6	5	...	6	8	5	9	6	48
	Elsewhere		2	2	1	1	1	4	5	12	32	106	36	202
	Totals		3	2	5	8	7	5	16	29	56	221	45	397

Te.

DEATHS FROM TUBERCULAR DISEASES (OTHER THAN TUBERCULOSIS OF PULMONARY AND LARYNGEAL ORGANS).

RETURN showing BIRTHPLACES and DURATION of RESIDENCE of PERSONS who DIED from the above CAUSES, 1901-1905.

Birthplaces.		Duration of Residence in Queensland.										Total.	
		Under 6 Months.	6-12 Months.	1-2 Years.	2-3 Years.	3-4 Years.	4-5 Years.	5-10 Years.	10-15 Years.	15-20 Years.	20 Years and Up.		Unspecified.
1901	Australian States and New Zealand	28	18	16	3	2	3	4	1	2	16	...	99
	Pacific Islands	7	12	8	6	2	2	7	1	2	...	5	53
	Elsewhere	1	1	2	5	13	12	5	32
	Totals	35	30	25	10	4	5	13	7	17	28	10	184
1902	Australian States and New Zealand	24	20	4	3	3	2	5	3	3	8	2	77
	Pacific Islands	9	9	10	8	3	...	6	2	3	1	1	52
	Elsewhere	1	3	4	8	15	2	33
	Totals... ..	33	29	15	11	6	2	14	9	14	24	5	162
1903	Australian States and New Zealand	19	16	12	4	...	1	7	6	2	8	4	79
	Pacific Islands	2	4	11	8	...	2	3	7	4	4	2	47
	Elsewhere	1	...	1	3	5	5	15
	Totals... ..	21	20	24	12	1	3	10	13	9	17	11	141
1904	Australian States and New Zealand	11	8	8	4	2	2	5	2	2	14	1	59
	Pacific Islands	1	3	1	2	...	2	5	3	2	2	2	23
	Elsewhere	1	...	1	1	1	6	1	11
	Totals	12	11	9	6	3	4	11	6	5	22	4	93
1905	Australian States and New Zealand	11	13	5	2	3	1	2	7	2	46
	Pacific Islands	2	5	2	5	2	1	3	3	23
	Elsewhere	1	1	2	2	6	...	12
	Totals... ..	11	13	6	5	5	2	8	5	5	16	5	81

The figures contained in these tables hardly confirm the theory that any considerable number of victims to tuberculosis acquire the complaint before arrival in the Commonwealth. Taking Table Td, it will be seen that of the 352 deaths due to pulmonary, &c., phthisis, in which the duration of residence was specified, 221, or 63 per cent., had been more than 20 years in Queensland, 85, or 24 per cent., upwards of 10 years, and 16, or 5 per cent., more than 5 years, few, if any of whom are likely to have been pre-infected. Some of the remaining 8 per cent. had spent all their lives in Australia, but were less than 5 years of age, so that only 27 remain as coming within reasonable possibility as introducers of this dire disease, and these in some instances, no doubt, acquired the complaint within the State.

With respect to Table Te deaths due to other forms of tuberculosis, it would at first appear from the large number—42 out of 81—with less than five years of residence in Queensland, that some colour was given to the idea of the arrival from abroad of sufferers from these phases of this disease, but when it is remembered that tubercular infection of other than the respiratory organs is largely confined to the young, this hypothesis falls to the ground, for of the 42 above mentioned 31 were of children under 5 years of age.

Carcinomatous Diseases.—The increase in the proportion of these affections has been very pronounced during recent years, and they now stand second in the order of degree of fatality. Of the 351 deaths from these diseases shown in Table No. Tc, 134 were returned as due to carcinoma, 23 to sarcoma, and 194 to malignant disease and cancer. The youngest to succumb to carcinoma was 30-35 years old, and to malignant disease, cancer, was between 5 and 10 years of age. Two infants under 1 year and 2 children aged 2 to 3 years died from sarcoma, whilst of the remaining 19 one was a girl of 10 to 15, and the rest were over 20 years. In accordance with the agreement come to by the Hobart Statistical Conference, further details respecting cancer, &c., are furnished in the subjoined table:—

Tf.

RETURN showing the AGES of all PERSONS REGISTERED as DYING from CARCINOMA, SARCOMA, MALIGNANT DISEASE, and CANCER during the Year 1905, together with the portion of the BODY affected thereby.

[illegible]

Of the 351 deaths, 196 were of males, and 155 of females, proportions of 6·77 and 6·56 per 10,000 of the mean population of each respectively. The ratio amongst males was, therefore, slightly the higher. In the foregoing table the terms actually employed in the medical certificates have been given, and amalgamation only carried out where the words used were identical. It will be seen that the stomach is the chief of attack in 71 cases—49 male, 22 female—this being the organ affected, besides in 8 instances the stomach in conjunction with some other organ was involved. There were 36 cases of death due to cancer, &c., of the liver—again males greatly in the majority, 23 to 13 females. Probably men are less careful than women as to the treatment they accord to both their stomach and their liver. There were 60 deaths of females due to carcinomatous diseases of the generative and mammary organs, whilst with regard to both sexes the intestines and the head appeared to be a frequent site of attack.

Valvular Disease, Endocarditis.—The increase in the mortality due to these forms of heart disease is rapidly assuming grave proportions. Fifteen years ago, deaths from these causes numbered 11·7 per

1,000 of total deaths; five years later (1895) this proportion had advanced to 31.1, whilst in 1905 they amounted to 45.8 per 1,000 deaths from all causes. After making every allowance for changed or more careful diagnosis, such remarkable increase as is here portrayed certainly seems deserving of the fullest investigation.

Gastro Enteritis.—Fortunately, the epidemic of this complaint which was so pronounced a feature of the mortality experience of 1903 was not repeated in the two succeeding years, the 433 deaths then registered being followed in 1904 and 1905 by records of 255 and 250 respectively. Chiefly fatal to the very young—of the 250 deaths last year, 237, or 95 per cent., were under 5 years of age—its attacks are most severe during the summer, or fruit months, 139, or 56 per cent., of the deaths being recorded from December to March inclusive, whilst the registration during July, August, and September numbered only 21. It is also necessary to remember that there were 106 deaths certified as due to enteritis (not epidemic), so that the total number of deaths attributable to these allied complaints was 356.

Malarial Fever, including Dengue.—Malaria is not usually the cause of many deaths in Queensland, but, during 1905, as already pointed out, a severe epidemic of dengue was experienced, and of the 239 tabulated as due to malarial diseases, practically all were from dengue. In 1903, 54, and, in 1904, 37 deaths from these causes were recorded, so that in 1905 there were between six and seven times as many deaths due to malaria as in 1904.

Pneumonia.—In classifying causes of death there is sometimes a little difficulty in discerning which cases of pneumonia are hypostatic or post febrile and which may be properly classified to that cause. The greatest care is, however, exercised and it is believed but few errors are made. There were 228 deaths tabulated to pneumonia in 1905 against 256 in 1903 and 205 in 1904. The ratio per 1,000 deaths last year was 41.4, and per 10,000 of the population 4.3. These proportions have been fairly constant for a number of years. Of the 228 deaths from this cause in 1905, 151 were of males and 77 of females, showing that the former are much more subject to attack than the latter, probably due to their greater liability to exposure. The later winter and earlier spring months comprise the seasons when pneumonia is most prevalent.

Old Age.—Although frequently—too frequently—given as a cause of death, this term can certainly not be considered as describing any specific disease, and certificates so filled in are practically blank from the standpoint of the Statistician. No doubt there are cases in which the medical attendant is unable to detect any specific complaint as causing death, and is compelled to fall back upon “old age” as a reason, but it does not seem probable that in as many as 196 cases last year no better definition was possible, comprising as they do more than 3.6 per cent. of all deaths and that of persons over 60 years numbering 1,532 persons, the deaths of 194, or 13 per cent., had to be classed to this indefinite term. The like number and proportion in 1904 were 111 and 9 per cent. only, figures implying less care in the effort to diagnose specific causes for the deaths of the aged.

Chronic Bright's Disease.—Although the 160 deaths attributed to this disease were 20 below the record for 1903 and only 7 in excess of the number for the following year, whilst the ratio to total deaths was precisely the same for both 1904 and 1905, yet the increase in the victims to this complaint has been too persistent for a number of years to justify conclusions as to improvement based on the experience of one or two years only.

Bronchitis.—There were 153 deaths from bronchitis during 1905, in addition to these and the deaths due to pneumonia, there were a number resulting from specified kinds and combinations of these two complaints—namely, 18 due to lobar and croupous pneumonia, and 65 to broncho, catarrhal, and lobular pneumonia. There were 155 deaths from this cause in 1903, 141 in 1904, and 153 last year. Of the latter 96 were males and 57 females. In common with most troubles of the respiratory system, bronchitis is especially prevalent during the colder portion of the year, although not to so pronounced a degree as with pneumonia.

Premature Birth.—There was a marked diminution in 1905 in the mortality from this cause, 149 deaths against 175 and 171 respectively, in the two immediately preceding years.

Convulsions.—It is most satisfactory to note a marked decrease in the use of this indefinite term, which is really a symptom of several diseases rather than a direct cause of death. The figures for the last three years were, 1903, 177; 1904, 139; and 1905, 116; the latter figure comprising just over 2 per cent. of all deaths.

Enteritis (not Epidemic).—In common with gastro enteritis this disease has been much less fatal during the last two years than in 1903, as only 91 deaths in 1904, and 106 in 1905, were thus certified, against 163 in 1903.

Syncope—Heart Disease (not further specified).—There were 103 deaths in 1905, the causes of which were thus given against 142 in 1903, and 112 in 1904, thus described. It is satisfactory to note that these insufficiently definite terms fell to this extent into disuse. This may, to a slight extent, have contributed to the greater number of deaths recorded to valvular disease, as a result of greater care in diagnosis.

Enteric Fever (more commonly known as Typhoid).—The experience for 1904 and 1905 was more satisfactory than in 1903, the number of deaths being 189 in 1903, 91 in 1904, and 95 last year. As this is a “preventable” disease to perhaps a greater extent than most others, there is still great room for improvement, more particularly as the fatality resulting is but a small measure resulting from typhoid. Improved knowledge and the consequent improved methods of treatment have greatly reduced the mortality, but in its *sequelae* this complaint leaves a life-long mark on the constitution of many a patient rescued from immediate death.

Without, perhaps, going so far as Dr. Samuel Holkias Adams, one of America's greatest sanitation authorities, “that wherever you find a death from typhoid, someone ought to be hanged for murder,” there is no doubt a grave responsibility rests on a community where this cause is in the slightest degree prevalent.

Childbirth.—There were 43 deaths of women, mothers of legitimate children, during 1905, against 69 in 1904. These figures give ratios of 5·26 for 1904 and 3·39 for 1905 to each 1,000 legitimate births. The following table shows the ages and the number of the previous issue of the women dying from this cause in 1905:—

Tg.

Age of Mother.				NUMBER OF PREVIOUS ISSUE.											Total Mothers.	
				None	One.	Two.	Three.	Four.	Five.	Six.	Seven.	Eight.	Nine.	Ten.		Over Ten.
17 years...	
18 "	
19 "	
20 "	2	2	
21 "	1	1	
22 "	
23 "	1	1	2	
24 "	1	1	2	
25 "	1	1	
26 "	
27 "	1	1	
28 "	1	...	1	2	
29 "	1	...	1	1	4	
30 "	
31 "	
32 "	1	1	1	1	4	
33 "	1	...	1	2	
34 "	1	1	2	
35 "	1	2	3	
36 "	1	1	
37 "	1	1	1	3	
38 "	1	1	1	3	
39 "	1	1	...	1	4	
40 "	
41 "	
42 "	
43 "	1	1	
44 "	1	1	2	
45 "	1	1	
47 "	1	1	
49 "	1	1	
TOTAL ...				8	5	4	4	4	2	4	1	4	5	...	2	43

The youngest mother was 20—of which age there were two—and the oldest 49 years of age. In 8 cases the women were *primiparae*, and in two instances the women had already given birth to at least 10 children.

MARINE REGISTRATIONS.

There were no entries of either marine births or deaths during 1905. The few cases which took place on board ship all occurred within the Queensland jurisdiction and were registered according to the district within which they took place.

ADDITIONS TO REGISTERS.

There were 25,475 new names added to the registers last year or just 13 fewer than in 1904. The aggregate number on the registers of the State at the end of 1905 being 811,878.

REGISTRY OFFICE.—RECEIPTS AND EXPENDITURE.

There was a very marked increase in the amount collected by district registrars for fees in connection with the various Acts administered by the Registrar-General's Department last year, namely:—£874 10s. 3d. against £623 1s. 2d. in 1904. Particulars respecting the collections for the past two years are given in the following table:—

U.

RETURN showing the AMOUNTS received by the DISTRICT REGISTRARS in the STATE during the Years 1904 and 1905 respectively, and paid into the GENERAL REVENUE.

District Registrars at—				1904.			1905.			District Registrars at—				1904.			1905.		
				£	s.	d.	£	s.	d.					£	s.	d.	£	s.	d.
Brisbane	279	16	0	385	18	8	Red Hill	1	17	6	22	5	6
Cairns	10	13	6	12	8	6	Rockhampton	35	8	0	46	4	6
Charters Towers	31	15	6	42	13	0	Toowoomba	38	1	0	40	19	6
Dalby	4	5	6	4	8	6	Townsville	22	4	6	33	12	0
Gympie	12	9	0	14	16	6	Warwick	12	0	0	13	17	0
Ipswich	32	10	6	48	3	0	Total all other Districts	106	3	2	163	6	6
Mackay	11	18	0	11	18	0										
Maryborough	23	19	0	39	8	1	TOTAL	...	£		623	1	2	879	19	3

Of the £256 18s. 1d. increased collection, £106 2s. 8d. was collected in the General Registry Office,

The expenditure on country offices last year in connection with the registration of births, deaths, and marriages was £1,508 5s. 9d., a small increase on the figures for 1904.

Ua.

RETURN showing the AMOUNT of SALARY or FEES PAID to DISTRICT REGISTRARS of the STATE during the Years 1904 and 1905 respectively.

District.	1904.	1905.	District.	1904.	1905.
	£ s. d.	£ s. d.		£ s. d.	£ s. d.
Caboolture	47 14 0	48 12 0	Moreton East	72 0 0	54 18 0
Cardwell	28 4 0	24 18 0	Nundah	83 11 0	36 12 0
Drayton and Toowoomba ...	*200 0 0	*200 0 0	Oxley	52 13 0	52 13 0
Enoggera	85 2 6	149 10 0	Rockhampton	†70 0 0	†70 0 0
Fassifern	23 17 0	24 19 6	Total all other Districts ...	368 11 10	386 3 3
Ipswich	*200 0 0	*200 0 0			
Kennedy	*140 0 0	*140 0 0	Total	£ 1,471 13 4	1,508 5 9
Maryborough	*100 0 0	*120 0 0			

* Paid by salary. † Allowed a Clerk at £70 per annum.

A considerable amount of gratuitous work is done for Consular Officers, Government Departments, &c.

THORNHILL WEEDON, F.S.S.,
Government Statistician.

Government Statistician Office,
Brisbane, 29th August, 1906.

GENERAL SCHEME OF CLASSIFICATION OF CAUSES OF DEATH.

CLASS I.—General Diseases.

SUB-CLASS 1.

1. Small-pox.
2. Cow-pox and Effects of Vaccination.
3. Chicken-pox.
4. Measles (Morbilli).
5. Epidemic Rose Rash, German Measles.
6. Scarlet Fever.
7. Typhus.
8. Plague.
9. Relapsing Fever.
10. Influenza.
11. Whooping Cough.
12. Mumps.
13. Diphtheria, Membranous Croup.
14. Cerebro Spinal Fever.
15. Simple Continued Fever.
16. Enteric Fever.
17. Beri Beri.

SUB-CLASS 2.

1. Asiatic Cholera.
2. Epid. Diarrhœa, Epid. or Zim. Enteritis.
3. Diarrhœa, Choleraic Diarrhœa.
4. Dysentery.
5. Malarial Fever { Dengue.
Other.

SUB-CLASS 3.

1. Hydrophobia.
2. Glanders, Farcy.
3. Anthrax, Splenic Fever.
4. Tetanus.

SUB-CLASS 4.

1. Syphilis.
2. Gonorrhœa, Stricture of Urethra.

SUB-CLASS 5.

1. Puerperal Septicæmia, Sapræmia.
2. Puerperal Pyæmia.
3. Puerperal Phlegmasia Dolens.
4. Puerperal Fever.
5. Infective Endocarditis.
6. Epidemic Pneumonia, Pneumonic Fever.
7. Erysipelas.
8. Septicæmia (not Puerperal).
9. Pyæmia (not Puerperal).
10. Phlegmon, Carbuncle (not Anthrax).
11. Phagedæna.
12. Other Septic Diseases.

SUB-CLASS 6.

1. Tuberculous Phthisis, Pulm. Tuberculosis.
2. Phthisis.
3. Tuberculous Meningitis.
4. Tuberculous Peritonitis.
5. Tabes Mesenterica.
6. Lupus.
7. Tubercle of Other Organs.
8. General Tuberculosis.
9. Scrofula.

SUB-CLASS 7.

1. Hydatids.
2. Ankylostoma.
3. Other Animal Parasites.
4. Other Parasites.

SUB-CLASS 8.

1. Privation (Starvation, &c.).
2. Scurvy.
3. Alcoholism, Delirium Tremens.
4. Opium, Morphia Habit.
5. Ptomaine Poisoning.
6. Chronic Poisoning (not intentional).
7. Industrial Poisoning.

SUB-CLASS 9.

1. Rheumatic Fever, Acute Rheumatism.
2. Rheumatism of the Heart.
3. Chronic Rheumatism.
4. Rheumatic Arthritis, Rheumatic Gout.
5. Gout.

SUB-CLASS 10.

1. Carcinoma.
2. Sarcoma.
3. Malignant Disease, Cancer.

SUB-CLASS 11.

1. Rickets.
2. Purpura.
3. Hæmophilia, Hæmorrhagic Diathesis.
4. Anæmia, Leucocythæmia.
5. Diabetes Mellitus.

SUB-CLASS 12.

1. Premature Birth.
2. Congenital Defects.
3. Injury at Birth.
4. Atelectasis.
5. Want of Breast Milk.
6. Teething.

CLASS II.—Local Diseases.

SUB-CLASS 1.—DISEASES OF NERVOUS SYSTEM.

1. Meningitis, Inflammation of Brain.
2. Softening of Brain.
3. General Paralysis of Insane.
4. Insanity (not Puerperal).
5. Chorea.
6. Epilepsy.
7. Convulsions.
8. Laryngismus Stridulus.
9. Locomotor Ataxy.
10. Paraplegia and Diseases of Cord.
11. Neuritis, Periph. and Poly. Neuritis.
12. Brain Tumour (not Specific).
13. Nervous System, Other Diseases.

SUB-CLASS 2.—DISEASES OF ORGANS OF SPECIAL SENSE.

1. Otitis, Mastoid Disease.
2. Epistaxis, Nose Disease.
3. Ophthalmia, Eye Disease.

SUB-CLASS 3.—DISEASE OF HEART.

1. Valve Dis., Endocarditis (not Infective).
2. Pericarditis.
3. Hypertrophy of Heart.
4. Angina Pectoris.
5. Dilatation of Heart.
6. Fatty Degeneration of Heart.
7. Syncope, Heart Disease (not Specified).

SUB-CLASS 4.—DISEASES OF BLOOD VESSELS.

1. Cerebral Hæmorrhage, Emb. Throm.
2. Apoplexy, Hemiplegia.
3. Aneurism.
4. Senile Gangrene.
5. Embolism, Thrombosis (not Cerebral).
6. Phlebitis.
7. Varicose Veins.
8. Blood Vessels, Other Diseases.

SUB-CLASS 5.—DISEASES OF THE RESPIRATORY ORGANS.

1. Laryngitis.
2. Membranous Laryngitis (not Diphtheritic).
3. Croup (not Spasmodic or Membranous).
4. Larynx, Other Diseases (not Specified).
5. Bronchitis.
6. Lobar, Croupous-Pneumonia.
7. Broncho, Catarrhal, Lobular, Pneumonia.
8. Pneumonia.
9. Emphysema, Asthma.
10. Pleurisy.
11. Fibroid Disease of Lung.
12. Respiratory Diseases, Other.

SUB-CLASS 6.—DISEASES OF DIGESTIVE SYSTEM.

1. Tonsilitis, Quinsy.
2. Mouth, Pharynx, Disease (not Specified).
3. Gastric Ulcer.
4. Gastric Catarrh.
5. Stomach, Other Diseases (not Malignant).
6. Enteritis (not Epidemic).
7. Gastro Enteritis.
8. Appendicitis, Perityphlitis.
9. Hernia.
10. Intestinal Obstruction.
11. Other Diseases of Intestines.
12. Peritonitis (not Puerperal).
13. Cirrhosis of Liver.
14. Liver and Gall Bladder, Other Diseases.
15. Digestive System, Other Diseases.

SUB-CLASS 7.—LYMPHATIC DISEASES.

1. Spleen Disease.
2. Lymph System, Other Diseases.
3. Thyroid Body Disease.
4. Supra Renal Capsules Disease.

SUB-CLASS 8.—DISEASES OF URINARY SYSTEM.

1. Nephritis, Acute.
2. Chronic Bright's Disease, Albuminuria.
3. Calculus (not Biliary).
4. Bladder and Prostate Disease.
5. Urinary System, Other Diseases.

Local Diseases—continued.

SUB-CLASS 9.—DISEASES OF GENERATIVE SYSTEM.

1. Ovarian Tumour (not Malignant).
2. Other Diseases of Ovary.
3. Uterine Tumour (not Malignant).
4. Other Diseases of Uterus and Vagina.
5. Disorders of Menstruation.
6. Gener. and Mam. Orgs., Other Diseases.

SUB-CLASS 10.—ACCIDENTS OF CHILDBIRTH.

1. Abortion, Miscarriage.
2. Puerperal Mania.
3. Puerperal Convulsions.
4. Placenta Prævia, Flooding.
5. Pregnancy, Childbirth, Other Accidents.

SUB-CLASS 11.—DISEASES OF LOCOMOTOR SYSTEM.

1. Caries, Necrosis.
2. Arthritis, Periostitis.
3. Locomotor System, Other Diseases.

SUB-CLASS 12.—SKIN DISEASE.

1. Ulcer, Bedsore.
2. Eczema.
3. Pemphigus.
4. Skin Diseases, Other.

CLASS III.—Other Specified Diseases.

CLASS IV.—Ill-defined and Not Specified Diseases.

1. Atrophy, Debility.
2. Old Age.
3. Dropsy, Ascites, Anasarca.
4. Tumour.
5. Abscess.
6. Hæmorrhage.
7. Sudden (Cause unascertained).
8. Other Ill-defined Causes.
9. Causes not Specified.

CLASS V.—Violent Deaths.

SUB-CLASS 1.—ACCIDENT OR NEGLIGENCE.

1. In Mines and Quarries.
2. Railways.
3. Tramways.
4. Other Vehicles.
5. Horses, &c.
6. Ships, Boats, and Docks (not Drowning).
7. Building Operations.
8. Machinery.
9. Weapons and Implements.
10. Burns and Scalds.
11. Poison, Poisonous Vapours.
12. Drowning.
13. Suffocation.
14. Falls (Otherwise).
15. Weather—Sunstroke, and Heat Apoplexy.
16. Weather—Lightning.
17. Weather—Other.
18. Snake Bites.
19. Insect Bites.
20. Otherwise, or not stated.

SUB-CLASS 2.—HOMICIDE.

1. Murder { a By Whites.
b By Coloured Persons.
2. Manslaughter.
3. Justifiable Homicide.

SUB-CLASS 3.—SUICIDE.

1. By Poison.
2. By Asphyxia.
3. By Hanging or Strangulation.
4. By Drowning.
5. By Firearms.
6. By Cutting Instruments.
7. By Jumping from High Places.
8. By Crushing.
9. By Other Means.

SUB-CLASS 4.

1. Execution.

NOTE.—The above Classification is based on the system adopted by the Registrar-General of England.

INDEX TO TABLES.

Head.	Particulars given in Table.	Table.	Page.
APPENDIX A.			
Population	Synoptical Table from 1856	1
Arrivals	Table showing number of Persons who Arrived in the State by Sea and Overland by Railway during the year	I.	3
Departures	Table showing number of Persons who Departed from the State by Sea and Overland by Railway during the year	II.	4 & 5
Arrivals	Table showing the number of Coloured Aliens who arrived in Queensland by Sea and Overland by Railway during the year	III.	6
Departures	Table showing the number of Coloured Aliens who departed from Queensland by Sea and Overland by Railway during the year	IV.	6
Population	Estimated for 1904 and 1905, Estimated Mean for the year	V.	7
Metropolitan Area ...	Mean Population, Births, Deaths, and Marriages for Five years	VI.	7
Births	Number Registered during each Quarter	VII.	7
Marriages	" " Registered, showing the Denominations	VIII.	8
"	" " Showing the Birthplace or Race of the Persons Married	IX.	9
"	" " various Ages of the Persons Married	X.	10
		XI.	11
Deaths in the State	Showing the Number Registered during each Month of the Year in Age Groups	XII.	12
"	" " Number Registered during each Month of the Year according to Districts	XIII.	13
"	" " Number of Children, Male and Female, under Five years Birthplace, &c., of Persons whose Deaths were Registered	XIV.	14
"	" " Occupations of Persons whose Deaths were Registered	XV.	15
"	" " Causes of Deaths, arranged in order of Degree of Fatality	XVI.	16 & 17
"	" " Causes of Deaths of Males at different periods of life, Registered during the year	XVII.	18 to 19
"	" " Causes of Deaths of Females at different periods of life, Registered during the year	XVIII.	20 to 22
"	" " Causes of Deaths of Persons at different periods of life, Registered during the year	XIX.	23 to 25
"	" " Causes of Deaths of Persons at different periods of life, Registered during the year	XX.	26 to 28
"	" " Causes of Deaths, Males and Females, Number Registered each Month	XXI.	29 to 31
"	" " Causes of Deaths of Males in the several Registry Districts	XXII.	32 to 37
"	" " Causes of Deaths of Females in the several Registry Districts	XXIII.	38 to 43
"	" " Causes of Deaths of Persons in the several Registry Districts	XXIV.	44 to 49
Deaths in Brisbane ...	" " Causes of Deaths, Males, at different periods of life, Registered within Metropolitan Area	XXV.	50 to 52
"	" " Causes of Deaths, Females, at different periods of life, Registered within Metropolitan Area	XXVI.	53 to 55
"	" " Causes of Deaths, Persons, at different periods of life, Registered within Metropolitan Area	XXVII.	56 to 58
"	" " Causes of Deaths, Males and Females, Registered during each Month of the Year, within Metropolitan Area	XXVIII.	59 to 61
APPENDIX B.			
	District Registrars, List of, for 1905...	62

SYNOPTICAL TABLE.

SYNOPSIS of the VITAL STATISTICS of QUEENSLAND, from the Year 1856 to 1905 inclusive.

* Excess of Arrivals over Departures; Complete figures not available. — Excess of Departures.

† This estimate exceeded the Population, as ascertained by the Census taken on 3rd April, 1881, by 8,891 Males, 3,661 Females, or 12,552 Persons; the estimate has therefore been corrected by taking the Census Population with 1½ per cent. added for non-collection as the basis, and deducting therefrom the increase by excess of Births over Deaths and excess of Arrivals over Departures by Sea between the 1st January and 3rd of April, 1881, which gives the corrected estimate marked ‡.

‡ This estimate exceeded the Population, as ascertained by the Census taken on the 1st May, 1886, by 1,106 Males, 2,957 Females, or 4,063 Persons; the estimate has therefore been corrected by taking the Census Population with 2½ per cent. added for non-collection as the basis, and deducting therefrom the increase by excess of Births over Deaths and excess of Arrivals over Departures by Sea between the 1st January and the 1st of May, 1886, which gives the corrected estimate marked §.

§ This estimate exceeded the Population, as ascertained by the Census taken on the 5th April, 1891, by 11,368 Males, 1,078 Females, or 12,446 Persons; the estimate has therefore been corrected by taking the Census Population with 2½ per cent. added for non-collection as the basis, and deducting therefrom the increase by excess of Births over Deaths and excess of Arrivals over Departures by Sea and by Rail between the 1st January and the 5th April, 1891, which gives the corrected estimate marked ¶.

Table No. I.—TABLE showing the ARRIVALS by SEA and OVERLAND by RAILWAY during each QUARTER of the YEAR 1905.

Period.	Whence.	Brisbane.		Mary-borough.		Bunda-berg.		Glad-stone.		Rock-hampton.		Mackay.		Port Denison.		Townsville.		Dunge-ness.		Geraldton.		Cairns.		Port Douglas.		Cook-town.		Thursday Island.		Nor-manton.		Burke-town.		Tweed Heads (by Rail).		Wallan-garra (by Rail).		TOTAL ARRIVALS.						
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	Males.	Females.	Persons.								
1st Quarter	United Kingdom ...	36	32	36	32	68						
	New South Wales ...	1,489	743	1	124	61	42	14	7	3	89	57	74	16	22	8	44	8	1,760	684	2,699	1,629	6,351	3,223	9,574				
	Victoria ...	248	170	71	38	1	2	320	210	530						
	South Australia ...	3	10	2	6	2	...	27	1	48	3	51						
	New Guinea (British)	22	7	206	2	228	9	237						
	Hong Kong ...	16	14	46	76	...	76						
	Other British Possessions in Asia ...	2	5	25	32	...	32						
	British America ...	11	11	11	11	22						
	British Africa ...	5	2	5	2	7				
	Other British Possessions (n.p.n.) ...	4	4	...	4				
	United States ...	1	1	...	1			
	China	14	14	...	14			
	Japan ...	29	1	29	1	30			
Pacific Islands...	1	1	2	...	2				
Other Foreign Countries	19	3	1	20	3	23				
Total First Quarter		1,864	961	1	...	1	124	61	42	14	7	3	190	98	94	16	47	17	348	11	1,760	684	2,699	1,629	7,177	3,494	10,671				
2nd Quarter	United Kingdom ...	26	20	26	20	46					
	New South Wales ...	1,465	791	100	58	40	10	11	...	174	131	98	29	10	1	16	7	1,436	558	2,645	1,361	5,995	2,946	8,941				
	Victoria ...	253	162	79	45	332	207	539				
	South Australia ...	8	1	4	3	19	1	20				
	New Guinea (British)	90	15	105			
	Hong Kong ...	33	2	14	3	29	101	6	107			
	Other British Possessions in Asia ...	4	39	...	39			
	British America ...	15	4	15	4	19		
	British Africa ...	8	2	8	2	10		
	Other British Possessions (n.p.n.) ...	6	6	...	6	
	China	10	10	...	10	
	Japan ...	2	1	3	...	3	
	Pacific Islands...	4	1	5	...	5	
Other Foreign Countries	12	11	17	11	28		
Total Second Quarter		1,836	993	1	100	58	40	10	11	...	282	179	130	29	30	5	155	19	1,436	558	2,645	1,361	6,666	3,212	9,878				
3rd Quarter	United Kingdom ...	39	35	6	4	45	39	84				
	New South Wales ...	1,493	767	...	2	58	33	32	9	9	3	107	62	147	92	10	14	16	11	1,689	658	2,381	1,065	5,942	2,716	8,658				
	Victoria ...	263	171	59	31	326	202	528		
	South Australia ...	5	1	6	2	1	71	2	73	
	Western Australia ...	2	2	2	2	4	
	New Guinea (British)	1	109	15	124
	Hong Kong ...	35	1	2	15	61	1	62
	Other British Possessions in Asia ...	5	2	8	2	10
	British America ...	22	2	22	2	24
	British Africa ...	3	3	3	3	6
	Other British Possessions (n.p.n.) ...	3	3										

Table No. II.

TABLE showing the DEPARTURES by SEA and OVERLAND by RAILWAY during each QUARTER of the YEAR 1905.

Period.	Whither.	Brisbane.		Mary-borough.		Bunda-berg.		Glad-stone.		Rock-hampton.		Mackay.		Port Denison.		Townsville.		Dunge-ness.		Gerald-ton.		Cairns.		Port Douglas.		Cook-town.		Thursday Island.		Norman-ton.		Burke-town.		Tweed Heads (by Rail).		Wallan-garra (by Rail).		TOTAL DEPARTURES.							
																																						Males.	Females	Persons.					
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.										
1st Quarter.	United Kingdom	61	80	61	80	141					
	New South Wales	1,484	823	106	105	23	7	7	1	87	64	75	28	8	3	18	8	1722	698	2,548	1545	6,078	3,282	9,360				
	Victoria	185	142	50	43	235	185	420						
	South Australia	8	2	2	38	7	45					
	Western Australia	12	5	12	5	17					
	New Zealand	1	1	1					
	New Guinea (British)	13	230	17	247					
	Hong Kong	43	2	5	1	33	1	136	7	143					
	Other British Possessions in Asia	12	18	39	2	41				
	British America	9	4	9	4	13			
	British Africa	14	5	14	5	19			
	Other British Possessions not previously named	2	2	...	2			
	United States	10	4	10	4	14			
	China	4	4	3	44	51	4	55			
	Japan	25	25	...	25		
	Pacific Islands	1	154	8	155	8	163		
	Other Foreign Countries	16	4	4	20	4	24		
	Total First Quarter...		1,874	1,075	154	8	109	105	23	7	7	1	235	109	114	29	47	12	282	26	1722	698	2,548	1545	7,115	3,615	10,730				
2nd Quarter.	United Kingdom	46	31	28	46	31	77			
	New South Wales	897	538	63	44	32	14	14	2	74	28	57	20	2	4	17	5	1378	561	2,377	1085	4,911	2,301	7,212				
	Victoria	145	64	2	48	20	195	84	279		
	South Australia	6	3	2	12	6	18		
	Western Australia	9	10	9	10	19		
	New Zealand	2	2	...	2		
	New Guinea (British)	192	14	206		
	Hong Kong	36	5	8	4	24	97	12	109		
	Other British Possessions in Asia	5	1	15	3	18		
	British America	26	20	26	20	46	
	British Africa	9	3	9	3	12		
	Other British Possessions not previously named	2	1	2	1	3	
	United States	11	1	11	1	12	
	China	2	31	33	...	33	
	Japan	1	1	2	2	7	3	10	
	Pacific Islands	6	1	125	13	245	8	376	22	398	
	Other Foreign Countries	9	12	...	12
	Total Second Quarter		1,210	679	125	13	2	...	65	44	32	14	14	2	165	54	245	8	81	20	28	6	233	25	1378	561	2,377	1085	5,955	2,511	8,466				

TABLE No. II.—continued.

TABLE showing the DEPARTURES by SEA and OVERLAND by RAILWAY during each QUARTER of the YEAR 1905—continued.

Period.	Whither.	Brisbane.		Mary-borough.		Bunda-berg.		Glad-stone.		Rock-hampton.		Mackay.		Port Denison.		Townsville.		Dunge-ness.		Gerald-ton.		Cairns.		Port Douglas.		Cooktown.		Thursday Island.		Norman-ton.		Burke-town.		Tweed Heads (by Rail).		Wallan-garra (by Rail).		TOTAL DEPARTURES.		
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	Males.	Females	Persons.				
3rd Quarter.	United Kingdom	12	22	12	22	34		
	New South Wales	1,218	657	46	1	70	45	23	10	5	2	92	62	1	1	72	23	7	1	20	7	1699	690	2387	1119	5,640	2,618	8,258
	Victoria	181	117	1	51	33	233	150	383			
	South Australia	11	5	1	1	24	6	30			
	Western Australia	9	2	9	2	11			
	New Guinea (British) ...	6	2	200	14	214			
	Hong Kong	31	4	2	32	6	...	21	4	90	10	100			
	Other British Possessions in Asia ...	38	6	25	2	1	2	66	8	74			
	British America	7	4	7	4	11		
	British Africa	5	5	5	5	10		
	Other British Possessions (not pre-viously named)	2	2	2	2	2	4		
	Other Countries in Europe	2	2	...	2		
	United States	10	3	31	10	3	13		
China	31	...	31		
Japan	2	1	1	48	51	1	52		
Pacific Islands	8	1	115	19	123	20	143		
Other Foreign Countries	7	3	14	11	21	14	35		
	Total, Third Quarter	1,549	834	47	1	70	45	23	10	5	2	201	100	1	1	105	23	115	19	36	6	288	29	1699	690	2387	1119	6,526	2,879	9,405
4th Quarter.	United Kingdom	26	28	5	4	142	75	31	8	21	8	99	92	17	12	103	39	8	8	14	4	1899	771	3017	1604	6,860	3,520	10,380
	New South Wales	1,504	895	1	1	1	61	43	8	8	14	4	303	237	540		
	Victoria	240	193	30	9	39	
	South Australia... ..	13	9	13	13	26		
	Western Australia	13	13	30	9	39	
	New Guinea (British)	13	13	26	
	Hong Kong	29	8	1	10	1	6	1	58	8	74	10	84		
	Other British Possessions in Asia ...	24	1	1	147	11	158	
	British America	15	17	35	3	38	
	British Africa	1	15	17	32	
	Other British Possessions (not pre-viously named)	2	2	...	1	
	United States	11	12	11	12	23
	China	2	72	91	2	93
Japan	14	9	14	11	25	
Pacific Islands	1	150	7	126	10	277	17	294	
Other Foreign Countries	2	1	17	11	22	12	34	
	Total, Fourth Quarter	1,880	1,180	150	7	7	4	150	75	31	8	23	9	254	144	143	22	233	53	25	11	108	15	1899	771	3017	1604	7,920	3,903	11,823
	TOTAL FOR THE YEAR	6,513	3,768	429	28	56	5	394	269	109	39	49	14	855	407	389	31	533	125	115	19	136	35	911	95	6698	2720	10329	5353	27,516	12,908	40,424

	Males.	Females.	Persons.
Total Arrivals ...	27,480	12,752	40,232
Total Departures ...	27,516	12,908	40,424
Excess of Arrivals
„ „ Departures ...	36	156	192

N.B.—For particulars respecting departures Coloured Aliens, *vide* Table No. IV.

Table No. III.

TABLE showing the ARRIVALS of COLOURED ALIENS by SEA and OVERLAND by RAILWAY during each QUARTER of the YEAR 1905.

Race.	Port.	FIRST QUARTER.			SECOND QUARTER.			THIRD QUARTER.			FOURTH QUARTER.			TOTAL FOR YEAR.		
		Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.
Chinese	Brisbane	16	...	16	27	2	29	33	1	34	23	1	24	99	4	103
	Bowen	1	...	1	1	...	1
	Townsville	15	...	15	10	...	10	16	...	16	21	...	21	62	...	62
	Cairns	16	...	16	32	...	32	13	...	13	19	...	19	80	...	80
	Cooktown	3	...	3	3	...	3
	Thursday Island	2	...	2	5	...	5	4	...	4	11	...	11
	Tweed Heads... ..	5	...	5	3	...	3	4	...	4	7	...	7	19	...	19
	Wallangarra	8	...	8	8	...	8	12	...	12	9	1	10	37	1	38
Totals		62	...	62	80	2	82	83	1	84	87	2	89	312	5	317
Pacific Islanders	Thursday Island	4	3	7	2	...	2	6	3	9
	Tweed Heads	25	...	25	17	...	17	21	...	21	65	3	68	128	3	131
	Totals	25	...	25	21	3	24	21	...	21	67	3	70	134	6	140
Japanese	Brisbane	3	...	3	3	...	3	6	...	6
	Townsville	1	1	1	...	1	1	1	2
	Thursday Island	57	...	57	16	...	16	10	1	11	4	...	4	87	1	88
	Tweed Heads... ..	2	...	2	2	...	2
	Wallangarra	5	...	5	11	2	13	8	...	8	3	...	3	27	2	29
	Totals	67	1	68	28	2	30	18	1	19	10	...	10	123	4	127
Natives of India and Ceylon	Thursday Island	1	...	1	1	...	1	1	...	1	3	...	3
	Tweed Heads	14	...	14	60	...	60	80	...	80	20	...	20	174	...	174
	Wallangarra	1	...	1	2	...	2	2	...	2	5	...	5
Totals		16	...	16	61	...	61	83	...	83	22	...	22	182	...	182
Other Asiatic Races	Brisbane	3	...	3	3	...	3
	Thursday Island	221	1	222	84	...	84	102	...	102	139	...	139	546	1	547
	Tweed Heads	2	...	2	2	...	2	4	...	4
	Wallangarra	1	1	1	1	2	1	2	3
	Totals	223	2	225	84	...	84	108	1	109	139	...	139	554	3	557
GRAND TOTALS		393	3	396	274	7	281	313	3	316	325	5	330	1,305	18	1,323

Table No. IV.

TABLE showing the DEPARTURES of COLOURED ALIENS by SEA and OVERLAND by RAILWAY during each QUARTER of the YEAR 1905.

Race.	Port.	FIRST QUARTER.			SECOND QUARTER.			THIRD QUARTER.			FOURTH QUARTER.			TOTAL DURING YEAR.		
		Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.
Chinese	Brisbane	42	...	42	29	2	31	30	...	30	21	...	21	122	2	124
	Rockhampton	3	...	3	2	...	2	8	...	8	13	...	13
	Bowen
	Townsville	45	...	45	31	...	31	29	...	29	72	...	72	177	...	177
	Cairns	33	1	34	16	...	16	32	...	32	91	2	93	172	3	175
	Cooktown	5	...	5	6	...	6	6	...	6	11	2	13	28	2	30
	Thursday Island	10	...	10	9	...	9	15	1	16	8	...	8	42	1	43
	Tweed Heads	3	...	3	2	...	2	3	...	3	5	...	5	13	...	13
	Wallangarra	7	...	7	4	...	4	6	...	6	28	...	28	45	...	45
	Totals	148	1	149	99	2	101	121	1	122	244	4	248	612	8	620
Pacific Islanders	Brisbane	3	...	3	1	...	1	4	...	4
	Bundaberg	152	8	160	124	13	137	149	7	156	425	28	453
	Dungeness	243	8	251	125	10	135	368	18	386
	Port Douglas	114	19	133	114	19	133
	Thursday Island	4	3	7	4	3	7
	Tweed Heads... ..	41	...	41	6	...	6	13	...	13	74	2	76	134	2	136
	Wallangarra	1	...	1	1	...	1
	Totals	196	8	204	378	24	402	128	19	147	348	19	367	1,050	70	1,120
Japanese	Townsville	25	...	25	2	...	4	1	1	2	14	9	23	42	12	54
	Cairns	1	...	1	1	...	1	2	...	2
	Thursday Island	32	3	35	8	1	9	60	...	60	16	...	16	116	4	120
	Tweed Heads	1	1	2	1	...	1	2	1	3
	Wallangarra	7	...	7	12	...	12	6	...	6	3	...	3	28	...	28
	Totals	66	4	70	23	3	26	68	1	69	33	9	42	190	17	207
Natives of India and Ceylon	Brisbane	8	...	8	28	...	28	12	...	12	48	...	48
	Townsville	15	...	15	3	...	3	16	...	16	34	...	34
	Cairns	6	...	6	7	...	7	1	...	1	8	...	8	22	...	22
	Thursday Island	4	...	4	1	...	1	5	...	5
	Tweed Heads	37	...	37	2	...	2	3	...	3	46	...	46	88	...	88
	Wallangarra	1	...	1	1	...	1	2	...	2
Totals		71	...	71	13	...	13	49	...	49	66	...	66	199	...	199
Other Asiatic Races	Thursday Island	173	9	182	169	2	171	168	11	179	52	1	53	562	23	585
	Wallangarra	3	2	5	1	...	1	4	2	6
	Totals	173	9	182	172	4	176	169	11	180	52	1	53	566	25	591
GRAND TOTALS		654	22	676	685	33	718	535	32	567	743	33	776	2,617	120	2,737

Table No. V.

SHOWING the ESTIMATED POPULATION on 31st December, 1904; the NUMBER of BIRTHS, MARRIAGES, and DEATHS REGISTERED in Queensland during the YEAR 1905; the ESTIMATED POPULATION, and the ESTIMATED MEAN POPULATION of the STATE for the YEAR 1905.

Estimated Population on 31st December, 1904.			Births Registered in 1905.			Marriages Registered in 1905.	Deaths Registered in 1905.			Estimated Population on 31st December, 1905.			Estimated Mean Population, 1905.		
Males.	Females.	Persons.	Males.	Females.	Persons.		Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.
287,799	233,856	521,655	6,978	6,648	13,626	3,173	3,499	2,004	5,503	290,206	237,842	528,048	289,462	236,266	525,728

Table No. VI.

RETURN showing ESTIMATED and MEAN POPULATION, BIRTHS, DEATHS, and MARRIAGES in the METROPOLITAN AREA for the FIVE YEARS 1901-1905.

Year.	POPULATION.		BIRTHS.			DEATHS.			Number of Marriages.	Deaths under 1 year.	Birth rate per 1,000 Mean Population.	Death rate per 1,000 Mean Population.	Deaths under 1 year to total Births showing True Infant Mortality.
	Estimated 31st Dec.	Mean.	M.	F.	P.	M.	F.	P.					
1901 ...	119,428	119,428	1,802	1,655	3,457	840	682	1,522	1,011	450	28·95	12·74	13·02
1902 ...	122,815	121,122	1,836	1,675	3,511	896	712	1,608	1,033	440	28·99	13·28	12·53
1903 ...	124,463	123,639	1,625	1,565	3,190	876	734	1,610	897	438	25·80	13·02	13·73
1904 ...	125,672	125,068	1,670	1,631	3,301	768	665	1,433	844	372	26·39	11·46	11·27
1905 ...	129,736	127,704	1,683	1,591	3,274	864	686	1,550	840	326	25·64	12·14	9·96

Table No. VII.

SHOWING the NUMBER of BIRTHS REGISTERED in each QUARTER of the YEAR 1905.

REGISTRY DISTRICT.	FIRST QUARTER.		SECOND QUARTER.		THIRD QUARTER.		FOURTH QUARTER.		TOTALS.		
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Persons.
Aramac ...	13	12	17	18	14	21	19	15	63	66	129
Balonne ...	8	10	18	2	8	8	7	8	41	28	69
Blackall ...	16	14	11	16	18	16	15	15	60	61	121
Bowen ...	13	15	6	9	13	13	8	11	40	48	88
Brisbane ...	219	212	235	218	251	224	203	204	908	858	1,766
Bundaberg ...	37	48	49	55	38	57	54	61	178	211	389
Burke ...	1	3	4	...	2	3	3	2	10	8	18
Burnett ...	40	28	31	34	34	29	29	23	134	114	248
Caboolture ...	26	38	27	26	26	25	31	28	110	115	225
Cairns ...	25	29	37	23	30	37	31	27	123	116	239
Cardwell ...	17	11	13	6	11	10	9	5	50	32	82
Charleville... ..	12	15	18	11	12	6	16	7	58	39	97
Clermont ...	19	15	9	11	12	7	13	12	53	45	98
Cloncurry ...	1	3	5	1	1	...	5	...	12	4	16
Cook ...	10	12	8	13	8	8	8	8	34	41	75
Croydon ...	14	17	17	18	15	14	15	9	61	58	119
Cunnamulla ...	5	4	9	13	8	9	7	5	29	31	60
Dalby ...	8	5	9	11	7	13	14	6	38	35	73
Darling Downs Central ...	49	34	50	32	54	39	32	39	185	144	229
Darling Downs East ...	27	21	32	15	21	26	26	19	106	81	187
Darling Downs North ...	20	24	20	30	24	16	23	22	87	92	179
Darling Down West ...	2	6	9	8	7	3	8	5	26	22	48
Diamantina ...	6	4	3	4	4	3	13	11	24
Drayton and Toowoomba ...	79	71	78	74	77	84	84	84	318	313	631
Enoggera ...	74	88	104	75	70	80	63	61	311	304	615
Etheridge ...	7	3	3	9	5	4	6	5	21	21	42
Fassifern ...	20	32	25	15	33	33	33	23	111	103	214
Gladstone ...	14	19	11	16	17	17	10	17	62	69	121
Gympie ...	60	70	71	69	76	74	53	55	260	268	528
Herberton ...	30	18	21	16	24	30	23	41	98	105	203
Highfields ...	17	10	13	12	6	14	18	17	54	53	107
Hughenden ...	7	4	5	7	4	5	10	8	26	24	50
Ipswich ...	51	54	49	49	51	53	57	44	208	200	408
Kennedy ...	108	96	105	100	109	106	110	97	432	399	831
Leichhardt	1	2	3	5	8
Logan ...	40	31	32	22	25	32	31	44	128	129	257
Mackay ...	42	38	33	32	44	36	43	36	162	142	304
Maranoa ...	24	31	36	18	32	28	24	26	116	103	219
Marathon ...	6	1	5	4	17	8	9	4	37	17	54
Maryborough ...	40	50	45	48	40	40	39	49	164	187	351
Moreton East ...	34	26	23	31	30	31	29	27	116	115	231
Moreton West ...	87	89	74	64	105	109	79	81	345	343	688
Mount Morgan ...	34	46	40	35	43	37	51	34	168	152	320
Nundah ...	42	44	52	43	53	43	54	43	201	173	374
Oxley ...	25	31	29	16	27	26	20	25	101	98	199
Palmer ...	2	2	...	2	1	2	3	6	9
Peak Downs ...	1	1	1	1	2
Rockhampton ...	74	83	62	65	86	65	60	56	282	269	551
Somerset ...	5	4	5	4	4	4	6	1	20	13	33
Springure... ..	13	7	10	12	11	4	13	5	47	28	75
Stanley ...	8	17	14	12	19	8	16	12	57	49	106
Stanthorpe ...	10	7	3	9	10	11	9	8	32	35	67
St. Lawrence ...	1	2	2	...	4	1	2	1	4	6	10
Tambo ...	1	1	5	2	1	2	2	1	12	6	18
Taroom ...	2	6	6	5	4	5	2	4	11	20	31
Tiaro ...	5	9	6	7	7	5	10	4	28	25	53
Toowoong ...	22	23	20	28	20	12	27	25	89	88	177
Townsville ...	63	62	52	53	52	57	49	51	216	223	439
Warrego ...	1	3	3	3	7	3	2	3	13	12	25
Warwick ...	35	34	23	30	27	24	18	25	103	113	216
Westwood ...	20	23	23	21	24	23	21	22	88	89	177
Wide Bay ...	28	11	32	14	27	16	21	27	108	68	176
Woothakata ...	3	4	3	2	1	4	6	4	13	14	27
TOTAL EACH SEX ...	1,723	1,731	1,761	1,600	1,807	1,725	1,687	1,592	6,978	6,648	13,626
TOTAL PERSONS ...	3,454		3,361		3,532		3,279		13,626		13,626

Table No. VIII.

SHOWING the NUMBER of MARRIAGES REGISTERED in each REGISTRY DISTRICT, in each QUARTER of the Year 1905.

Registry District.	First Quarter.	Second Quarter.	Third Quarter.	Fourth Quarter.	Total Marriages.
Aramac	8	7	6	5	26
Balonne	1	1	4	4	10
Blackall	6	3	5	6	20
Bowen	3	5	7	7	22
Brisbane	143	171	146	156	616
Bundaberg	36	25	32	34	127
Burke	1	2	3	...	6
Burnett	9	9	14	4	36
Caboolture	16	14	10	11	51
Cairns	21	24	23	32	100
Cardwell	6	3	4	8	21
Charleville	8	3	8	6	25
Clermont	6	3	10	8	27
Cloncurry	4	1	2	5	12
Cook	4	...	7	5	16
Croydon	10	3	8	9	30
Cunnamulla	3	3	2	8
Dalby	3	7	6	4	20
Darling Downs Central	7	12	18	12	49
Darling Downs East	8	7	4	4	23
Darling Downs North	14	10	5	7	36
Darling Downs West	5	2	2	2	11
Diamantina	1	1
Drayton and Toowoomba	42	48	39	37	166
Enoggera	23	16	28	27	94
Etheridge	2	2	2	...	6
Fassifern	7	9	15	11	42
Gladstone	6	8	3	5	22
Gympie	20	24	24	28	96
Herberton	8	13	12	6	39
Highfields	6	4	4	6	20
Hughenden	4	4	4	6	18
Ipswich	30	14	23	23	90
Kennedy	63	44	52	44	203
Leichhardt	1	1
Logan	23	14	13	10	60
Mackay	24	10	18	13	65
Maranoa	16	12	13	9	50
Marathon	2	3	4	7	16
Maryborough	17	23	25	34	99
Moreton East	15	8	12	8	43
Moreton West	32	19	37	27	115
Mount Morgan	9	12	5	8	34
Nundah	9	14	17	19	59
Oxley	6	5	2	8	21
Palmer	1	1	...	1	3
Peak Downs
Rockhampton	25	35	36	32	128
Somerset	6	5	5	6	22
Springsure	7	3	1	8	19
Stanley	3	2	2	6	13
Stanthorpe	5	4	3	5	17
St. Lawrence	1	1
Tambo	2	...	2	2	6
Taroom	5	...	3	1	9
Tiaro	4	5	5	3	17
Toowong	6	8	7	7	28
Townsville	36	28	28	28	120
Warrego	2	...	1	2	5
Warwick	18	20	7	9	54
Westwood	6	11	13	9	39
Wide Bay	5	12	8	12	37
Woothakata	1	1	1	...	3
TOTALS	816	756	801	800	3,173

MARRIAGES.

Table No. IX.

SHOWING the NUMBER of MARRIAGES REGISTERED in each REGISTRY DISTRICT during the YEAR 1905.

Registry District.				Church of England.	Roman Catholic Church.	Methodist.	Presbyterian.	Baptist.	Lutheran.	Congregational.	Salvation Army.	Other Christian Sects.	Hebrew.	By Registrar and Justices Marrying Act.	Total.
Aramac	9	12	4	1	26
Balonne	3	...	1	6	10
Blackall	8	7	4	1	20
Bowen	11	4	...	7	22
Brisbane	110	136	57	93	44	7	35	3	98	1	32	616
Bundaberg	19	15	46	39	...	4	...	1	1	...	2	127
Burke	1	5	6
Burnett	16	6	7	6	1	36
Caboolture	7	3	26	9	2	4	51
Cairns	34	44	7	6	9	100
Cardwell	5	5	2	9	21
Charleville	9	12	...	2	2	25
Clermont	7	5	15	27
Cloncurry	8	1	3	12
Cook	8	5	3	16
Croydon	14	6	9	1	30
Cunnamulla	4	1	3	8
Dalby	7	8	...	5	20
Darling Downs Central	16	6	10	12	...	4	...	1	49
Darling Downs East	12	2	2	7	23
Darling Downs North	8	2	11	2	1	10	2	36
Darling Downs West	4	4	...	3	11
Diamantina	1	1
Drayton and Toowoomba	38	50	18	18	13	18	2	...	1	...	8	166
Enoggera	25	...	20	11	18	...	6	...	5	...	9	94
Etheridge	4	1	1	6
Fassifern	5	...	7	2	5	16	7	42
Gladstone	3	3	1	8	7	22
Gympie	23	20	38	7	3	...	3	2	96
Herberton	19	5	13	2	39
Highfields	2	...	8	...	1	7	1	1	20
Hughenden	7	6	...	1	4	18
Ipswich	15	20	16	7	3	2	13	1	13	90
Kennedy	39	45	39	41	15	6	1	...	17	203
Leichhardt	1	1
Logan	19	6	10	3	2	14	2	...	1	...	3	60
Mackay	26	14	8	15	...	1	1	65
Maranoa	11	16	12	4	7	50
Marathon	5	5	3	3	16
Maryborough	16	16	24	14	4	14	3	1	7	99
Moreton East	10	5	15	5	2	1	2	...	2	...	1	43
Moreton West	9	14	31	2	8	21	18	...	12	115
Mount Morgan	3	7	14	8	1	1	34
Nundah	8	3	9	7	10	8	7	2	5	59
Oxley	4	...	6	3	2	...	4	2	21
Palmer	1	2	3
Peak Downs
Rockhampton	27	36	19	23	15	8	128
Somerset	14	2	2	...	1	...	3	22
Springsure	10	2	4	3	19
Stanley	5	1	4	2	...	1	13
Stanthorpe	10	3	3	1	17
St. Lawrence	1	1
Tambo	2	1	...	1	2	6
Taroom	5	4	9
Tiaro	2	...	4	10	1	17
Toowong	7	...	13	2	4	2	28
Townsville	51	15	19	22	2	1	10	120
Warrego	1	1	3	5
Warwick	14	21	8	9	2	54
Westwood	11	6	16	3	3	39
Wide Bay	9	3	17	4	...	2	2	37
Woothakata	2	1	3
TOTALS	779	616	607	427	158	136	107	15	139	1	188	3,173

Table No. X.
SHOWING the BIRTHPLACE or RACE of HUSBANDS and WIVES MARRIED during the YEAR 1905.

BIRTHPLACE OR RACE OF HUSBANDS.				BIRTHPLACE OR RACE OF WIVES.																													
				BIRTHPLACE.																			RACE.					BIRTHPLACE.			Total Husbands.		
				AUSTRALIAN STATES.						UNITED KINGDOM.				EUROPE.						AMERICA.		British Africa.	India.	China.	Japan.	Other Countries in Asia.	Pacific Islands.	Other British Possessions.	Aboriginal Natives.	Other Countries.		At Sea.	Unspecified.
				Queensland.	New South Wales.	Victoria.	South Australia.	Western Australia.	Tasmania.	New Zealand.	England and Wales.	Scotland.	Ireland.	Germany.	Norway.	Sweden.	Denmark.	Italy.	British Possessions in Europe.	Other Countries in Europe.	British America.												
Australian States	Queensland ...	1305	96	29	8	6	148	37	40	23	3	...	2	1	1	3	3	...	2	...	1,707		
	New South Wales ...	192	25	12	2	1	21	7	9	3	3	3	1	276		
	Victoria ...	74	11	3	15	4	6	1	2	116		
	South Australia ...	14	2	3	2	2	...	1	24		
	Western Australia	
New Zealand	Tasmania	9	...	1	2	...	1	...	1	14	
United Kingdom	England and Wales ...	13	4	3	1	1	1	1	24	
	Scotland ...	318	26	8	4	1	109	20	21	7	2	...	2	1	1	2	...	1	1	...	524		
	Ireland ...	79	5	3	1	...	24	12	6	1	1	1	1	1	135		
	Germany ...	92	7	2	16	3	35	...	1	1	157		
Europe ...	Norway ...	43	3	6	1	3	15	2	1	...	74		
	Sweden ...	1	1	2		
	Denmark ...	7	1	2	10		
	Italy ...	6	4	...	2	4	16		
	British Possessions in Europe ...	5	2	4	11		
	Other Countries in Europe ...	3	2	5	
America	British America ...	2	1	1	4	
	United States ...	9	1	10	
British Africa
	India ...	1	1	2	
Race ...	China ...	5	1	1	1	8
	Japan ...	2	1	3	
	Other Countries in Asia ...	2	2	5	9	
	Pacific Islands ...	8	2	5	...	9	24	
Other British Possessions	...	4	2	1	...	1	1	9	
Other Countries	...	3	1	2	4	
At Sea	...	3	5	
Unspecified									

This Table may be read thus:—Following the first line horizontally across the table, it appears that 1,707 men, natives of Queensland, were married during the year, of whom 1,305 were married to Queensland women, 96 to women natives of New South Wales, 29 to natives of Victoria, and so on. Following the first column downwards, it appears that 2,200 women, natives of Queensland, were married, of whom 1,305 were married to men natives of the State, 192 to natives of New South Wales, 74 to Victorians, 14 to natives of South Australia, and so on.

Table No. XII.

NUMBER of DEATHS of PERSONS of both SEXES REGISTERED during each MONTH of the YEAR ended 31st DECEMBER, 1905, distinguishing AGES at DEATH.

Age Groups.	January.		February.		March.		April.		May.		June.		July.		August.		September.		October.		November.		December.		Total for the Year.		
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Persons.
Under 1 month	20	21	16	17	13	16	20	7	22	10	20	9	23	19	21	7	19	15	17	12	12	18	15	17	218	168	386
1 month and under 2 months	6	1	7	4	2	1	5	3	8	5	3	1	1	2	3	3	6	3	5	8	7	3	4	2	57	36	93
2 months " 3 "	4	...	6	2	3	4	4	2	4	3	2	2	1	1	2	4	1	...	1	1	2	3	6	3	36	25	61
3 " " 6 "	20	9	16	13	10	13	11	8	9	5	8	6	2	5	3	2	6	6	10	7	17	11	16	4	128	89	217
6 " " 12 "	11	19	25	17	19	10	15	12	13	9	2	3	9	4	7	4	11	7	7	11	12	11	22	12	153	119	272
Total under 12 months	61	50	70	53	47	44	55	32	56	32	35	21	36	31	36	20	43	31	40	39	50	46	63	38	592	437	1,029
1 year and under 2 years	10	10	14	7	9	17	9	6	5	6	6	6	3	1	5	5	5	7	5	3	9	10	15	13	95	91	186
2 years " 3 "	3	2	5	1	6	5	8	3	4	7	3	3	2	3	3	5	3	1	3	1	1	2	5	1	46	34	80
3 " " 4 "	3	...	3	...	4	3	3	5	2	6	5	1	1	2	1	1	6	2	4	6	1	...	2	1	35	27	62
4 " " 5 "	3	3	...	2	1	5	2	...	2	4	1	1	1	1	1	3	1	4	...	1	1	19	18	37
Total under 5 years	80	65	92	63	67	74	77	46	69	55	50	31	42	37	46	32	58	42	55	50	65	58	86	54	787	607	1,394
5 years and under 10 years	13	6	11	1	9	4	2	8	6	7	5	3	6	8	3	8	7	4	8	2	3	3	7	5	80	59	139
10 " " 15 "	8	9	...	3	4	4	6	2	4	4	5	...	4	4	5	5	3	3	5	3	3	2	8	4	55	43	98
15 " " 20 "	12	4	10	8	10	2	10	6	5	8	7	5	8	5	7	6	4	6	6	6	8	6	12	7	99	69	168
20 " " 25 "	13	7	19	6	11	11	15	6	11	4	12	8	6	5	9	7	11	6	3	12	11	13	10	3	131	88	219
25 " " 30 "	7	9	12	5	17	7	13	7	12	7	14	6	12	13	8	6	14	14	11	5	19	4	8	3	147	86	233
30 " " 35 "	14	4	12	6	14	3	20	4	14	7	14	8	16	7	10	12	15	10	14	9	9	6	12	9	164	85	249
35 " " 40 "	19	4	11	6	14	12	18	6	17	12	22	9	16	6	23	6	17	15	18	4	15	7	16	8	206	95	301
40 " " 45 "	26	6	13	2	10	5	18	3	20	10	18	5	20	8	27	7	11	3	17	5	12	9	21	6	213	69	282
45 " " 50 "	18	5	16	7	18	13	12	9	20	8	21	7	28	4	18	5	22	4	20	10	14	9	14	5	221	86	307
50 " " 55 "	21	5	11	4	14	8	15	11	14	11	22	7	18	8	19	11	11	6	22	9	20	8	16	11	203	99	302
55 " " 60 "	20	10	18	2	17	11	11	5	20	11	17	6	14	6	18	12	17	7	10	7	14	5	12	7	188	89	277
60 " " 65 "	22	13	12	7	18	15	22	10	15	8	34	8	15	6	20	9	27	5	19	7	21	12	22	8	247	108	355
65 " " 70 "	19	7	23	5	13	8	19	7	22	9	27	9	19	8	20	10	21	11	25	7	26	14	17	15	251	110	361
70 " " 75 "	17	14	18	6	19	8	23	8	26	6	18	13	22	2	23	8	21	8	9	9	16	14	15	15	227	111	338
75 " " 80 "	10	6	7	1	12	8	12	3	16	10	16	5	13	9	17	9	15	12	13	7	10	6	10	12	151	88	239
80 " " 85 "	3	4	6	3	3	2	6	5	10	8	10	4	6	6	8	5	5	4	6	5	9	9	5	3	77	58	135
85 " " 90 "	1	5	2	3	3	2	2	6	5	3	4	6	4	3	4	2	2	3	1	5	4	3	1	...	36	43	79
90 " upwards	2	1	...	2	...	2	...	1	1	...	2	3	1	...	1	1	1	...	2	...	3	1	1	...	14	11	25
Age not stated	1	1	2	...	2
Total over 5 years	245	119	201	77	206	125	224	107	238	133	269	112	228	108	240	129	224	121	209	112	219	132	209	122	2,712	1,397	4,109
Total all Ages, Male and Female	325	184	293	140	273	199	301	153	307	188	319	143	270	145	286	161	282	163	264	162	284	190	295	176	3,499	2,004	5,503
Total Deaths of Persons each month	509		433		472		454		495		462		415		447		445		426		474		471		5,503		
Percentage to total number of Deaths for the year	9.25		7.87		8.58		8.25		8.99		8.40		7.54		8.12		8.09		7.74		8.61		8.56				
	Males.		Females.		Persons.		Males.		Females.		Persons.		Males.		Females.		Persons.		Males.		Females.		Persons.				
Total Deaths each quarter	891		523		1,414		927		484		1,411		838		469		1,307		843		528		1,371				

DEATHS.

Table No. XIII.

SHOWING the NUMBER of DEATHS REGISTERED in QUEENSLAND in each MONTH of the YEAR 1905.

DISTRICT.	JANUARY.		FEBRUARY.		MARCH.		APRIL.		MAY.		JUNE.		JULY.		AUGUST.		SEPTEMBER.		OCTOBER.		NOVEMBER.		DECEMBER.		TOTALS.		
																									Males.	Females.	Persons.
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.					
Aramac	3	3	1	2	5	1	1	1	4	2	1	3	4	2	...	3	1	...	1	6	1	...	29	16	45
Balonne	2	2	2	2	...	2	3	4	...	1	1	2	1	...	1	...	15	8	23	
Blackall	3	...	2	...	2	1	4	...	1	...	7	2	3	1	3	1	2	...	5	1	1	2	...	32	8	40	
Bowen	3	5	5	1	4	...	1	2	4	2	7	1	1	1	3	...	2	...	5	1	1	2	1	38	15	53	
Brisbane	47	27	37	34	61	71	56	32	48	39	55	35	56	39	42	37	36	41	44	25	62	44	51	38	595	462	1,057
Bundaberg	13	3	12	5	8	5	8	4	8	6	1	1	13	8	6	4	11	5	3	4	8	4	3	2	94	51	145
Burke	1	1	1	1	...	1	1	...	1	...	1	...	2	...	8	1	9
Burnett	4	5	4	2	1	2	2	2	2	...	4	2	5	1	3	3	3	1	2	5	3	1	5	3	38	27	65
Caboolture	1	4	2	4	1	2	2	1	1	3	1	...	3	1	3	1	1	1	6	4	1	1	4	...	26	22	48
Cairns	9	5	5	1	12	3	11	5	20	4	7	2	12	3	8	5	7	...	13	4	8	2	10	...	122	34	156
Cardwell	4	...	3	1	4	2	2	...	1	...	7	...	5	1	5	3	3	...	5	...	3	2	8	1	50	10	60
Charleville	3	1	...	2	2	1	3	1	3	...	2	1	4	...	2	...	3	1	21	8	29
Clermont	6	1	2	2	2	1	2	1	1	2	1	6	...	2	1	3	3	3	3	2	5	3	36	16	52
Cloncurry	1	2	1	1	1	...	3	...	2	1	1	3	...	12	4	16	
Cook	4	1	3	...	4	4	6	1	2	3	6	...	4	2	9	...	6	...	7	2	1	...	3	...	55	13	68
Croydon	5	1	3	1	1	...	6	2	2	2	3	...	5	1	6	2	2	5	...	6	...	2	1	46	10	56	
Cunnamulla	4	...	1	2	...	2	...	2	1	3	1	2	1	1	2	17	5	22
Dalby	1	1	4	1	3	4	1	1	...	4	2	...	1	...	1	...	4	1	17	12	29
Darling Downs Central	5	2	4	4	4	2	5	2	2	2	2	4	3	2	5	2	4	2	3	6	3	...	4	3	44	31	75
Darling Downs East	2	3	...	1	1	...	3	1	2	...	5	1	2	4	1	1	...	1	...	1	1	17	13	30	
Darling Downs North	4	1	1	...	1	1	3	4	2	...	1	...	4	2	2	4	5	1	2	1	1	2	...	26	16	42	
Darling Downs West	...	2	3	1	2	2	6	4	10	
Diamantina	3	1	1	1	1	2	3	...	1	...	1	...	1	10	5	15	
Drayton and Toowoomba	12	13	10	4	9	7	10	8	15	7	11	7	5	4	13	6	19	8	12	16	11	12	13	11	140	103	243
Enoggera	16	11	8	7	9	14	7	10	10	2	10	5	5	4	5	7	7	7	3	7	11	8	9	11	100	93	193
Etheridge	2	2	1	4	...	2	2	2	...	1	1	...	2	...	1	2	...	1	...	17	5	22
Fassifern	2	1	3	6	1	2	3	2	3	2	2	1	2	4	2	4	7	6	2	2	...	2	3	...	30	32	62
Gladstone	3	2	...	2	1	3	3	2	1	1	...	1	1	1	2	2	4	16	15	31	
Gympie	9	4	12	3	4	3	7	2	14	16	11	5	6	6	11	6	9	7	12	6	7	6	9	15	111	79	190
Herberton	4	1	5	...	2	...	7	1	4	1	14	1	10	1	7	1	8	2	2	1	5	2	5	2	73	13	86
Highfields	3	2	1	...	1	1	1	1	...	1	...	2	1	2	...	3	4	2	...	1	1	4	1	...	13	18	31
Hughenden	2	3	...	1	...	1	1	1	5	...	4	6	2	3	1	1	...	2	2	...	2	...	26	11	37
Ipswich	14	7	7	4	12	4	9	6	16	15	7	8	7	8	11	5	6	4	12	6	5	5	9	6	115	78	193
Kennedy	16	13	23	14	13	5	8	8	9	8	16	7	13	3	15	1	12	10	13	12	14	12	14	5	166	98	264
Leichhardt	1	1	1	1	1	1	3	2	5
Logan	6	4	4	1	4	1	6	...	8	1	2	2	7	1	4	6	4	2	4	2	8	6	3	4	60	30	90
Mackay	13	2	5	1	3	6	11	7	5	3	5	3	9	3	9	2	4	3	12	3	3	2	12	6	91	41	132
Maranoa	4	4	6	3	...	1	4	3	4	1	2	1	6	2	4	...	4	2	3	...	10	2	1	1	48	20	68
Marathon	4	1	1	...	2	4	4	4	5	1	...	2	...	2	2	25	7	32	
Maryborough	5	1	8	5	8	2	6	4	14	6	10	9	3	5	5	3	1	8	12	7	4	4	5	4	81	58	139
Moreton East	13	...	19	1	17	9	22	6	7	5	17	2	12	6	20	3	20	10	12	8	24	6	12	3	195	59	254
Moreton West	10	7	4	...	13	5	7	3	13	9	7	6	5	5	5	9	5	1	10	5	5	8	7	6	91	64	155
Mount Morgan	6	6	6	3	7	2	6	5	5	2	3	4	4	4	3	3	1	3	6	4	9	3	56	39	95
Nundah	4	...	8	5	1	4	5	9	3	9	10	6	2	3	5	2	7	7	3	3	3	6	4	57	58	115	
Oxley	11	3	5	5	7	4	12	4	8	6	9	4	4	...	5	5	12	6	4	2	13	4	6	8	96	51	147
Palmer	...	1	1	...	2	1	2	2	1	...	1	2	9	4	13	
Peak Downs
Rockhampton	12	9	9	...	6	3	11	1	14	10	10	2	7	7	12	6	9	5	12	6	10	7	16	9	128	65	193
Somerset	2	2	11	...	11	...	7	...	6	...	7	...	6	1	2	1	2	...	2	1	3	...	9	...	68	5	73
Springure	1	1	1	...	2	4	...	4	1	1	1	13	3	16
Stanley	2	3	3	...	1	2	1	1	1	1	...	1	...	1	...	10	6	16	
Stanthorpe	1	1	1	1	3	...	1	1	1	7	3	10	
St. Lawrence	1	1	2	1	1	1	5	2	7	
Tambo	...	1	1	...	1	2	2	3	5	
Taroom	1	1	1	
Tiaro	1	1	1	3	1	1	1	...	1	...	1	...	1	...	1	2	8	...	15	
Toowong	6	...	1	5	5	3	3	2	4	2	4	3	5	1	1	...	7	1	5	2	4	1	4	3	49	23	72
Townsville	7	5	19	1	9	4	9	7	8	8	11	7	6	3	11	5	12	3	9	4	11	8	10	3	122	58	180
Warrego	...	1	2	...	1	1	1	1	1	...	1	6	3	9
Warwick	1	2	8	1	1	4	5	...	2	...	1	4	3	1	2	1	7	2	2	1	3	3	4	5	39	24	63
Westwood	...	2	2	...	1	2	1	2	4	1	3	2	1	1	2	...	3	1	2	2	4	3	1	1	24	17	41
Wide Bay	4	3	2	...	3	1	3	...	3	...	6	1	1	2	2	2	3	1	1	3	1	1	1	...	30	14	44
Woothakata	2	...	1	1	...	3	...	1	...	1	...	1	...	2	2	1	...	1	...	14	2	16
TOTALS OF MONTHS	325	184	293																								

DEATHS.

Table No. XIV.

SHOWING the NUMBER of DEATHS of CHILDREN under FIVE YEARS of AGE REGISTERED during the YEAR 1905.

REGISTRY DISTRICT.	UNDER TWO YEARS.		TWO YEARS AND UNDER FIVE YEARS.		TOTAL UNDER FIVE YEARS.		Total Number of Deaths in each District under Five Years.
	Males.	Females.	Males.	Females.	Males.	Females.	Persons.
Aramac	4	4	...	2	4	6	10
Balonne	3	5	2	...	5	5	10
Blackall	6	2	1	...	7	2	9
Bowen	10	6	10	6	16
Brisbane	116	106	18	23	134	129	263
Bundaberg	14	14	2	1	16	15	31
Burke	1	...	1	...	2	...	2
Burnett	12	9	1	2	13	11	24
Caboolture	7	7	2	2	9	9	18
Cairns	14	7	5	...	19	7	26
Cardwell	4	1	4	1	5
Charleville	5	4	2	1	7	5	12
Clermont	7	5	7	5	12
Clonecurry
Cook	2	3	2	3	5
Croydon	4	3	2	...	6	3	9
Cunnamulla	2	1	1	...	3	1	4
Dalby	6	2	...	3	6	5	11
Darling Downs Central	14	8	1	1	15	9	24
Darling Downs East	5	2	...	1	5	3	8
Darling Downs North	7	8	...	1	7	9	16
Darling Downs West	2	2	1	...	3	2	5
Diamantina	2	1	...	1	2	2	4
Drayton and Toowoomba	38	25	2	2	40	27	67
Enoggera	39	34	3	3	42	37	79
Etheridge	1	1	1	1	2
Fassifern	11	8	3	4	14	12	26
Gladstone	2	6	2	6	8
Gympie	26	25	3	2	29	27	56
Herberton	6	3	2	2	8	5	13
Highfields	8	3	8	3	11
Hughenden	6	2	1	...	7	2	9
Ipswich	18	20	6	4	24	24	48
Kennedy	44	32	1	3	45	35	80
Leichhardt	1	...	1	...	2	...	2
Logan	13	4	6	1	19	5	24
Mackay	13	12	2	1	15	13	28
Maranoa	14	6	1	...	15	6	21
Marathon	2	2	...	2
Maryborough	18	7	...	3	18	10	28
Moreton East	12	9	3	1	15	10	25
Moreton West	30	17	4	4	34	21	55
Mount Morgan	19	15	2	...	21	15	36
Nundah	17	25	1	...	18	25	43
Oxley	7	7	2	...	9	7	16
Palmer	1	1	1	1	2
Peak Downs
Rockhampton	28	25	6	4	34	29	63
Somerset	7	1	7	1	8
Springsure	3	3	...	3
Stanley	4	1	4	1	5
Stanthorpe
St. Lawrence	1	1	...	1
Tambo	3	1	...	1	3	4
Taroom
Tiaro	1	2	1	2	3
Toowong	8	3	3	...	11	3	14
Townsville	15	8	6	6	21	14	35
Warrego	1	...	1	...	2	2
Warwick	15	13	1	...	16	13	29
Westwood	6	4	6	4	10
Wide Bay	5	4	1	...	6	4	10
Woothakata	1	1	1	1	2
TOTALS	687	528	100	79	787	607	1,394

Table No. XV.

SHOWING the BIRTHPLACE or RACE of 5,503 PERSONS who DIED in QUEENSLAND during the Year 1905.

[illegible]

Table No. XVI.
SHOWING the OCCUPATIONS of 5,503 PERSONS who DIED in QUEENSLAND during the YEAR 1905

[illegible]

Drayton	and	Too-	1	3	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
---------	-----	------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Table No. XVII.

CAUSES of DEATHS in QUEENSLAND during the YEAR 1905, arranged in order of degree of FATALITY.

CAUSE OF DEATH.	No. of Deaths, Males and Females, Registered from each Cause.		Total Deaths from each Cause in 1905.	Total Deaths from each Cause in 1904.	Increase or — Decrease in 1905.	CAUSE OF DEATH.	No. of Deaths, Males and Females, Registered from each Cause.		Total Deaths from each Cause in 1905.	Total Deaths from each Cause in 1904.	Increase or — Decrease in 1905.
	Males.	Females.					Males.	Females.			
Phthisis, Tuberculous Phthisis	285	112	397	410	— 13	By Poison (Suicide) ...	17	4	21	22	— 1
Carcinoma, Sarcoma, Cancer, Malignant Disease	196	155	351	297	54	Brain Tumour (not Specific)	14	6	20	16	4
Valve Dis. Endocarditis (not Infective)	151	101	252	190	62	Syphilis ...	12	8	20	29	— 9
Gastro Enteritis ...	142	108	250	255	— 5	Puerperal Septicæmia, Sap- ræmia	...	19	19	26	— 7
Malarial Fever (including Dengue)	133	106	239	37	202	Falls, Otherwise (Accident)	17	1	18	23	— 5
Pneumonia ...	151	77	228	205	23	Peritonitis ...	16	2	18	23	— 5
Old Age ...	124	72	196	113	83	Lobar, Croupous-pneumonia	14	4	18	25	— 7
Chronic Bright's Disease, Albuminuria	104	56	160	153	7	Privation, Starvation ...	17	1	18	13	5
Bronchitis ...	96	57	153	141	12	Pregnancy, Childbirth, Other Accidents	...	18	18	26	— 8
Premature Birth ...	83	66	149	175	— 26	Skin Diseases, Other ...	14	4	18	19	— 1
Convulsions ...	57	59	116	139	— 23	Digestive System, Other Dis- eases	13	4	17	22	— 5
Enteritis (not Epidemic) ...	62	44	106	91	15	Paraplegia and Disease of Cord	12	5	17	13	4
Syncope, Heart Disease (not Specified)	61	42	103	112	— 9	Atelectasis ...	8	9	17	30	— 13
Enteric Fever ...	65	30	95	91	4	By Drowning (Suicide) ...	13	3	16	21	— 5
Congenital Defects ...	45	32	77	73	4	Hernia ...	7	9	16	16	...
Cerebral Hæmorrhage (Emb. and Throm.)	44	32	76	74	2	Softening of Brain ...	8	8	16	14	2
Apoplexy, Hemiplegia ...	49	21	70	58	12	By Cutting Instruments (Suicide)	14	1	15	12	3
Drowning (Accidental) ...	59	11	70	73	— 3	Tabes Mesenterica ...	9	6	15	17	— 2
Broncho, Catarrhal, Lobular Pneumonia	33	32	65	63	2	Gastric Ulcer ...	8	6	14	12	2
Meningitis, Inflammation of Brain	39	26	65	79	— 14	Tuberculous Meningitis ...	6	8	14	13	1
Diarrhœa, Choleraic Diarrhœa	41	21	62	88	— 26	Placenta Prævia, Flooding	13	13	22	— 9
Emphysema, Asthma ...	46	15	61	56	5	Tubercle of Other Organs ...	9	4	13	13	...
Nervous System, Other Diseases	36	20	56	53	3	Other Diseases of Intestines	7	5	12	16	— 4
Burn and Scalds (Accident)	18	36	54	42	12	Epid. Diarrhœa, Epid. (or Zym.) Enteritis	8	3	11	1	10
Influenza ...	28	25	53	167	—114	Railways (Accident) ...	11	...	11	12	— 1
Bladder and Prostate Disease	49	3	52	25	27	Pericarditis ...	7	4	11	4	7
Horses, &c. (Accident) ...	46	3	49	54	— 5	Poisons, Poisonous Vapours (Accident)	9	1	10	13	— 3
Liver and Gall, Bladder, Other Diseases	31	16	47	47	...	Laryngitis ...	2	8	10	7	3
Alcoholism, Delirium Tremens	36	10	46	31	15	Blood Vessels, Other Diseases	7	3	10	14	— 4
Dysentery ...	33	12	45	44	1	Senile Gangrene ...	7	3	10	4	6
Stomach, Other Diseases (not Malignant)	22	19	41	20	21	Whooping Cough ...	7	3	10	85	— 75
Diphtheria, Membranous Croup	18	22	40	42	— 2	Erysipelas ...	7	2	9	11	— 2
Nephritis, Acute ...	22	18	40	58	— 18	Ptomaine Poisoning ...	6	3	9	2	7
Cirrhosis of Liver ...	22	17	39	37	2	General Paralysis of Insane	9	...	9	7	2
Respiratory Diseases, Other	22	16	38	33	5	Otitis, Mastoid Disease ...	6	3	9	5	4
Epilepsy ...	20	18	38	19	19	Other Ill-defined Causes ...	7	2	9	22	— 13
Anæmia, Leucocythæmia ...	26	12	38	33	5	By Hanging or Strangulation (Suicide)	9	...	9	10	— 1
Weather, Sunstroke and Heat Apoplexy	24	12	36	13	23	Purpura ...	5	3	8	4	4
Diabetes Mellitus ...	13	22	35	20	15	Insanity (not Puerperal) ...	2	6	8	13	— 5
Tetanus ...	22	12	34	32	2	Mouth, Pharynx Disease (not Specified)	6	2	8	6	2
Otherwise, or not Stated (Accident)	32	1	33	22	11	Locomotor System, Other Diseases	4	4	8	6	2
By Firearms (Suicide) ...	30	3	33	26	7	Dropsy, Ascites, Anasarca ...	5	3	8	7	1
Other Vehicles (Accident) ...	28	5	33	30	3	Weapons and Implements	8	...	8	11	— 3
General Tuberculosis ...	26	7	33	28	5	Suffocation ...	7	1	8	7	1
Fatty Degeneration of Heart	15	16	31	22	9	Murder by Whites ...	6	2	8	5	3
Appendicitis, Perityphlitis...	24	5	29	21	8	Gonorrhœa, Stricture of Ure- thra	7	...	7	4	3
Aneurism ...	27	2	29	42	— 13	Phlegmon, Carbuncle (not Anthrax)	6	1	7	9	— 2
Teething ...	14	14	28	31	— 3	Rheumatism, Arthritis, Rheu- matic Gout	4	3	7	6	1
Atrophy, Debility ...	11	17	28	22	6	Locomotor Ataxy ...	7	...	7	3	4
In Mines or Quarries (Accident)	28	...	28	36	— 8	Embolism, Thrombosis ...	4	3	7	6	1
Plague ...	17	10	27	12	15	Calculus (not Biliary) ...	4	3	7	6	1
Injury at Birth ...	18	9	27	16	11	Uterine Tumour (not Malignant)	...	7	7	5	2
Pleurisy ...	16	9	25	20	5	Puerperal Convulsions	7	7	14	— 7
Urinary System, Other Dis- eases	18	6	24	20	4	Causes not Specified ...	6	1	7	6	1
Rheumatic Fever, Acute Rheumatism	15	9	24	19	5	Machinery (Accident) ...	7	...	7	7	...
Intestinal Obstruction ...	15	8	23	17	6	Ships, Boats, and Docks (not Drowning)	7	...	7	2	5
Chronic Rheumatism ...	17	6	23	24	— 1	Tuberculous Peritonitis ...	2	4	6	19	— 13
Dilatation of Heart ...	16	6	22	20	2	Croup (not Spasmodic or Membranous)	4	2	6	11	— 5
Want of Breast Milk ...	13	9	22	9	13	Abortion, Miscarriage	6	6	12	— 6
Septicæmia (not Puerperal)	15	7	22	26	— 4	Gener. and Mam. Organs, Other Diseases	2	4	6	4	2
Beri Beri ...	20	2	22	18	4	Caries, Necrosis ...	5	1	6	5	1

Table No. XVII.—continued.

CAUSES of DEATHS in QUEENSLAND during the YEAR 1905, arranged in order of degree of FATALITY—continued.

CAUSE OF DEATH.	No. of Deaths, Males and Females, Registered from each Cause.		Total Deaths from each Cause in 1905.	Total Deaths from each Cause in 1904.	Increase or — Decrease in 1905.	CAUSE OF DEATH.	No. of Deaths, Males and Females, Registered from each Cause		Total Deaths from each Cause in 1905.	Total Deaths from each Cause in 1904.	Increase or — Decrease in 1905.
	Males.	Females.					Males.	Females.			
Angina Pectoris	5	...	5	9	— 4	Lymph. System, Other	2	...	2	5	— 3
Gastric Catarrh	2	3	5	20	— 15	Diseases	...	2	2	...	2
Other Diseases of Uterus and Vagina	...	5	5	11	— 6	Disorders of Menstruation	2	2	...	2
Pyæmia (not Puerperal) ...	3	1	4	4	...	Ulcer, Bedsore	2	2	2	...
Chronic Poisoning (not Intentional)	2	2	4	5	— 1	Arthritis, Periostitis	1	1	2	6	— 4
Rheumatism of Heart	3	1	4	2	2	Tramways (Accident)	2	...	2	1	1
Gout	4	...	4	2	2	Justifiable Homicide	2	...	2	...	2
Tonsilitis, Quinsy	4	...	4	7	— 3	Execution	2	...	2	...	2
Eczema	4	...	4	2	2	By Other Means (Suicide) ...	1	...	1	4	— 3
Murder by Coloured Persons	4	...	4	3	1	By Crushing (Suicide)	1	...	1	1	...
Puerperal Fever	3	3	7	— 4	Manslaughter	1	...	1	4	— 3
Infective Endocarditis	2	1	3	1	2	Insect Bites	1	...	1	1	...
Ankylostoma	3	...	3	10	— 7	Building Operations (Acci- dent)	1	...	1	2	— 1
Scurvy	3	...	3	...	3	Sudden (Cause Unascertained)	1	...	1	...	1
Opium, Morphia Habit	3	...	3	6	— 3	Tumour	1	1	2	— 1
Chorea	1	2	3	...	3	Pemphigus	1	...	1	...	1
Hypertrophy of Heart	3	...	3	2	1	Ovarian Tumour (not Malig- nant)	...	1	1	3	— 2
Phlebitis	3	3	3	...	Ophthalmia, Eye Disease ...	1	...	1	2	— 1
Larynx, Other Diseases	2	1	3	2	1	Other Parasites	1	...	1	...	1
Supra-renal Capsules Dis- ease	2	1	3	3	...	Hydatids	1	...	1	4	— 3
Thyroid Body Disease	3	3	7	— 4	Puerperal Phlegmasia Dolens	...	1	1	1	...
Weather (Lightning)	2	1	3	...	3	Anthrax, Splenic Fever	1	...	1	...	1
Mumps	2	...	2	5	— 3	Simple Continued Fever	1	...	1	2	— 1
Other Animal Parasites	1	1	2	1	1	Relapsing Fever	1	...	1	...	1
Rickets	2	2	1	1	Scarlet Fever	1	...	1	11	— 10
Hæmophilia, Hæmorrhagic Diathesis	2	...	2	5	— 3	Measles	1	...	1	5	— 4
Laryngismus Stridulus	1	1	2	1	1	Chicken Pox	1	...	1	...	1
Neuritis, Periph. and Poly. Neuritus	2	...	2	9	— 7	Deaths from Causes in 1904 not occurring in 1905	24	— 24
						TOTAL	3,499	2,004	5,503	5,250	253

CAUSES of DEATHS of MALES, at Different Periods of Life, Registered in Queensland during the Year 1905—continued.

CLASSES, SUB-CLASSES, AND DISEASES.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	TOTALS.			
																							Males.	Females.	Persons.	
CLASS II.—Local Diseases.																										
SUB-CLASS 1.—DISEASES OF NERVOUS SYSTEM.																										
1. Meningitis, Inflammation of Brain	13	3	...	2	3	21	8	2	2	1	4	1	2	1	39	26	65	
2. Softening of Brain	8	8	16	
3. General Paralysis of Insane	3	4	9	...	9	
4. Insanity (not Puerperal)	2	6	8	
5. Chorea	1	2	3	
6. Epilepsy	1	3	...	1	...	5	...	1	2	2	1	2	1	1	...	1	2	2	20	18	38	
7. Convulsions	40	7	5	2	2	56	1	57	59	116	
8. Laryngismus Stridulus	1	1	1	1	2	
9. Locomotor Ataxy	3	2	1	1	7	...	7	
10. Paraplegia and Disease of Cord	1	...	3	2	2	...	1	3	...	12	5	17	
11. Neuritis, Periph. and Poly. Neuritis	3	2	1	1	1	2	2	1	2	...	2	
12. Brain Tumour (not Specific)	2	2	1	1	1	2	2	14	6	20	
13. Nervous System, Other Diseases	2	2	1	2	4	4	3	4	...	1	...	3	1	5	6	...	36	20	56	
SUB-CLASS 2.—DISEASES OF ORGANS OF SPECIAL SENSE.																										
1. Otitis, Mastoid Disease	2	2	1	...	1	...	1	1	6	3	9	
2. Epistaxis, Nose Disease	
3. Ophthalmia, Eye Disease	1	1	...	1	
SUB-CLASS 3.—DISEASES OF HEART.																										
1. Valv. Dis., Endocarditis (not Infective)	1	3	4	3	2	8	10	12	16	14	14	14	21	11	18	...	151	101	252	
2. Pericarditis	1	1	1	1	...	1	1	1	7	4	11	
3. Hypertrophy of Heart	1	1	1	3	...	3	
4. Angina Pectoris	1	...	1	1	2	...	5	...	5	
5. Dilatation of Heart	1	1	1	1	1	1	1	...	1	2	3	3	2	...	16	6	22	
6. Fatty Degeneration of Heart	2	2	4	1	4	...	15	16	31		
7. Syncope, Heart Disease (not Specified)	1	...	1	1	1	2	1	2	4	4	6	4	7	9	8	11	...	61	42	103	
SUB-CLASS 4.—DISEASES OF BLOOD VESSELS.																										
1. Cerebral Hemorrhage (Emb. Throm.)	1	...	1	1	...	1	3	3	2	3	2	3	6	7	8	4	...	44	32	76	
2. Apoplexy, Hemiplegia	...	1	...	1	...	2	5	6	7	4	5	6	10	...	49	21	70		
3. Aneurism	1	1	5	6	4	1	5	2	2	...	27	2	29		
4. Senile Gangrene	1	1	5	...	7	3	10	
5. Embolism, Thrombosis (not Cerebral)	1	1	...	1	4	3	7	
6. Phlebitis	3	...	3
7. Varicose Veins	
8. Blood Vessels, Other Diseases	4	2	1	...	7	3	10	
SUB-CLASS 5.—DISEASES OF THE RESPIRATORY ORGANS.																										
1. Laryngitis	1	1	2	2	8	10	
2. Membranous Laryngitis (not Diphtheritic)	
3. Croup (not Spasmodic or Membranous)	1	1	1	3	...	1	4	2	6	
4. Larynx, Other Diseases (not Specified)	1	1	2	1	3	
5. Bronchitis	16	3	1	20	1	...	2	...	2	1	2	5	3	10	17	16	19	...	96	57	153	
6. Lobar, Croupous-pneumonia	1	1	...	1	...	3	14	4	18	
7. Broncho, Catarrhal, Lobular Pneumonia	12	7	3	22	2	1	1	...	3	2	1	33	32	65	
8. Pneumonia	17	8	4	6	2	37	2	2	3	6	7	6	16	8	13	6	6	9	11	8	11	...	151	77	228	
9. Emphysema, Asthma	1	...	2	3	5	5	9	3	10	7	...	46	15	61	
10. Pleurisy	2	...	2	3	2	1	2	1	1	1	...	1	16	9	25	
11. Fibroid Disease of Lung	
12. Respiratory Diseases, Other	4	2	1	7	1	1	...	1	1	...	4	2	...	1	1	1	2	...	22	16	38	
SUB-CLASS 6.—DISEASES OF DIGESTIVE SYSTEM.																										
1. Tonsillitis, Quinsy	1	...	1	2	1	1	4	...	4	
2. Mouth, Pharynx Disease (not Specified)	1	1	...	2	1	1	2	2	1	1	...	6	2	8	
3. Gastric Ulcer	8	6	14	
4. Gastric Catarrh	1	2	3	5	
5. Stomach, Other Diseases (not Malignant)	3	1	...	2	...	6	2	1	...	1	1	2	2	1	3	2	1	...	22	19	41	
6. Enteritis (not Epidemic)	30	10	1	41	3	...	1	...	1	2	2	2	4	4	1	...	62	44	106	
7. Gastro Enteritis	121	8	2	2	2	135	2	2	1	2	142	108	250	
8. Appendicitis, Perityphlitis	1	4	4	2	4	2	2	...	1	1	1	2	24	5	29	
9. Hernia	1	1	1	...	2	7	9	16	
10. Intestinal Obstruction	7	7	2	1	1	1	...	1	...	1	15	8	23	
11. Other Diseases of Intestines	1	...	1	1	1	2	2	7	5	12	
12. Peritonitis (not Puerperal)	...	2	...	1	...	3	2	...	2	...	2	...	1	2	...	1	16	2	18	
13. Cirrhosis of Liver	1	1	1	...	2	1	3	2	5	3	1	...	22	17	39	
14. Liver and Gall Bladder, Other Diseases	5	5	...	1	1	3	2	...	1	1	3	2	2	4	4	1	1	...	31	16	47	
15. Digestive System, Other Diseases	4	1	1	6	1	1	1	1	2	1	...	13	4	17	
SUB-CLASS 7.—LYMPHATIC DISEASES.																										
1. Spleen Disease	
2. Lymph System, Other Diseases	1	1	2	
3. Thyroid Body Disease	3	...	3
4. Supra Renal Capsule Disease	1	1	2	1	3	
SUB-CLASS 8.—DISEASES OF URINARY SYSTEM.																										
1. Nephritis, Acute	2	2	2	2	4	...	2	1	1	3	1	3	1	...	22	18	40	
2. Chronic Bright's Disease, Albuminuria	2	2	4	7	3	5	4	8	8	14	8	12	16	8	5	...	104	56	160	
3. Calculus (not Biliary)	1	1	1	4	3	7	
4. Bladder and Prostate Disease	1	1	1	4	11	13	18	...	49	3	52	
5. Urinary System, Other Diseases	1	1	2	1	...	1	1	...	1	1	1	4	1	3	2	...	18	6	24	
SUB-CLASS 9.—DISEASES OF GENERATIVE SYSTEM.																										
1. Ovarian Tumour (not Malignant)	1	...	1
2. Other Diseases of Ovary	
3. Uterine Tumour (not Malignant)	7	...	7
4. Other Diseases of Uterus and Vagina	5	...	5
5. Disorders of Menstruation	2	2	2
6. Gener. and Mam. Orgs., Other Diseases	1	2	4	6	
SUB-CLASS 10.—ACCIDENTS OF CHILDBIRTH.																										
1. Abortion, Miscarriage	6	...	6
2. Puerperal Mania	
3. Puerperal Convulsions																		

TABLE No. XVIII.—continued.

CAUSES of DEATHS of MALES, at Different Periods of Life, Registered in Queensland during the Year 1905—continued.

CLASSES, SUB-CLASSES, AND DISEASES.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	TOTALS.		
																							Males.	Females.	Persons.
CLASS II.—Local Diseases— continued.																									
SUB-CLASS 11.—DISEASES OF LOCOMOTOR SYSTEM.																									
1. Caries, Necrosis	2	2	1	1	1	5	1	6
2. Arthritis, Periostitis	1	1	2
3. Locomotor System, Other Diseases	2	...	1	...	1	4	4	8
SUB-CLASS 12.—SKIN DISEASES.																									
1. Ulcer, Bedsore	2	2
2. Eczema	...	3	1	4	4	...	4
3. Pemphigus	1
4. Skin Diseases, Other	...	3	3	1	3	2	...	1	1	1	1	1	...	14	4	18
TOTAL CLASS II.	295	59	25	21	11	411	31	20	41	40	38	49	68	79	94	102	92	129	143	126	147	...	1,610	1,024	2,634
CLASS III.—Other Specified Diseases.																									
CLASS IV.—Ill-defined and Not Specified Diseases.																									
1. Atrophy, Debility	...	6	1	7	1	1	1	1	11	17	28
2. Old Age	124	72	196
3. Dropsy, Ascites, Anasarca	1	1	1	...	17	...	24	65	...	5	3	8
4. Tumour	1
5. Abscess
6. Hæmorrhage
7. Sudden (Cause unascertained)	1	...	1
8. Other Ill-defined Causes	1	1	1	1	2	1	7	2	9
9. Causes not Specified	...	2	2	2	1	1	6	1	7
TOTAL CLASS IV.	8	1	9	2	3	1	1	1	1	4	4	4	17	18	24	65	...	154	96	250
CLASS V.—Violent Deaths.																									
SUB-CLASS 1.—ACCIDENT OR NEGLIGENCE.																									
1. In Mines or Quarries	2	2	3	1	5	5	6	1	2	...	1	28	...	28
2. Railways	1	1	1	1	3	1	2	1	11	...	11
3. Tramways	2	...	2
4. Other Vehicles	1	1	3	3	2	3	1	4	3	4	28	5	33
5. Horses, &c.	1	...	1	3	4	6	5	7	2	2	1	3	3	2	2	1	1	3	...	46	3	49
6. Ships, Boats, and Docks (not Drowning)	1	2	1	...	1	7	...	7
7. Building Operations	1	...	1
8. Machinery	1	1	2	2	7	...	7
9. Weapons and Implements	8	...	8
10. Burns and Scalds	...	1	3	1	2	7	3	1	...	1	3	1	18	36	54
11. Poisons, Poisonous Vapours	2	1	...	3	1	9	1	10
12. Drowning	...	1	4	6	12	11	6	...	2	4	3	4	4	2	3	1	...	1	59	11	70
13. Suffocation	1	2	...	3	7	...	8
14. Falls (Otherwise)	...	1	1	2	1	1	1	1	...	1	1	3	1	1	1	3	...	17	1	18
15. Weather—Sunstroke and Heat Apoplexy	...	1	1	1	3	1	...	1	4	...	3	2	2	...	2	2	1	...	24	12	36
16. Weather—Lightning	1	...	1	1	2	1	3
17. Weather—Other
18. Snake Bites
19. Insect Bites	1	1	1	...	1
20. Otherwise, or not stated	1	...	1	1	1	5	5	2	1	7	4	2	1	1	...	1	...	32	1	33
SUB-CLASS 2.—HOMICIDE.																									
1. Murder { a By Whites	...	2	2	1	1	1	1	6	2	8
2. Manslaughter { b By Coloured Persons	1	1	1	1	4	...	4
3. Justifiable Homicide	1	...	1
SUB-CLASS 3.—SUICIDE.																									
1. By Poison	1	...	1	2	2	4	2	1	2	...	1	1	...	17	4	21
2. By Asphyxia
3. By Hanging or Strangulation
4. By Drowning	1	1	1	2	1	1	9	...	9
5. By Firearms	13	3	16
6. By Cutting Instruments	1	1	7	2	6	3	1	3	4	1	1	30	3	33
7. By Jumping from High Places	1	14	1	15
8. By Crushing
9. By Other Means	1	...	1
SUB-CLASS 4.																									
1. Execution	1	2	...	2
TOTAL CLASS V.	7	14	3	6	1	31	21	21	31	22	28	26	48	43	33	19	24	21	15	12	12	...	407	85	492
TOTAL NUMBER OF DEATHS OF MALES FROM ALL CAUSES	592	95	46	35	19	787	80	55	99	131	147	164	206	213	221	203	188	247	251	227	278	2	3,499	2,004	5,503

TABLE No. XIX.—continued.

CAUSES of DEATHS of FEMALES, at Different Periods of Life, Registered in Queensland during the Year 1905—continued.

CLASSES, SUB-CLASSES AND DISEASES.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	TOTALS.				
																							Females.	Males.	Persons.		
CLASS II.—Local Diseases— continued.																											
SUB-CLASS 11.—DISEASES OF LOCOMOTOR SYSTEM.																											
1. Caries, Necrosis	1	1	5	6	
2. Arthritis, Periostitis	1	1	2	
3. Locomotor System, Other Diseases	1	1	2	1	4	4	8	
SUB-CLASS 12.—SKIN DISEASES.																											
1. Ulcer, Bedsore	1	2	...	2	
2. Eczema	4	4	
3. Pemphigus	1	1	1	
4. Skin Diseases, Other	1	1	1	1	4	14	18	
TOTAL CLASS II.	208	63	18	11	9	309	26	16	31	38	42	46	54	31	42	42	45	64	66	64	108	1,024	1,610	2,634	
CLASS III.—Other Specified Diseases.																											
CLASS IV.—Ill-defined and Not Specified Diseases.																											
1. Atrophy, Debility	16	16	1	17	11	28	
2. Old Age	1	72	124	196	
3. Dropsy, Ascites, Anasarca	1	1	...	3	6	10	3	5	8	
4. Tumour	1	...	1	
5. Abscess	
6. Hemorrhage	
7. Sudden (Cause unascertained)	
8. Other Ill-defined Causes	1	1	1	2	1	1	
9. Causes not Specified	1	7	9	7	
TOTAL CLASS IV.	16	1	17	1	1	1	2	1	3	6	10	54	96	154	250	
CLASS V.—Violent Deaths.																											
SUB-CLASS 1.—ACCIDENT OR NEGLIGENCE.																											
1. In Mines or Quarries	28	...	28
2. Railways	11	...	11
3. Tramways	2	...	2
4. Other Vehicles	1	1	5	28	33	
5. Horses, &c.	2	1	1	...	1	3	46	49	
6. Ships, Boats, and Docks (not Drowning)	7	...	7	
7. Building Operations	1	...	1
8. Machinery	7	...	7
9. Weapons and Implements	8	...	8
10. Burns and Scalds	1	5	1	7	6	4	1	5	3	1	1	1	2	1	2	1	1	36	18	54	
11. Poisons, Poisonous Vapours	1	1	1	9	10	
12. Drowning	1	1	2	2	1	2	1	...	2	11	59	70	
13. Suffocation	1	1	1	7	8	
14. Falls (Otherwise)	1	1	
15. Weather—Sunstroke and Heat Apoplexy	5	1	6	...	1	1	...	1	1	2	12	24	36	
16. Weather—Lightning	1	1	2	3	
17. Weather—Other	
18. Snake Bites	
19. Insect Bites	1	1	
20. Otherwise, or not stated	1	1	32	33	
SUB-CLASS 2.—HOMICIDE.																											
1. Murder { a By Whites	1	1	1	2	6	8	
2. Manslaughter	4	4	
3. Justifiable Homicide	1	1	
SUB-CLASS 3.—SUICIDE.																											
1. By Poison	1	1	1	1	4	17	21	
2. By Asphyxia	
3. By Hanging or Strangulation	9	...	9
4. By Drowning	1	...	2	3	13	16	
5. By Firearms	1	2	3	30	33	
6. By Cutting Instruments	1	1	14	15	
7. By Jumping from High Places	
8. By Crushing	
9. By Other Means	1	1	
SUB-CLASS 4.																											
1. Execution	2	...	2
TOTAL CLASS V.	9	1	2	5	2	19	9	7	7	10	5	4	...	3	2	1	5	1	5	3	4	85	407	492	
TOTAL DEATHS OF FEMALES FROM ALL CAUSES	437	91	34	27	18	607	59	43	69	88	86	85	95	69	86	99	89	108	110	111	200	2,004	3,499	5,503	

TABLE No. XX.--continued.

CAUSES of DEATHS of PERSONS, at Different Periods of Life, Registered in Queensland during the Year 1905—continued.

CLASSES, SUB-CLASSES, AND DISEASES.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	TOTALS.			
																							Persons.	Males.	Females.	
CLASS II.—Local Diseases.																										
SUB-CLASS 1.—DISEASES OF NERVOUS SYSTEM.																										
1. Meningitis, Inflammation of Brain	21	7	1	3	4	36	11	2	5	...	2	2	4	2	1	3	4	3	...	65	39	26	
2. Softening of Brain	1	1	3	4	2	16	8	8	
3. General Paralysis of Insane	9	9	...	
4. Insanity (not Puerperal)	1	2	2	1	...	8	2	6
5. Chorea	3	1	2	
6. Epilepsy	2	4	...	1	1	8	3	2	3	3	5	3	2	1	...	1	5	2	38	20	18	
7. Convulsions	74	19	12	4	5	114	2	116	57	59		
8. Laryngismus Stridulus	1	...	1	2	2	1	1		
9. Locomotor Ataxy	1	...	1	1	...	3	2	1	1	7	7	...		
10. Paraplegia and Disease of Cord	1	...	5	2	3	1	1	3	17	12	5		
11. Neuritis, Periph. and Poly. Neuritis	2	...	6	3	2	1	...	2	2	1	2	2	...		
12. Brain Tumour (not Specific)	1	1	2	2	1	20	14	6		
13. Nervous System, Other Diseases	2	1	3	2	4	1	...	4	5	5	5	1	4	1	4	1	7	9	56	36	20		
SUB-CLASS 2.—DISEASES OF ORGANS OF SPECIAL SENSE.																										
1. Otitis, Mastoid Disease	3	3	1	...	1	...	1	1	2	9	6	3	
2. Epistaxis, Nose Disease	
3. Ophthalmia, Eye Disease	1	1	1	...		
SUB-CLASS 3.—DISEASES OF HEART.																										
1. Valv. Dis., Endocarditis (not Infective)	1	1	2	4	12	7	7	11	14	17	23	22	24	24	29	23	32	...	252	151	101	
2. Pericarditis	1	1	1	1	2	2	11	7	4		
3. Hypertrophy of Heart	1	1	1	3	3	...		
4. Angina Pectoris	1	1	1	2	...	5	5	...	
5. Dilatation of Heart	1	1	1	...	1	1	1	1	1	1	2	3	4	6	...	22	16	6		
6. Fatty Degeneration of Heart	1	1	3	2	7	10	2	5	...	31	15	16		
7. Syncope, Heart Disease (not Specified)	1	...	1	2	...	1	1	5	3	3	7	6	6	8	14	13	14	19	103	61	42		
SUB-CLASS 4.—DISEASES OF BLOOD VESSELS.																										
1. Cerebral Hemorrhage (Emb. Throm.)	1	...	1	2	...	1	...	1	5	5	3	4	3	5	8	14	11	13	76	44	32		
2. Apoplexy, Hemiplegia	...	1	...	1	...	2	5	8	8	7	6	7	9	18	70	49	21		
3. Aneurism	1	1	5	6	4	1	6	3	2	...	29	27	2		
4. Senile Gangrene	1	1	8	10	7	3		
5. Embolism, Thrombosis (not Cerebral)	2	1	1	1	...	1	...	1	7	4	3		
6. Phlebitis	1	1	1	3	...	3		
7. Varicose Veins		
8. Blood Vessels, Other Diseases	1	4	3	2	10	7	3		
SUB-CLASS 5.—DISEASES OF THE RESPIRATORY ORGANS.																										
1. Laryngitis	4	1	1	6	...	1	1	1	1	10	2	8		
2. Membranous Laryngitis (not Diphtheritic)		
3. Croup (not Spasmodic or Membranous)	2	1	1	1	...	5	...	1	6	4	2		
4. Larynx, Other Diseases (not Specified)	1	1	1	1	3	2	1		
5. Bronchitis	27	9	3	39	...	3	2	1	3	1	6	5	11	24	25	33	...	153	96	57		
6. Lobar, Croupous-pneumonia	1	1	3	...	1	...	3	2	2	4	...	1	...	1	1	...	18	14	4		
7. Broncho, Catarrhal, Lobular Pneumonia	27	16	3	1	...	47	1	2	1	2	...	1	1	...	3	3	1	2	...	65	33	32		
8. Pneumonia	28	14	6	10	2	60	4	5	7	9	9	9	20	9	20	7	13	15	14	20	...	228	151	77		
9. Emphysema, Asthma	1	1	1	1	1	2	3	5	6	11	5	11	...	61	46	15		
10. Pleurisy	...	1	1	4	4	5	2	1	2	2	1	...	1	...	25	16	9		
11. Fibroid Disease of Lung		
12. Respiratory Diseases, Other	6	3	1	10	1	2	...	1	4	...	1	...	5	3	...	4	2	1	4	38	22	16		
SUB-CLASS 6.—DISEASES OF DIGESTIVE SYSTEM.																										
1. Tonsillitis, Quinsy	1	...	1	2	1	1	1	4	4	...		
2. Mouth, Pharynx Disease (not Specified)	1	1	...	1	...	3	1	1	1	8	6	2		
3. Gastric Ulcer	1	...	4	1	1	2	2	1	...	1	...	14	8	6		
4. Gastric Catarrh	1	2	...	2	...	5	2	3		
5. Stomach, Other Diseases (not Malignant)	5	3	...	2	...	10	2	1	...	1	4	1	1	2	3	3	1	4	4	4	...	41	22	19		
6. Enteritis (not Epidemic)	56	14	3	1	...	74	5	...	1	...	1	2	...	4	5	4	6	3	...	106	62	44		
7. Gastro Enteritis	205	23	3	3	3	237	...	2	1	3	1	2	3	1	250	142	108		
8. Appendicitis, Perityphlitis	1	6	5	2	4	3	3	...	1	1	1	29	24	5		
9. Hernia	1	1	3	3	1	4	16	7	9		
10. Intestinal Obstruction	7	3	1	...	2	1	3	1	2	...	1	23	15	8		
11. Other Diseases of Intestines	1	1	...	2	...	1	...	1	1	...	2	...	1	2	12	7	5		
12. Peritonitis (not Puerperal)	3	...	1	4	2	...	2	2	2	2	1	2	1	...	6	7	5	1	...	39	22	17		
13. Cirrhosis of Liver	1	...	2	4	2	5	6	7	5	1	3	47	31	16		
14. Liver and Gall Bladder, Other Diseases	9	9	...	2	1	4	2	...	2	1	4	3	3	4	8	1	3	17	13	4		
15. Digestive System, Other Diseases	6	1	1	...	1	9	1	1	1		
SUB-CLASS 7.—LYMPHATIC DISEASES.																										
1. Spleen Disease	1	2	2	...	
2. Lymph System, Other Diseases	1	1	3	...	3		
3. Thyroid Body Disease	1	3	...	1		
4. Supra Renal Capsule Disease	1	2		
SUB-CLASS 8.—DISEASES OF URINARY SYSTEM.																										
1. Nephritis, Acute	2	...	1	3	5	5	6	1	4	3	1	6	1	3	...	2	...	40	22	18		
2. Chronic Bright's Disease, Albuminuria	2	1	8	14	4	9	7	9	13	19	11	18	22	13	11	160	104	56		
3. Calculus (not Biliary)	1	1	1	1	1	1	3	...	1	...	7	4	3		
4. Bladder and Prostate Disease	1	1	5	12	13	19	52	49	3		
5. Urinary System, Other Diseases	1	1	2	1	...	1	...	1	...	2	...	1	2	2	5	1	4	2	24	18	6		
SUB-CLASS 9.—DISEASES OF GENERATIVE SYSTEM.																										
1. Ovarian Tumour (not Malignant)	1	...	1	...	1		
2. Other Diseases of Ovary	1	1	7	...	7		
3. Uterine Tumour (not Malignant)	1	1	...	1	1	1	5	...	5		
4. Other Diseases of Uterus and Vagina	1	1	1	1	2	...	2		
5. Disorders of Menstruation	1	1	6	2	4		
6. Gener. and Mam. Orgs., Other Diseases	2	2	1		
SUB-CLASS 10.—ACCIDENTS OF CHILD BIRTH.																										
1. Abortion, Miscarriage	3	3	6	...	6		
2. Puerperal Mania		
3. Puerperal Convulsions	1	2	2	1	1	7	...	7		
4. Placenta Prævia, Flooding	1	2	3	6	1	1	13	...	13		
5. Pregnancy, Childbirth, Other Accidents	5	3	2	5	1	2								

TABLE No. XX.—continued.

CAUSES of DEATHS of PERSONS, at Different Periods of Life, Registered in Queensland during the Year 1905—continued.

CLASSES, SUB-CLASSES, AND DISEASES.																					TOTALS.					
	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	Persons.	Males.	Females.	
CLASS II.—Local Diseases— continued.																										
SUB-CLASS 11.—DISEASES OF LOCOMOTOR SYSTEM.																										
1. Caries, Necrosis	2	2	1	1	1	1	...	1	6	5	1	
2. Arthritis, Periostitis	1	2	1	1		
3. Locomotor System, Other Diseases	1	1	4	...	1	...	1	1	8	4	4		
SUB-CLASS 12.—SKIN DISEASES.																										
1. Ulcer, Bedsore	1	1	...	2	...	2	
2. Eczema	3	1	4	1	4	4	...		
3. Pemphigus	1	1	1	...		
4. Skin Diseases, Other	3	1	4	1	3	3	...	1	1	2	1	2	18	14	4		
TOTAL CLASS II.	503	122	43	32	20	720	57	36	72	78	80	95	122	110	136	144	137	193	209	190	255	...	2,634	1,610	1,024	
CLASS III.—Other Specified Diseases.																										
CLASS IV.—Ill-defined and Not Specified Diseases.																										
1. Atrophy, Debility	22	1	23	1	1	2	1	28	11	17		
2. Old Age	2	20	23	34	117	...	196	124	72	
3. Dropsy, Ascites, Anasarca	1	...	1	1	1	2	1	8	5	3		
4. Tumour	1		
5. Abscess		
6. Hæmorrhage		
7. Sudden (Cause unascertained)	1	1	1	...		
8. Other Ill-defined Causes	1	1	1	1	1	1	1	2	1	9	7	2			
9. Causes not Specified	2	2	2	1	1	1	7	6	1			
TOTAL CLASS IV.	24	2	26	2	3	2	2	2	1	4	6	5	20	24	34	119	...	250	154	96	
CLASS V.—Violent Deaths.																										
SUB-CLASS 1.—ACCIDENT OR NEGLIGENCE.																										
1. In Mines or Quarries	2	2	3	1	5	5	6	1	2	1	28	28	...		
2. Railways	1	1	...	1	1	1	3	1	2	...	1	11	11	...		
3. Tramways	1	1	2	2	...		
4. Other Vehicles	1	1	2	1	1	1	3	3	2	3	2	4	4	5	33	28	5		
5. Horses, &c.	1	3	6	6	5	7	3	2	1	3	3	2	1	1	3	...	49	46	3		
6. Ships, Boats, and Docks (not Drowning)	1	2	...	1	1	...	1	...	1	7	7	...			
7. Building Operations	1	1	1	...			
8. Machinery	1	1	2	2	1	7	7	...			
9. Weapons and Implements	2	1	1	3	1	8	8	...			
10. Burns and Scalds	1	3	2	7	1	14	9	5	1	6	4	1	1	1	1	3	2	2	2	2	54	18	36			
11. Poisons, Poisonous Vapours	1	2	1	4	1	2	1	...	1	1	10	9	1			
12. Drowning	1	5	1	...	1	8	14	12	8	...	2	5	3	6	4	2	3	1	...	1	70	59	11			
13. Suffocation	2	2	4	1	...	1	2	8	7	1			
14. Falls (Otherwise)	2	1	3	1	1	1	1	1	...	1	3	1	1	1	3	18	17	1			
15. Weather—Sunstroke and Heat Apoplexy	6	1	...	1	8	1	...	4	1	...	1	4	...	3	2	3	...	3	3	3	36	24	12			
16. Weather—Lightning	1	...	1	1	1	3	2	1			
17. Weather—Other			
18. Snake Bites			
19. Insect Bites	1	1			
20. Otherwise, or not stated	1	...	1	1	1	5	5	2	2	7	4	2	1	1	...	1	33	32	1		
SUB-CLASS 2.—HOMICIDE.																										
1. Murder { a By Whites	3	3	1	1	1	2	8	6	2		
b By Coloured Persons	1	1	1	1	4	4	...		
2. Manslaughter	1	1	1	...			
3. Justifiable Homicide	1	...	1	2	2	...			
SUB-CLASS 3.—SUICIDE.																										
1. By Poison	1	2	...	1	2	2	5	2	1	2	1	1	1	...	21	17	4		
2. By Asphyxia	1	2	1	1	1	...	9		
3. By Hanging or Strangulation	1	1	1	2	1	1			
4. By Drowning	1	2	1	2	1	2	4	1	...	1	2	2	16	13	3			
5. By Firearms	2	3	7	2	6	3	1	3	4	1	1	33	30	3			
6. By Cutting Instruments	2	2	1	...	3	1	2	...	2	2	2	1	...	1	15	14	1			
7. By Jumping from High Places			
8. By Crushing	1	1	1	...			
9. By Other Means	1	1	1	...			
SUB-CLASS 4.																										
1. Execution	1	1	2	2	...		
TOTAL CLASS V.	16	15	5	11	3	50	30	28	38	32	33	30	48	46	35	20	29	22	20	15	16	492	407	85		
TOTAL NUMBER OF DEATHS OF PERSONS FROM ALL CAUSES	1029	186	80	62	37	1394	139	98	168	219	233	249	301	282	307	302	277	355	361	338	478	2	5,503	3,499	2,004	

TABLE No. XXI.

CAUSES of DEATHS of MALES and FEMALES Registered in Queensland during each Month of the Year 1905.

CLASSES, SUB-CLASSES, AND DISEASES.	JANUARY.		FEBRUARY.		MARCH.		APRIL.		MAY.		JUNE.		JULY.		AUGUST.		SEPTEMBER.		OCTOBER.		NOVEMBER.		DECEMBER.		TOTALS.			
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	Males.	Females.	Persons.	
CLASS I.—General Diseases.																												
SUB-CLASS 1.																												
1. Small-pox
2. Cow-pox and Effects of Vaccination
3. Chicken-pox
4. Measles (Morbilli)	1	1	1	...	1
5. Epidemic Rose Rash, German Measles
6. Scarlet Fever	1
7. Typhus
8. Plague	1	...	5	2	2	2	1	...	3	1	1	3	...	1	1	...	3	1	17	10	27	
9. Relapsing Fever	1
10. Influenza	...	1	1	2	1	...	1	2	2	2	...	2	2	5	4	5	4	5	4	4	6	28	25	53	
11. Whooping Cough	2	3	1	...	2	...	2	7	3	10	
12. Mumps	1	...	1	2	...	2	
13. Diphtheria, Membranous Croup	1	...	1	2	1	2	1	2	5	5	3	1	2	5	2	1	1	2	...	2	1	...	18	22	40	
14. Cerebro Spinal Fever
15. Simple Continued Fever	...	1	1	...	1	
16. Enteric Fever	11	5	7	4	11	6	9	5	6	2	7	...	1	2	4	...	2	...	2	1	3	1	2	4	65	30	95	
17. Beri Beri	1	...	1	...	3	1	2	...	5	...	1	...	1	...	1	1	1	...	4	...	20	2	22	
SUB-CLASS 2.																												
1. Asiatic Cholera
2. Epid. Diarrhoea, Epid. or Zym. Enteritis	1	1	5	1	1	1	1	8	3	11	
3. Diarrhoea, Choleraic Diarrhoea	7	1	8	5	3	2	1	3	3	1	4	1	2	...	1	...	1	5	3	6	4	41	21	62		
4. Dysentery	3	1	13	1	2	3	3	1	1	1	1	2	...	2	6	3	33	12	45		
5. Malarial Fever { Dengue Fever...	12	25	38	30	19	28	13	6	9	3	2	3	1	1	2	3	1	2	2	1	99	102	201	
5. Malarial Fever { Other	1	...	3	...	4	1	2	2	4	...	6	...	7	1	2	...	2	...	2	...	1	...	34	4	38	
SUB-CLASS 3.																												
1. Hydrophobia
2. Glanders, Farcy
3. Anthrax, Splenic Fever	1	1	...	1	
4. Tetanus	4	1	1	1	1	1	3	1	3	...	1	...	2	1	2	1	...	2	2	2	1	1	2	1	22	12	34	
SUB-CLASS 4.																												
1. Syphilis	2	1	1	1	1	1	1	...	1	2	...	1	1	...	1	...	1	...	2	3	1	...	12	8	20	
2. Gonorrhoea, Stricture of Urethra	1	1	...	1	3	...	1	7	...	7	
SUB-CLASS 5.																												
1. Puerperal Septicæmia, Sæpiæmia	1	...	2	5	...	1	...	2	...	3	...	3	2	...	19	...	19	
2. Puerperal Pyæmia	
3. Puerperal Phlegmasia Dolens	1	1	...	
4. Puerperal Fever	...	1	1	1	...	3	...	3	
5. Infective Endocarditis	1	1	1	2	1	3		
6. Epidemic Pneumonia, Pneumonic Fever	
7. Erysipelas	...	2	...	1	...	2	...	2	...	1	1	...	1	1	...	1	7	2	9	
8. Septicæmia (not Puerperal)	3	1	3	...	1	...	1	...	1	2	...	1	...	2	1	...	1	...	1	1	1	...	15	7	22	
9. Pyæmia (not Puerperal)	...	1	1	...	1	2	3	1	4	
10. Phlemon, Carbuncle (not Anthrax)	2	1	1	...	1	...	1	1	...	6	1	7	
11. Phagedæna	
12. Other Septic Diseases	
SUB-CLASS 6.																												
1. Tuberculous Phthisis, Pulm. Tuberculosis	11	2	14	1	12	1	6	3	8	2	5	8	12	4	9	4	14	7	9	3	10	2	7	2	117	39	156	
2. Phthisis	10	6	12	4	13	7	15	4	10	3	10	6	20	5	13	8	18	4	17	6	17	10	13	10	168	73	241	
3. Tuberculous Meningitis	...	1	2	1	...	1	1	2	...	1	1	1	2	1	6	8	14	
4. Tuberculous Peritonitis	1	1	1	1	2	4	6	
5. Tabes Mesenterica	2	1	1	...	1	1	1	2	1	4	1	9	6	15	
6. Lupus	
7. Tubercle of Other Organs	1	...	1	...	1	1	2	...	1	1	...	1	1	1	1	1	1	1	9	4	13	
8. General Tuberculosis	6	...	2	6	1	1	...	3	...	1	2	1	2	1	1	3	1	1	1	...	1	...	26	7	33	
9. Scrofula	
SUB-CLASS 7.																												
1. Hydatids	1	1	...	1	
2. Ankylostoma	1	1	1	3	...	3	
3. Other Animal Parasites	1	1	1	1	2	
4. Other Parasites	1	1	...	1	
SUB-CLASS 8.																												
1. Privation (Starvation, &c.)	2	...	2	3	...	1	1	1	...	2	1	...	1	...	1	...	3	...	17	1	18	
2. Scoury	1	1	1	3	...	3	
3. Alcoholism, Delirium Tremens	3	3	4	...	5	1	...	1	3	3	3	...	3	1	5	...	4	1	3	...	1	...	2	...	36	10	46	
4. Opium, Morphia Habit	1	2	3	...	3	
5. Potomane Poisoning	1	1	1	1	1	6	3	9	
6. Chronic Poisoning (not Intentional)	1	1	2	...	1	...	2	2	4	
7. Industrial Poisoning	
SUB-CLASS 9.																												
1. Rheumatic Fever, Acute Rheumatism	1	...	1	...	2	1	1	1	2	2	...	1	1	...	4	4	3	...	15	9	24	
2. Rheumatism of the Heart	3	1	4	
3. Chronic Rheumatism	1	...	3	...	1	...	3	1	3	1	...	1	4	1	1	...	1	2	17	6	23	
4. Rheumatic Arthritis, Rheumatic Gout	...	2	1	1	1	2	4	3	7	
5. Gout	1	...	1	1	1	4	...	4	
SUB-CLASS 10.																												
1. Carcinoma	7	3	6	6	6	6	5	5	4	5	4	4	4	8	7	7	5	7	5	6	8	1	6	71	63	134		
2. Sarcoma	...	1	2	2	1	...	2	1	1	2	...	2	1	...	2	1	...	14	9	23		
3. Malignant Disease, Cancer	9	7	8	2	8	5	5	10	13	8	11	6	5	4	9	9	10	8	7	6	11	8	10	111	83			

TABLE No. XXI.—continued.

CAUSES of DEATHS of MALES and FEMALES Registered in Queensland during each Month of the Year 1905—continued.

CLASSES, SUB-CLASSES, AND DISEASES.	JANUARY.		FEBRUARY.		MARCH.		APRIL.		MAY.		JUNE.		JULY.		AUGUST.		SEPTEMBER.		OCTOBER.		NOVEMBER.		DECEMBER.		TOTALS.		
																									Males.	Females.	Persons.
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.					
CLASS II.—Local Diseases.																											
SUB-CLASS 1.—DISEASES OF NERVOUS SYSTEM.																											
1. Meningitis, Inflammation of Brain	6	4	4	3	2	1	3	...	2	4	4	5	3	1	3	2	3	1	5	2	2	1	2	2	39	26	65
2. Softening of Brain	1	1	1	1	2	3	1	1	1	8	8	16	
3. General Paralysis of Insane	1	1	2	...	3	9	9	9	
4. Insanity (not Puerperal)	1	1	1	1	1	...	1	...	1	1	2	6	8	
5. Chorea	...	1	1	1	1	2	3	
6. Epilepsy	1	3	2	1	2	2	4	4	2	1	2	5	2	2	1	2	1	20	18	38	
7. Convulsions	7	6	6	10	7	13	8	7	6	3	2	3	4	4	2	1	4	1	4	2	3	4	4	5	57	59	116
8. Laryngismus Stridulus	1	1	1	2	
9. Locomotor Ataxy	1	...	1	...	2	...	1	1	1	7	...	7	
10. Paraplegia and Disease of Cord	...	1	1	1	1	...	1	1	...	1	1	2	5	1	12	5	17	
11. Neuritis, Periph. and Poly. Neuritis	1	1	2	...	2	
12. Brain Tumour (not Specific)	1	1	1	1	1	1	3	...	1	1	2	...	1	1	1	...	2	1	1	14	6	20	
13. Nervous System, Other Diseases	8	2	2	3	1	2	1	...	4	4	4	1	5	2	3	1	2	...	1	2	2	1	3	2	36	20	56
SUB-CLASS 2.—DISEASES OF ORGANS OF SPECIAL SENSE.																											
1. Otitis, Mastoid Disease	2	1	...	1	...	1	1	2	...	1	6	3	9
2. Epistaxis, Nose Disease
3. Ophthalmia, Eye Disease	1	1	...	1
SUB-CLASS 3.—DISEASES OF HEART.																											
1. Valve Dis., Endocarditis (not Infective)	14	6	7	6	9	2	13	4	12	12	16	8	18	9	17	9	11	13	12	11	9	12	13	9	151	101	252
2. Pericarditis	1	1	2	1	2	1	1	1	1	7	4	11
3. Hypertrophy of Heart	1	1	1	3	...	3
4. Angina Pectoris	1	2	1	1	...	5	...	5
5. Dilatation of Heart	1	1	2	1	1	...	1	...	1	1	3	...	1	2	3	2	2	16	6	22
6. Fatty Degeneration of Heart	1	2	3	1	1	1	1	1	4	3	2	...	1	1	1	2	...	2	1	3	15	16	31
7. Syncope, Heart Disease (not Specified)	8	2	1	...	2	5	3	3	9	5	10	3	7	...	4	6	4	6	7	4	4	5	2	3	61	42	103
SUB-CLASS 4.—DISEASES OF BLOOD VESSELS.																											
1. Cerebral Hemorrhage, Emb. Throm.	6	4	3	3	4	3	...	1	7	2	2	2	6	1	4	6	5	3	1	1	5	1	1	5	44	32	76
2. Apoplexy, Hemiplegia	5	6	3	...	3	3	4	2	3	...	5	2	6	2	4	2	3	...	5	1	5	2	3	1	49	21	70
3. Aneurism	4	2	...	1	3	1	1	...	5	...	2	...	4	1	27	2	29
4. Senile Gangrene	2	2	1	1	1	1	7	3	10
5. Embolism, Thrombosis (not Cerebral)	...	1	1	1	...	1	1	1	1	4	3	7
6. Phlebitis	1	1	1	3	3
7. Varicose Veins
8. Blood Vessels, Other Diseases	1	...	1	2	...	1	1	1	1	1	1	7	3	10
SUB-CLASS 5.—DISEASES OF THE RESPIRATORY ORGANS.																											
1. Laryngitis	1	...	1	...	3	1	1	1	1	...	1	2	8	10
2. Membranous Laryngitis (not Diphtheritic)
3. Croup (not Spasmodic or Membranous)	...	1	1	...	1	...	1	...	1	1	4	2	6
4. Larynx, Other Diseases (not Specified)	1	1	2	1	3
5. Bronchitis	2	6	4	4	7	1	10	1	3	1	12	6	8	6	11	7	12	6	9	8	11	6	7	5	96	57	153
6. Lobar, Croupous-pneumonia	2	...	1	1	1	2	1	2	...	1	2	2	...	3	...	14	4	18
7. Broncho, Catarrhal, Lobular Pneumonia	2	3	...	2	3	1	2	...	6	3	2	...	4	6	2	1	4	4	3	5	4	5	1	2	33	32	65
8. Pneumonia	11	3	7	1	13	2	5	6	12	2	12	3	17	3	16	9	19	14	11	16	12	9	6	151	77	228	
9. Emphysema, Asthma	2	2	8	...	4	1	2	...	3	2	3	1	4	2	7	2	3	3	2	...	4	1	4	1	46	15	61
10. Pleurisy	1	...	1	...	1	...	1	1	2	...	3	2	2	1	2	2	...	1	1	...	1	1	1	1	16	9	25
11. Fibroid Disease of Lung
12. Respiratory Diseases, Other	2	1	2	1	1	2	3	1	3	...	3	4	1	1	2	1	4	1	...	4	1	...	22	16	38
SUB-CLASS 6.—DISEASES OF DIGESTIVE SYSTEM.																											
1. Tonsillitis, Quinsy	1	1	1	1	4	...	4
2. Mouth, Pharynx Disease (not Specified)	1	1	...	1	3	6	...	8
3. Gastric Ulcer	1	2	...	2	1	...	1	...	1	2	2	1	...	1	...	8	6	14
4. Gastric Catarrh	...	1	1	1	2	3	5
5. Stomach, Other Diseases (not Malignant)	2	2	3	2	2	6	1	2	...	2	1	1	4	...	2	2	2	3	2	...	22	19	41
6. Enteritis (not Epidemic)	9	4	12	3	2	7	3	8	3	6	2	2	4	1	3	1	3	2	2	3	8	5	11	3	62	44	106
7. Gastro Enteritis	16	12	22	15	20	17	11	3	13	10	10	3	2	4	7	4	1	3	5	7	13	15	22	15	142	108	250
8. Appendicitis, Perityphilitis	4	2	3	1	2	...	2	1	3	4	...	1	...	4	...	2	...	24	5	29
9. Hernia	1	1	2	1	2	3	1	2	1	1	7	9	16
10. Intestinal Obstruction	2	2	2	1	1	3	1	1	1	2	...	3	1	1	15	8	23
11. Other Diseases of Intestines	1	1	...	2	1	1	3	...	1	7	5	12
12. Peritonitis (not Puerperal)	1	...	3	...	6	...	1	...	2	...	2	1	1	16	2	18
13. Cirrhosis of Liver	4	2	2	...	1	1	1	2	4	6	2	1	4	1	1	2	...	2	22	17	39
14. Liver and Gall Bladder, Other Diseases	2	...	6	1	2	3	1	2	5	2	2	1	2	...	2	...	2	1	1	3	3	1	3	2	31	16	47
15. Digestive System, Other Diseases	1	...	1	...	2	1	1	1	3	1	1	1	1	...	3	...	13	4	17
SUB-CLASS 7.—LYMPHATIC DISEASES.																											
1. Spleen Disease
2. Lymph System, Other Diseases	1	1	2	...	2
3. Thyroid Body Disease	1	1	...	1	3	3
4. Supra Renal Capsule Disease	1	1	1	2	1	3
SUB-CLASS 8.—DISEASES OF URINARY SYSTEM.																											
1. Nephritis, Acute	2	...	3	3	1	1	...	1	2	1	5	1	2	5	3	2	...	1	3	...	1	3	22	18	40
2. Chronic Bright's Disease, Albuminuria	5	4	4	3	5	11	10	5	5	3	20	3	11	4	14	6	11	4	7	3	9	6	3	4	104	56	160
3. Calculus (not Biliary)	2	...	2	2	1	4	3

TABLE No. XXI.—continued.

CAUSES of DEATHS of MALES and FEMALES Registered in Queensland during each Month of the Year 1905—continued.

CLASSES, SUB-CLASSES, AND DISEASES.	JANUARY.		FEBRUARY.		MARCH.		APRIL.		MAY.		JUNE.		JULY.		AUGUST.		SEPTEMBER.		OCTOBER.		NOVEMBER.		DECEMBER.		TOTALS.		
																									Males.	Females.	Persons.
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.					
CLASS II.—Local Diseases— continued.																											
SUB-CLASS 11.—DISEASES OF LOCOMOTOR SYSTEM.																											
1. Caries, Necrosis	2	...	1	1	...	1	1	1	5	1	6
2. Arthritis, Periostitis	1	1	1	1	2	
3. Locomotor System, Other Diseases	2	1	...	1	1	1	1	1	4	4	8	
SUB-CLASS 12.—SKIN DISEASES.																											
1. Ulcer, Bedsore	1	...	1	2	2	
2. Eczema	2	...	1	1	...	4	...	4	
3. Pemphigus	1	1	...	1	
4. Skin Diseases, Other	3	...	2	...	3	1	2	1	1	...	1	...	1	2	1	...	14	4	18	
TOTAL CLASS II.	151	91	127	75	124	99	117	59	132	89	157	71	147	79	133	84	137	92	115	96	140	99	130	90	1,610	1,024	2,634
CLASS III.—Other Specified Diseases.																											
CLASS IV.—Ill-defined and Not Specified Diseases.																											
1. Atrophy, Debility	1	1	2	6	...	1	2	...	1	1	1	1	...	1	1	...	1	2	1	1	3	11	17	28	
2. Old Age	7	9	8	4	4	6	8	5	14	8	13	7	13	4	10	7	11	5	15	5	9	7	12	5	124	72	196
3. Dropsy, Ascites, Anasarca	...	1	1	1	...	2	1	1	...	1	5	3	8	
4. Tumour	...	1	1	1	
5. Abscess	
6. Hemorrhage	
7. Sudden (Cause unascertained)	1	1	...	1	
8. Other Ill-defined Causes	2	...	2	...	1	1	...	1	...	1	1	1	7	2	9	
9. Causes not Specified	1	1	1	...	1	1	...	1	1	6	1	7	
TOTAL CLASS IV.	9	12	10	10	6	8	14	6	18	11	17	8	15	5	12	7	13	7	15	5	12	8	13	9	154	96	250
CLASS V.—Violent Deaths.																											
SUB-CLASS 1.—ACCIDENT OR NEGLIGENCE.																											
1. In Mines or Quarries	2	2	...	4	...	3	...	2	...	7	...	1	...	2	...	3	...	2	...	28	...	28
2. Railways	1	...	1	...	1	2	2	...	1	...	3	11	...	11
3. Tramways	1	1	2	...	2	
4. Other Vehicles	1	1	2	1	2	2	2	1	4	4	2	2	...	2	...	7	28	5	33
5. Horses, &c.	4	...	1	1	5	...	4	...	4	...	4	...	6	...	3	1	3	...	6	1	5	...	1	...	46	3	49
6. Ships, Boats, and Docks (not Drowning)	2	1	1	...	3	7	...	7
7. Building Operations	1	1	...	1
8. Machinery	1	1	...	1	...	1	...	2	1	7	...	7
9. Weapons and Implements	3	...	3	...	1	...	1	8	...	8
10. Burns and Scalds	3	8	...	1	...	1	1	...	1	2	3	1	...	5	2	6	1	4	3	6	1	1	3	1	18	36	54
11. Poisons, Poisonous Vapours	1	1	...	1	1	...	3	1	6	1	1	1	2	9	1	10
12. Drowning	17	3	6	1	3	1	3	...	3	...	5	...	1	1	2	...	2	1	9	2	8	2	59	11	70
13. Suffocation	1	1	...	1	1	3	7	1	8
14. Falls (Otherwise)	3	...	2	...	1	...	2	...	1	1	2	3	3	17	1	18
15. Weather—Sunstroke and Heat Apoplexy	14	7	1	2	3	...	1	3	...	1	1	4	2	24	12	36	
16. Weather—Lightning	1	1	1	...	2	...	3
17. Weather—Other
18. Snake Bites
19. Insect Bites	1	1	...	1
20. Otherwise, or not stated	3	...	2	...	3	1	...	4	...	1	6	1	5	...	2	...	2	...	3	...	32	1	33
SUB-CLASS 2.—HOMICIDE.																											
1. Murder { a By Whites	...	1	1	2	...	1	1	1	1	6	2	8
b By Coloured Persons	1	1	1	2	4	...	4
2. Manslaughter	1	...	1
3. Justifiable Homicide	1	1	2	...	2
SUB-CLASS 3.—SUICIDE.																											
1. By Poison	3	...	1	...	1	...	1	...	3	1	1	...	1	...	1	2	1	...	4	1	17	4	21
2. By Asphyxia
3. By Hanging or Strangulation	2	...	1	...	1	...	1	1	3	9	...	9
4. By Drowning	2	1	2	...	2	1	...	1	1	...	1	...	1	...	2	1	1	...	13	3	16
5. By Firearms	2	2	5	5	1	2	...	1	...	1	6	...	5	1	...	1	...	30	3	33
6. By Cutting Instruments	1	...	1	...	1	...	2	...	2	2	5	1	14	1	15
7. By Jumping from High Places
8. By Crushing	1
9. By Other Means	1	1	...	1
SUB-CLASS 4.																											
1. Execution	1	1	2	...	2
TOTAL CLASS V.	52	22	26	6	24	4	32	2	35	5	34	3	15	8	33	8	30	4	39	10	39	6	48	7	407	85	492
TOTAL DEATHS OF MALES AND FEMALES FROM ALL CAUSES	325	184	293	140	273	199	301	153	307	188	319	143	270	145	286	161	282	163	264	162	284	190	295	176	3,499	2,004	5,503

TABLE

CAUSES of DEATHS of MALES Registered in the several

CLASSES, SUB-CLASSES, AND DISEASES.	Aramac.	Balonne.	Blackall.	Bowen.	Brisbane.	Bundaberg.	Burke.	Burnett.	Caboolture.	Cairns.	Cardwell.	Charleville.	Clermont.	Cloncurry.	Cook.	Croydon.	Cunnamulla.	Dalby.	Darling Downs Central.	Darling Downs East.	Darling Downs North.	Darling Downs West.	Diamantina.	Drayton and Toowoomba.	Enoggera.	Etheridge.
CLASS II.—Local Diseases— continued.																										
SUB-CLASS 11.—DISEASES OF LOCOMOTOR SYSTEM.																										
1. Caries, Necrosis	1	1	1
2. Arthritis, Periostitis	1	1	1
3. Locomotor System, Other Diseases
SUB-CLASS 12.—SKIN DISEASES.																										
1. Ulcer, Bedsore	1
2. Eczema	2	1
3. Pemphigus	1
4. Skin Diseases, Other	1	1	...
TOTAL CLASS II.	6	5	15	13	283	38	2	22	12	51	11	14	21	7	15	21	10	9	21	10	6	3	5	70	46	6
CLASS III.—Other Specified Diseases.																										
CLASS IV.—Ill-defined and Not Specified Diseases.																										
1. Atrophy, Debility	1	1	1	2	...	1
2. Old Age	1	1	...	4	6	5	...	3	1	...	3	...	3	1	3	1	...	1	2	6	3	3
3. Dropsy, Ascites, Anasarca	1
4. Tumour
5. Abscess
6. Hæmorrhage
7. Sudden (Cause unascertained)	1
8. Other Ill-defined Causes	1	1
9. Causes not Specified	1	1	1	1
TOTAL CLASS IV.	3	2	...	5	6	7	2	3	1	2	6	...	4	1	4	1	...	1	2	...	9	6	3	3
CLASS V.—Violent Deaths.																										
SUB-CLASS 1.—ACCIDENT OR NEGLIGENCE.																										
1. In Mines or Quarries	1	...	2	2	1
2. Railways	2	1	1	1
3. Tramways	2
4. Other Vehicles	4	1
5. Horses, &c.	1	1	1	9	1	...	1	1	2	1	2	3	1
6. Ships, Boats, and Docks (not Drowning)	5
7. Building Operations	1
8. Machinery	2	1	1
9. Weapons and Implements	1	1
10. Burns and Scalds	6	1	1	1	1	...
11. Poisons, Poisonous Vapours	1	1
12. Drowning	1	1	11	4	1	2	2	1	1	1
13. Suffocation	2	1
14. Falls (Otherwise)	1	...	1	6	1	1	1	1
15. Weather—Sunstroke and Heat Apoplexy	2	1	1	1	1	1	1	2	1	...	1	1	...
16. Weather—Lightning
17. Weather—Other
18. Snake Bites
19. Insect Bites
20. Otherwise, or not stated	1	1	3	4	...	2	2	2	...
SUB-CLASS 2.—HOMICIDE.																										
1. Murder { a By Whites	1	1	1	1	1	1
b By Coloured Persons	1
2. Manslaughter	1
3. Justifiable Homicide	1	1
SUB-CLASS 3.—SUICIDE.																										
1. By Poison	1	...	1	1	6	1	1	2
2. By Asphyxia
3. By Hanging or Strangulation	1	2	1	1
4. By Drowning	2	1	1
5. By Firearms	1	1	1	2	1	1	...	1	1
6. By Cutting Instruments	1	...	2	2
7. By Jumping from High Places
8. By Crushing	1
9. By Other Means
SUB-CLASS 4.																										
Execution	2
TOTAL CLASS V.	5	1	6	7	71	7	1	3	7	11	7	2	3	1	8	6	3	3	2	2	4	1	2	15	9	1
TOTAL NUMBER OF DEATHS OF MALES FROM ALL CAUSES	29	15	32	38	595	94	8	38	26	122	50	21	36	12	55	46	17	17	44	17	26	6	10	140	100	17

Persons.	2	4	1	18	2,634	28	196	1	...	1	9	7	250	...	1	33	...	8	4	1	2	21	...	9	16	33	15	...	1	2	492	503
----------	---	---	---	----	-------	----	-----	---	-----	---	---	---	-----	-----	---	----	-----	---	---	---	---	----	-----	---	----	----	----	-----	---	---	-----	-----

TABLE
CAUSES of DEATHS of FEMALES Registered in the several

CLASSES, SUB-CLASSES, AND DISEASES.	Aramac.	Balonne.	Blackall.	Bowen.	Brisbane.	Bundaberg.	Burke.	Burnett.	Caboollture.	Cairns.	Cardwell.	Charleville.	Clermont.	Cloncurry.	Cook.	Croydon.	Cunnamulla.	Dalby.	Darling Downs Central.	Darling Downs East.	Darling Downs North.	Darling Downs West.	Diamantina.	Drayton and Toowoomba.	Enoggera.	Etheridge.
CLASS I.—General Diseases.																										
SUB-CLASS 1.																										
1. Small-pox																										
2. Cow-pox and Effects of Vaccination																										
3. Chicken-pox																										
4. Measles (Morbilli)																										
5. Epidemic Rose Rash, German Measles																										
6. Scarlet Fever																										
7. Typhus																										
8. Plague					3																					
9. Relapsing Fever																										
10. Influenza	1				2	3		1		1								1		2					1	1
11. Whooping Cough	1			1									1													
12. Mumps																										
13. Diphtheria, Membranous Croup					7	4		2										1		1						
14. Cerebro Spinal Fever																										
15. Simple Continued Fever																										
16. Enteric Fever					10	3							1		1											
17. Beri Beri											1															
SUB-CLASS 2.																										
1. Asiatic Cholera																										
2. Epid. Diarrhoea, Epid. or Zim. Enteritis					1															1					1	1
3. Diarrhoea, Choleraic Diarrhoea					4			1							1						1			1	1	1
4. Dysentery					1	4									1									1	1	1
5. Malarial Fever { Dengue Fever... { Other					1	28	1		1	4	1		1		2		2							1	8	1
SUB-CLASS 3.																										
1. Hydrophobia																										
2. Glanders, Farcy																										
3. Anthrax, Splenic Fever																										
4. Tetanus					3					1																
SUB-CLASS 4.																										
1. Syphilis					1					2																
2. Gonorrhoea, Stricture of Urethra																										
SUB-CLASS 5.																										
1. Puerperal Septicæmia, Sæpræmia					6	1												1						3		
2. Puerperal Pyæmia																										
3. Puerperal Phlegmasia Dolens																										
4. Puerperal Fever					1																		1			
5. Infective Endocarditis					1																					
6. Epidemic Pnæmonia, Pneumonic Fever																										
7. Erysipelas					1																					
8. Septicæmia (not Puerperal)										2	1		1									1				
9. Pyæmia (not Puerperal)																										
10. Phlegmon, Carbuncle (not Anthrax)					1																					
11. Phagedæna																										
12. Other Septic Diseases																										
SUB-CLASS 6.																										
1. Tuberculous Phthisis, Pulm. Tuberculosis					11	2			1	2								1	1					2	2	1
2. Phthisis					2	15				2	2		1						1		1			3	5	
3. Tuberculous Meningitis																								1	1	
4. Tuberculous Peritonitis																										
5. Tabes Mesenterica																									5	
6. Lupus																										
7. Tubercle of Other Organs					1																					
8. General Tuberculosis					2	1				1								1						1		
9. Scrofula																										
SUB-CLASS 7.																										
1. Hydatids																										
2. Ankylostoma																										
3. Other Animal Parasites																									1	
4. Other Parasites																										
SUB-CLASS 8.																										
1. Privation (Starvation, &c.)																										
2. Scoury																										
3. Alcoholism, Delirium Tremens						2				1											1			1		1
4. Opium, Morphia Habit																										
5. Ptomaine Poisoning						1																				
6. Chronic Poisoning (not Intentional)						2																				
7. Industrial Poisoning																										
SUB-CLASS 9.																										
1. Rheumatic Fever, Acute Rheumatism					3	1																1		1		
2. Rheumatism of the Heart																				1						
3. Chronic Rheumatism						2				1																
4. Rheumatic Arthritis, Rheumatic Gout					1																					
5. Gout																										
SUB-CLASS 10.																										
1. Carcinoma	2		1		17	3		3	1	2			2				1								1	
2. Sarcoma					4																				1	
3. Malignant Disease, Cancer					1	19	1		1		2	1				2				2				9	7	
SUB-CLASS 11.																										
1. Rickets					1																					
2. Purpura					1	1			1																	
3. Hæmophilia, Hæmorrhagic Diathesis																										
4. Anæmia, Leucocythæmia						3						1														
5. Diabetes Mellitus					1	6															1					
SUB-CLASS 12.																										
1. Premature Birth	1			1	11	1		2	1	1	1									3				4	1	
2. Congenital Defects	2				8	2							1		1										1	
3. Injury at Birth					1				1																	
4. Atelectasis					1	1			1															2	1	
5. Want of Breast Milk						3						2													1	
6. Teething					1				1	1											2			1		
TOTAL CLASS I.	6	2	2	7	188	25		13	7	21	7	3	8		8	4	1	5	10	4	7	1	1	32	38	3

TABLE
CAUSES of DEATHS of FEMALES Registered in the several

CLASSES, SUB-CLASSES, AND DISEASES.	Aramac.	Balonne.	Blackall.	Bowen.	Brisbane.	Bundaberg.	Burke.	Burnett.	Caboolture.	Cairns.	Cardwell.	Chaffeville.	Clermont.	Cloncurry.	Cook.	Croydon.	Cunnamulla.	Dalby.	Darling Downs Central.	Darling Downs East.	Darling Downs North.	Darling Downs West.	Diamantina.	Drayton and Toowoomba.	Enoggera.	Etheridge.
CLASS II.—Local Diseases.																										
SUB-CLASS 1.—DISEASES OF NERVOUS SYSTEM.																										
1. Meningitis, Inflammation of Brain	1	3	1	1	1	1	...	1	2	...
2. Softening of Brain	4
3. General Paralysis of Insane	1	2
4. Insanity (not Puerperal)
5. Chorea
6. Epilepsy	2	1	1	1	1	...
7. Convulsions	1	3	...	1	13	1	1	1	2	1	...	1	...	2	1	4	...
8. Laryngismus Stridulus
9. Locomotor Ataxy
10. Paraplegia and Disease of Cord	1	1
11. Neuritis, Periph. and Poly. Neuritis	1
12. Brain Tumour (not Specific)	2
13. Nervous System, Other Diseases	4	2	2
SUB-CLASS 2.—DISEASES OF ORGANS OF SPECIAL SENSE.																										
1. Otitis, Mastoid Disease	1
2. Epistaxis, Nose Disease
3. Ophthalmia, Eye Disease
SUB-CLASS 3.—DISEASES OF HEART.																										
1. Valv. Dis., Endocarditis (not Infective)	1	20	4	...	2	...	1	4	1	1	4	1	1	6	7	...
2. Pericarditis	4
3. Hypertrophy of Heart
4. Angina Pectoris
5. Dilatation of Heart	1	1
6. Fatty Degeneration of Heart	4	3
7. Syncope, Heart Disease (not Specified)	1	8	2	1	1	...	4	3
SUB-CLASS 4.—DISEASES OF BLOOD VESSELS.																										
1. Cerebral Hemorrhage (Emb. Throm.)	2	1	6	5
2. Apoplexy, Hemiplegia	6	1	...	1	...	1	1	1	2
3. Aneurism	1
4. Senile Gangrene	1	1	1
5. Embolism, Thrombosis (not Cerebral)	1	1
6. Phlebitis	1	1
7. Varicose Veins
8. Blood Vessels, Other Diseases	1
SUB-CLASS 5.—DISEASES OF THE RESPIRATORY ORGANS.																										
1. Laryngitis	1	1	2	1	1	1	...
2. Membranous Laryngitis (not Diphtheritic)
3. Croup (not Spasmodic or Membranous)
4. Larynx, Other Diseases (not Specified)
5. Bronchitis	1	2	12	3	1	1	1	2	5	...
6. Lobar, Croupous Pneumonia
7. Broncho, Catarrhal, Lobular Pneumonia	9	1	2
8. Pneumonia	...	1	23	1	1	1	1	...	1	...	1	1	7
9. Emphysema, Asthma	4	1	1	2	...
10. Pleurisy	1	2	1	2
11. Fibroid Disease of Lung	1	1
12. Respiratory Diseases, Other	5	1	1
SUB-CLASS 6.—DISEASES OF DIGESTIVE SYSTEM.																										
1. Tonsillitis, Quinsy
2. Mouth, Pharynx Disease (not Specified)	1
3. Gastric Ulcer	1	1
4. Gastric Catarrh	1
5. Stomach, Other Diseases (not Malignant)	1	...	3	1	2	1
6. Enteritis (not Epidemic)	12	1	2	2	1	1
7. Gastro Enteritis	35	5	...	3	...	1	...	1	1	1	1	5	5	...
8. Appendicitis, Perityphlitis
9. Hernia	7
10. Intestinal Obstruction	4
11. Other Diseases of Intestines	1	1	...	1
12. Peritonitis (not Puerperal)
13. Cirrhosis of Liver	1	...	3	1	1	...	1	2
14. Liver and Gall Bladder, Other Diseases	5	1
15. Digestive System, Other Diseases	1	1	1
SUB-CLASS 7.—LYMPHATIC DISEASES.																										
1. Spleen Disease
2. Lymph System, Other Diseases
3. Thyroid Body Disease
4. Supra Renal Capsule Disease
SUB-CLASS 8.—DISEASES OF URINARY SYSTEM.																										
1. Nephritis, Acute	9
2. Chronic Bright's Disease, Albuminuria	2	1	16	1	1	1	3	1
3. Calculus (not Biliary)	1	1	3	2
4. Bladder and Prostate Disease	1	1
5. Urinary System, Other Diseases	1
SUB-CLASS 9.—DISEASES OF GENERATIVE SYSTEM.																										
1. Ovarian Tumour (not Malignant)
2. Other Tumours of Ovary
3. Uterine Tumour (not Malignant)
4. Other Diseases of Uterus and Vagina	1	5
5. Disorders of Menstruation	3																			

No. XXIII.—continued.

Registry Districts of Queensland during the Year 1905—continued.

[illegible]

No. XXIV.

Registry Districts of Queensland during the Year 1905.

TOTALS.		Persons.		Males.	Females.
1	1	1	1	1	1
2	2	2	2	2	2
3	3	3	3	3	3
4	4	4	4	4	4
5	5	5	5	5	5
6	6	6	6	6	6
7	7	7	7	7	7
8	8	8	8	8	8
9	9	9	9	9	9
10	10	10	10	10	10
11	11	11	11	11	11
12	12	12	12	12	12
13	13	13	13	13	13
14	14	14	14	14	14
15	15	15	15	15	15
16	16	16	16	16	16
17	17	17	17	17	17
18	18	18	18	18	18
19	19	19	19	19	19
20	20	20	20	20	20
21	21	21	21	21	21
22	22	22	22	22	22
23	23	23	23	23	23
24	24	24	24	24	24
25	25	25	25	25	25
26	26	26	26	26	26
27	27	27	27	27	27
28	28	28	28	28	28
29	29	29	29	29	29
30	30	30	30	30	30
31	31	31	31	31	31
32	32	32	32	32	32
33	33	33	33	33	33
34	34	34	34	34	34
35	35	35	35	35	35
36	36	36	36	36	36
37	37	37	37	37	37
38	38	38	38	38	38
39	39	39	39	39	39
40	40	40	40	40	40
41	41	41	41	41	41
42	42	42	42	42	42
43	43	43	43	43	43
44	44	44	44	44	44
45	45	45	45	45	45
46	46	46	46	46	46
47	47	47	47	47	47
48	48	48	48	48	48
49	49	49	49	49	49
50	50	50	50	50	50
51	51	51	51	51	51
52	52	52	52	52	52
53	53	53	53	53	53
54	54	54	54	54	54
55	55	55	55	55	55
56	56	56	56	56	56
57	57	57	57	57	57
58	58	58	58	58	58
59	59	59	59	59	59
60	60	60	60	60	60
61	61	61	61	61	61
62	62	62	62	62	62
63	63	63	63	63	63
64	64	64	64	64	64
65	65	65	65	65	65
66	66	66	66	66	66
67	67	67	67	67	67
68	68	68	68	68	68
69	69	69	69	69	69
70	70	70	70	70	70
71	71	71	71	71	71
72	72	72	72	72	72
73	73	73	73	73	73
74	74	74	74	74	74
75	75	75	75	75	75
76	76	76	76	76	76
77	77	77	77	77	77
78	78	78	78	78	78
79	79	79	79	79	79
80	80	80	80	80	80
81	81	81	81	81	81
82	82	82	82	82	82
83	83	83	83	83	83
84	84	84	84	84	84
85	85	85	85	85	85
86	86	86	86	86	86
87	87	87	87	87	87
88	88	88	88	88	88
89	89	89	89	89	89
90	90	90	90	90	90
91	91	91	91	91	91
92	92	92	92	92	92
93	93	93	93	93	93
94	94	94	94	94	94
95	95	95	95	95	95
96	96	96	96	96	96
97	97	97	97	97	97
98	98	98	98	98	98
99	99	99	99	99	99
100	100	100	100	100	100

TABLE

CAUSES of DEATHS of PERSONS Registered in the several

CLASSES, SUB-CLASSES, AND DISEASES.	Aramac.	Balonne.	Blackall.	Bowen.	Brisbane.	Bundaberg.	Burke.	Burnett.	Cabootture.	Cairns.	Cardwell.	Charleville.	Clermont.	Cloncurry.	Cook.	Croydon.	Cunnamulla.	Dalby.	Darling Downs Central.	Darling Downs East.	Darling Downs North.	Darling Downs West.	Diamantina.	Drayton and Toowoomba.	Enoggera.	Etheridge.	
CLASS II.—Local Diseases.																											
SUB-CLASS 1.—DISEASES OF NERVOUS SYSTEM.																											
1. Meningitis, Inflammation of Brain	2	11	3	1	1	1	...	1	1	1	...	2	3	...	
2. Softening of Brain	6	
3. General Paralysis of Insane	
4. Insanity (not Puerperal)	1	
5. Chorea	
6. Epilepsy	3	1	1	1	4	2	
7. Convulsions	...	1	3	1	3	19	1	3	1	...	1	5	1	2	1	1	2	3	5	...	
8. Laryngismus Stridulus	1	1	1	
9. Locomotor Ataxy	1	1	
10. Paraplegia and Disease of Cord	1	1	1	1	
11. Neuritis, Periph. and Poly. Neuritis	1	
12. Brain Tumour (not Specific)	1	...	6	3	3	1	1	
13. Nervous System, Other Diseases	9	1	1	...	1	2	3	...	
SUB-CLASS 2.—DISEASES OF ORGANS OF SPECIAL SENSE.																											
1. Otitis, Mastoid Disease	1	1	2	
2. Epistaxis, Nose Disease	1	
3. Ophthalmia, Eye Disease	
SUB-CLASS 3.—DISEASES OF HEART.																											
1. Valve Dis., Endocarditis (not Infective)	3	1	37	4	...	3	2	11	1	1	7	1	...	2	4	1	7	2	2	...	3	11	12	...	
2. Pericarditis	7	1	1	...	
3. Hypertrophy of Heart	1	1	
4. Angina Pectoris	1	...	1	
5. Dilatation of Heart	1	1	1	3	
6. Fatty Degeneration of Heart	1	7	1	1	2	1	4	
7. Syncope, Heart Disease (not Specified)	1	...	1	2	16	3	...	1	...	1	1	1	2	2	1	...	1	...	6	4	1	
SUB-CLASS 4.—DISEASES OF BLOOD VESSELS.																											
1. Cerebral Hemorrhage, Emb. Throm.	2	...	1	1	14	1	...	1	1	...	1	...	2	2	2	7	2	...	
2. Apoplexy, Hemiplegia	...	1	11	...	1	1	...	2	2	1	1	1	2	2	3	...	
3. Aneurism	1	6	1	...	1	2	2	...	
4. Senile Gangrene	3	3	1	1	
5. Embolism, Thrombosis (not Cerebral)	2	1	1	1	
6. Phlebitis	1	1	
7. Varicose Veins	
8. Blood Vessels, Other Diseases	1	...	2	1	...	
SUB-CLASS 5.—DISEASES OF THE RESPIRATORY ORGANS.																											
1. Laryngitis	1	1	2	1	1	1	...	
2. Membranous Laryngitis (not Diphtheritic)	2	2	1	
3. Croup (not Spasmodic or Membranous)	1	1	
4. Larynx, Other Diseases (not Specified)	4	2	33	1	4	3	2	1	2	1	...	1	...	2	...	3	1	2	6	6	...	
5. Bronchitis	1	1	4	
6. Lobar, Croupous-pneumonia	1	1	1	6	
7. Broncho, Catarrhal, Lobular Pneumonia	16	2	...	2	3	1	1	1	...	2	1	2	1	1	15	5	...	
8. Pneumonia	1	2	...	54	10	...	1	7	1	1	1	1	...	1	3	1	1	...	1	2	1	1	1	2	1	...	
9. Emphysema, Asthma	1	12	...	1	1	2	1	1	1	...	1	1	2	
10. Pleurisy	4	1	...	3	1	...	1	1	1	...	2	1	...	
11. Fibroid Disease of Lung	2	1	...	
12. Respiratory Diseases, Other	...	2	1	...	11	1	1	1	2	2	1	2	1	...	
SUB-CLASS 6.—DISEASES OF DIGESTIVE SYSTEM																											
1. Tonsillitis, Quinsy	1	...	1	...	1	
2. Mouth, Pharynx Disease (not Specified)	...	1	1	1	...	1	1	1	
3. Gastric Ulcer	3	1	
4. Gastric Catarrh	1	1	
5. Stomach, Other Diseases (not Malignant)	...	2	...	6	1	...	2	1	1	...	1	1	...	1	...	
6. Enteritis (not Epidemic)	1	1	21	2	2	3	5	3	3	1	1	2	12	...	
7. Gastro Enteritis	1	1	68	10	...	6	1	2	...	1	1	1	2	3	1	12	13	1	
8. Appendicitis, Perityphlitis	6	...	1	1	...	1	2	5	
9. Hernia	7	1	1	1	
10. Intestinal Obstruction	9	1	1	
11. Other Diseases of Intestines	2	1	...	1	2	
12. Peritonitis (not Puerperal)	1	1	1	1	
13. Cirrhosis of Liver	1	1	10	1	...	1	2	2	2	1	1	2	
14. Liver and Gall Bladder, Other Diseases	1	7	1	3	1	1	1	1	1	...	
15. Digestive System, Other Diseases	4	1	2	1	...	
SUB-CLASS 7.—LYMPHATIC DISEASES.																											
1. Spleen Disease	
2. Lymph System, Other Diseases	
3. Thyroid Body Disease	
4. Supra Renal Capsule Disease	1	
SUB-CLASS 8.—DISEASES OF URINARY SYSTEM.																											
1. Nephritis, Acute	1	19	1	...	1	2	1	4	1	...	
2. Chronic Bright's Disease, Albuminuria	2	1	2	1	39	4	1	3	...	1	5	1	...	1	1	9	7	...	
3. Calculus (not Biliary)	1	3	...	1	2	1	2	2	1	
4. Bladder and Prostate Disease	8	1	3	
5. Urinary System, Other Diseases	1	1	1	...	1	1	2	3	1	...	4	
SUB-CLASS 9.—DISEASES OF GENERATIVE SYSTEM.																											
1. Ovarian Tumour (not Malignant)	
2. Other Diseases of Ovary	
3. Uterine Tumour (not Malignant)	1	5	
4. Other Diseases of Uterus and Vagina	3	1	
5. Disorders of Menstruation	1	
6. Gener. and Mam. Orgs., Other Diseases	2	1	1	
SUB-CLASS 10.—ACCIDENTS OF CHILDBIRTH.																											
1. Abortion, Miscarriage	2	1	
2. Puerperal Mania	
3. Puerperal Convulsions	1	
4. Placenta Previa, Flooding	2	1	1	
5. Pregnancy, Childbirth, Other Accidents	...	1</																							

CAUSES of DEATHS of PERSONS Registered in the several

[illegible]

CAUSES of DEATHS of MALES, at Different Periods of Life, Registered in the Metropolitan Area (Brisbane 10-mile radius) during the Year 1905.

TABLE No. XXV.—continued.

CAUSES of DEATHS of MALES, at Different Periods of Life, Registered in the Metropolitan Area (Brisbane 10-mile radius) during the Year 1905—continued.

CLASSES, SUB-CLASSES, AND DISEASES.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	TOTALS.		
																							Males.	Females.	Persons.
CLASS II.—Local Diseases.																									
SUB-CLASS 1.—DISEASES OF NERVOUS SYSTEM.																									
1. Meningitis, Inflammation of Brain	2	2	...	4	2	2	1	1	1	1	...	10	6	16
2. Softening of Brain	2	6	8
3. General Paralysis of Insane	1	...
4. Insanity (not Puerperal)
5. Chorea	...	1	1	1	1	3	3	6
6. Epilepsy	8	18	26
7. Convulsions	4	1	2	...	1	8
8. Laryngismus Stridulus	1	...	1
9. Locomotor Ataxy	1
10. Paraplegia and Disease of Cord
11. Neuritis, Periph. and Poly. Neuritis	1	1	2	...	2
12. Brain Tumour (not Specific)	2	...	1	...	1	1	5	2	7	
13. Nervous System, Other Diseases	2	2	...	1	1	...	1	1	1	...	1	...	8	7	15	
SUB-CLASS 2.—DISEASES OF ORGANS OF SPECIAL SENSE.																									
1. Otitis, Mastoid Disease	1	1	1	2	...	2	
2. Epistaxis, Nose Disease
3. Ophthalmia, Eye Disease
SUB-CLASS 3.—DISEASES OF HEART.																									
1. Valv. Dis., Endocarditis (not Infective)	1	3	1	1	1	1	2	2	1	4	5	7	1	1	...	31	30	61
2. Pericarditis	1	1	1	1	...	4	4	8
3. Hypertrophy of Heart	1	1	...	1	...
4. Angina Pectoris	1	1	...	2	...	2
5. Dilatation of Heart
6. Fatty Degeneration of Heart	1	1	...	1	...	3	4	7
7. Syncope, Heart Disease (not Specified)	1	...	1	1	1	1	...	1	1	1	...	1	1	4	4	...	17	15	32	
SUB-CLASS 4.—DISEASES OF BLOOD VESSELS.																									
1. Cerebral Hemorrhage (Emb. Throm.)	1	...	1	1	1	1	2	...	4	2	1	...	12	11	23
2. Apoplexy, Hemiplegia	1	1	1	...	2	2	...	3	...	9	9	18
3. Aneurism	1	1	1	1	2	1	1	...	8	...	8	...
4. Senile Gangrene	3	1	4	...
5. Embolism, Thrombosis (not Cerebral)	1	1	2	1	3	...
6. Phlebitis
7. Varicose Veins
8. Blood Vessels, Other Diseases	2	2	1	3
SUB-CLASS 5.—DISEASES OF THE RESPIRATORY ORGANS.																									
1. Laryngitis	1	1	1	3	4	...
2. Membranous Laryngitis (not Diphtheritic)
3. Croup (not Spasmodic or Membranous)
4. Larynx, Other Diseases (not Specified)	...	1	1	1	1
5. Bronchitis	2	...	1	3	...	1	1	...	1	2	4	6	8	...	26	18	44
6. Lobar, Croupous Pneumonia	2	1	3	...
7. Broncho, Catarrhal, Lobular Pneumonia	5	3	1	9	1	...	12	9	21	...
8. Pneumonia	5	1	2	3	...	11	1	1	6	1	3	1	2	1	6	4	6	...	43	33	76
9. Emphysema, Asthma	1	2	3	2	...	1	1	...	10	4	14
10. Pleurisy	2	...	1	...	1	1	...	5	1	6
11. Fibroid Disease of Lung
12. Respiratory Diseases, Other	2	2	1	1	...	1	1	...	6	9	15
SUB-CLASS 6.—DISEASES OF DIGESTIVE SYSTEM.																									
1. Tonsillitis, Quinsy
2. Mouth, Pharynx Disease (not Specified)
3. Gastric Ulcer	1	...	1	3	1	...	4
4. Gastric Catarrh
5. Stomach, Other Diseases (not Malignant)	1	1	...	2	1	1	4	5	9	...
6. Enteritis (not Epidemic)	13	2	15	1	1	1	1	...	19	19	38	...
7. Gastro Enteritis	44	3	1	1	...	49	1	50	47	97	...
8. Appendicitis, Perityphlitis	2	1	1	1	...	1	6	...	6	...
9. Hernia
10. Intestinal Obstruction	2	2	1	1	1	...	5	5	10	...
11. Other Diseases of Intestines
12. Peritonitis (not Puerperal)	1	...	1	1	2	1	3	...
13. Cirrhosis of Liver	1	1	...	1	1	...	1	...
14. Liver and Gall Bladder, Other Diseases	1	...	1	1	2	1	...	7	7	14	...
15. Digestive System, Other Diseases	4	4	...	1	2	...	1	1	...	5	7	12	...
SUB-CLASS 7.—LYMPHATIC DISEASES.																									
1. Spleen Disease
2. Lymph System, Other Diseases
3. Thyroid Body Disease	1	1
4. Supra Renal Capsule Disease
SUB-CLASS 8.—DISEASES OF URINARY SYSTEM.																									
1. Nephritis, Acute	1	1	1	1	2	...	1	1	...	1	1	1	11	11	22	...
2. Chronic Bright's Disease, Albuminuria	3	2	3	3	...	6	3	2	5	2	1	32	20	52	...
3. Calculus (not Biliary)	2	...	2
4. Bladder and Prostate Disease	1	1	2	...	2	4	10	2	12	...
5. Urinary System, Other Diseases	...	1	1	1	1	...	3	...	3	...
SUB-CLASS 9.—DISEASES OF GENERATIVE SYSTEM.																									
1. Ovarian Tumour (not Malignant)
2. Other Diseases of Ovary
3. Uterine Tumour (not Malignant)	5	5
4. Other Diseases of Uterus and Vagina	3	3	...
5. Disorders of Menstruation
6. Gener. and Mam. Orgs., Other Diseases	1	1	1	2	...
SUB-CLASS 10.—ACCIDENTS OF CHILDBIRTH.																									
1. Abortion, Miscarriage	3	3
2. Puerperal Mania</										

TABLE No. XXV.—continued.

CAUSES of DEATHS of MALES, at Different Periods of Life, Registered in the Metropolitan Area (Brisbane 10-mile radius) during the Year 1905—continued.

CLASSES, SUB-CLASSES, AND DISEASES.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	TOTALS.		
																							Males.	Females.	Persons.
CLASS II.—Local Diseases— continued.																									
SUB-CLASS 11.—DISEASES OF LOCOMOTOR SYSTEM.																									
1. Caries, Necrosis	1	1	2	1	3
2. Arthritis, Periostitis	1	2	3
3. Locomotor System, Other Diseases	1
SUB-CLASS 12.—SKIN DISEASES.																									
1. Ulcer, Bedsore
2. Eczema	2	2	1	2	...	2
3. Pemphigus	1	1	1	...	1	2
4. Skin Diseases, Other	1	...	1
TOTAL CLASS II.	92	12	8	10	1	123	5	8	15	11	14	7	18	15	11	22	23	27	46	34	39	...	412	355	767
CLASS III.—Other Specified Diseases.																									
CLASS IV.—Ill-defined and Not Specified Diseases.																									
1. Atrophy, Debility	1	2	2
2. Old Age	13	18	31
3. Dropsy, Ascites, Anasarca
4. Tumour
5. Abscess
6. Hemorrhage
7. Sudden (Cause unascertained)
8. Other Ill-defined Causes
9. Causes not Specified	1	1	1	1
TOTAL CLASS IV.	1	1	1	...	2	10	...	14	20	34
CLASS V.—Violent Deaths.																									
SUB-CLASS 1.—ACCIDENT OR NEGLIGENCE.																									
1. In Mines or Quarries	1	1
2. Railways	1	1	2	...	2
3. Tramways	2	...	2
4. Other Vehicles
5. Horses, &c.	1	1	1	1	3	1	8	1	9
6. Ships, Boats, and Docks (not Drowning)	1
7. Building Operations	1	...	1	6	...	6
8. Machinery	1	...	1
9. Weapons and Implements	1	2	...	2
10. Burns and Scalds	1	1	...	2	3	1
11. Poisons, Poisonous Vapours	8	8	16
12. Drowning	1	1	2	3	6	1	...	2	2	...	1	17	2	19
13. Suffocation	1	1	2	1	3	
14. Falls (Otherwise)	1	1	1	1	1	6	...	6
15. Weather—Sunstroke and Heat Apoplexy	1	1	2	4	1	5	
16. Weather—Lightning
17. Weather—Other
18. Snake Bites
19. Insect Bites
20. Otherwise, or not stated	1	...	2	2	6	6
SUB-CLASS 2.—HOMICIDE.																									
1. Murder { a By Whites	1	1	...	1
b By Coloured Persons
2. Manslaughter	1	1	...	1
3. Justifiable Homicide
SUB-CLASS 3.—SUICIDE.																									
1. By Poison	1	...	1	1	...	2	2	...	1	8	1	9
2. By Asphyxia
3. By Hanging or Strangulation	1	1	2	...	2
4. By Drowning	4	...	4
5. By Firearms	2	1	1	2	4	...	4
6. By Cutting Instruments
7. By Jumping from High Places	1	2	...	1	...	4	...	4
8. By Crushing
9. By Other Means
SUB-CLASS 4.																									
1. Execution	1	1	2	...	2
TOTAL CLASS V.	3	2	1	1	...	7	8	9	8	3	4	10	5	8	5	3	5	13	7	3	2	...	100	16	116
TOTAL NUMBER OF DEATHS OF MALES FROM ALL CAUSES	174	22	14	12	3	225	21	22	27	29	42	38	45	44	35	43	38	63	66	60	66	...	864	686	1,550

CAUSES of DEATHS of FEMALES, at Different Periods of Life, Registered in the Metropolitan Area (Brisbane 10-mile radius) during the Year 1905.

[illegible]

TABLE No. XXVI.—continued.

CAUSES of DEATHS of FEMALES, at Different Periods of Life, Registered in the Metropolitan Area (Brisbane 10-mile radius) during the Year 1905—continued.

[illegible]

TABLE No. XXVII.

CAUSES of DEATHS of PERSONS, at Different Periods of Life, Registered in the Metropolitan Area (Brisbane 10-mile radius) during the Year 1905.

C A S E S, SUB-CLASSES, AND DISEASES.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	TOTALS.				
																							Persons.	Males.	Females.		
CLASS I.—General Diseases.																											
SUB-CLASS 1.																											
1. Small-pox																											
2. Cow-pox and Effects of Vaccination																											
3. Chicken-pox	1					1																	1	1			
4. Measles (Morbilli)																											
5. Epidemic Rose Rash, German Measles																											
6. Scarlet Fever			1			1																	1	1			
7. Typhus																											
8. Plague							1	2	5	1	3	2	1										15	10	5		
9. Relapsing Fever																											
10. Influenza	3	2				5		1		2			1						4	1			14	6	8		
11. Whooping Cough																											
12. Mumps																											
13. Diphtheria, Membranous Croup	1	1	3	1	1	7	3																10	3	7		
14. Cerebro Spinal Fever																											
15. Simple Continued Fever																											
16. Enteric Fever							1	2	4	3		2	4		2	1							19	8	11		
17. Beri Beri																											
SUB-CLASS 2.																											
1. Asiatic Cholera																											
2. Epid. Diarrhoea, Epid. or Zim. Enteritis	3	2				5																	5	3	2		
3. Diarrhoea, Choleraic Diarrhoea	12	2				14							1			1				1			17	10	7		
4. Dysentery	3	1				4								1	1	2			2	1			13	8	5		
5. Malarial Fever { Dengue Fever	19	6	4	2	3	34	4			5	5			1	3	3	1	5	5	7	11		84	31	53		
5. Malarial Fever { Other																											
SUB-CLASS 3.																											
1. Hydrophobia																											
2. Glanders, Farcy																											
3. Anthrax, Splenic Fever																							1	1			
4. Tetanus	7					7	1			1	1		1	1									12	7	5		
SUB-CLASS 4.																											
1. Syphilis	2					2																	2	1	1		
2. Gonorrhoea, Stricture of Urethra													1			1			1				3	3			
SUB-CLASS 5.																											
1. Puerperal Septicæmia, Saproemia											1	3	1	1									6		6		
2. Puerperal Pyæmia													1										1		1		
3. Puerperal Phlegmasia Dolens																							2		2		
4. Puerperal Fever										1		1											2				
5. Infective Endocarditis						1							1										2	1	1		
6. Epidemic Pneumonia, Pneumonic Fever																											
7. Erysipelas															1								2	1	1		
8. Septicæmia (not Puerperal)																			2				2	2			
9. Pyæmia (not Puerperal)																	1						1	1			
10. Phlegmon, Carbuncle (not Anthrax)											1						1			1			3	2	1		
11. Phagedæna																											
12. Other Septic Diseases																											
SUB-CLASS 6.																											
1. Tuberculous Phthisis, Pulm. Tuberculosis		1				1		1	5	2	8	8	3	7	4	4	1	1			2	1		48	32	16	
2. Phthisis						1	1	1	2	8	18	8	7	9	9	3	2	3					71	45	26		
3. Tuberculous Meningitis			1			1	1																2	1	1		
4. Tuberculous Peritonitis			1			1																	1	1			
5. Tabes Mesenterica		9				9																	9	4	5		
6. Lupus																											
7. Tubercle of Other Organs															1								1		1		
8. General Tuberculosis		1				1					1		2	2					1				7	5	2		
9. Scrofula																											
SUB-CLASS 7.																											
1. Hydatids																											
2. Ankylostoma																											
3. Other Animal Parasites										2													2	1	1		
4. Other Parasites																											
SUB-CLASS 8.																											
1. Privation (Starvation, &c.)																											
2. Scurvy		1				1																	1	1			
3. Alcoholism, Delirium Tremens											2	2	3		2		2	1	1	1			14	12	2		
4. Opium, Morphia Habit																											
5. Ptomaine Poisoning			1			1		1					1	1				1					5	4	1		
6. Chronic Poisoning (not intentional)				1	1	1	3	1															4	2	2		
7. Industrial Poisoning																											
SUB-CLASS 9.																											
1. Rheumatic Fever, Acute Rheumatism							2										1	2					5	2	3		
2. Rheumatism of the Heart			1			1																	1	1			
3. Chronic Rheumatism															1	1		1		2			5	2	3		
4. Rheumatic Arthritis, Rheumatic Gout												1						1		1			3	2	1		
5. Gout													1										1	1			
SUB-CLASS 10.																											
1. Carcinoma													2	2	3	7	8	15	3	6	1			47	25	22	
2. Sarcoma		2				2						1	1	1	3								9	3	6		
3. Malignant Disease, Cancer											3	2	2	6	7	7	6	10	9	9			61	32	29		
SUB-CLASS 11.																											
1. Rickets				1		1																	1		1		
2. Purpura		2				2																	4	3	1		
3. Hæmophilia, Hæmorrhagic Diathesis		1				1																	1	1			
4. Anæmia, Leucocythæmia					1	1							2	2	2	3	2	2	2				16	11	5		
5. Diabetes Mellitus							1						1	2		3	2	2	1	1	2		15	4	11		
SUB-CLASS 12.																											
1. Premature Birth	31					31																	31	15	16		
2. Congenital Defects	34					34																	34	17	17		
3. Injury at Birth	4					4																	4	3	1		
4. Atelectasis																							6	4	2		
5. Want of Breast Milk	6					6																	7	4	3		
6. Teething		1				1																	1		1		
TOTAL CLASS I.	150	18	10	5	6	189	16	9	16	25	40	32	34	33	37	39	29	42	30	34	28		633	338	295		

TABLE No. XXVII.--continued.

CAUSES of DEATHS of PERSONS, at Different Periods of Life, Registered in the Metropolitan Area (Brisbane 10-mile radius) during the Year 1905—continued.

CLASSES, SUB-CLASSES, AND DISEASES.																								TOTALS.		
Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	Persons.	Males.	Females.		
CLASS II.—Local Diseases.																										
SUB-CLASS 1.—DISEASES OF NERVOUS SYSTEM.																										
1. Meningitis, Inflammation of Brain	4	1	...	2	...	7	3	2	1	1	1	1	1	2	3	2	...	16	10	6	
2. Softening of Brain	8	2	6		
3. General Paralysis of Insane	1	...	1		
4. Insanity (not Puerperal)	1		
5. Chorea	1	1	2	...	1	6	3	3	
6. Epilepsy	10	7	5	...	4	26	...	1	1	1	1	26	8	18		
7. Convulsions		
8. Laryngismus Stridulus	1	1	1	...		
9. Locomotor Ataxy		
10. Paraplegia and Disease of Cord		
11. Neuritis, Periph. and Poly. Neuritis	1	1	2	2	...		
12. Brain Tumour (not Specific)	2	...	3	...	1	1	7	5	2			
13. Nervous System, Other Diseases	2	2	1	3	1	...	1	1	1	...	2	1	1	...	1	15	8	7		
SUB-CLASS 2.—DISEASES OF ORGANS OF SPECIAL SENSE.																										
1. Otitis, Mastoid Disease	1	1	1	2	2	...		
2. Epistaxis, Nose Disease		
3. Ophthalmia, Eye Disease		
SUB-CLASS 3.—DISEASES OF HEART.																										
1. Valv. Dis., Endocarditis (not Infective)	1	2	6	1	3	1	1	3	3	6	7	8	11	5	3	...	61	31	30		
2. Pericarditis	1	1	1	1	2	...	2	...	8	4	4		
3. Hypertrophy of Heart	1	1	1	...		
4. Angina Pectoris	1	1	...	2	2	...		
5. Dilatation of Heart		
6. Fatty Degeneration of Heart	1	...	3	2	...	1	...	7	3	4		
7. Syncope, Heart Disease (not Specified)	1	...	1	1	...	1	2	1	...	3	1	1	2	4	1	4	10	...	32	17	15			
SUB-CLASS 4.—DISEASES OF BLOOD VESSELS.																										
1. Cerebral Hemorrhage (Emb. Throm.)	1	1	1	...	2	2	2	...	8	2	4	...	23	12	11		
2. Apoplexy, Hemiplegia	1	...	1	1	1	1	1	2	2	8	...	18	9	9			
3. Aneurism	1	1	1	2	1	1	...	8	8	...			
4. Senile Gangrene	1	1	2	...	4	3	1		
5. Embolism, Thrombosis (not Cerebral)	1	1	1	3	2	1			
6. Phlebitis		
7. Varicose Veins		
8. Blood Vessels, Other Diseases	1	...	2	3	2	1			
SUB-CLASS 5.—DISEASES OF THE RESPIRATORY ORGANS.																										
1. Laryngitis	2	2	...	1	1	4	1	3			
2. Membranous Laryngitis (not Diphtheritic)		
3. Croup (not Spasmodic or Membranous)		
4. Larynx, Other Diseases (not Specified)	...	1	1	1	1	...		
5. Bronchitis	4	1	2	...	7	...	2	1	3	2	5	9	15	...	44	26	18			
6. Lobar, Croupous Pneumonia	1	...	1	1	1	3	2	1			
7. Broncho, Catarrhal, Lobular Pneumonia	10	4	1	1	16	1	1	2	...	21	12	9			
8. Pneumonia	10	3	3	4	20	1	1	2	1	2	2	7	1	4	2	3	5	6	13	...	76	43	33			
9. Emphysema, Asthma	1	2	3	1	2	2	...	14	10	4			
10. Pleurisy	2	...	1	1	1	1	1	...	6	5	1			
11. Fibroid Disease of Lung		
12. Respiratory Diseases, Other	3	1	4	...	1	...	1	1	3	1	1	3	...	15	6	9			
SUB-CLASS 6.—DISEASES OF DIGESTIVE SYSTEM.																										
1. Tonsillitis, Quinsy		
2. Mouth, Pharynx Disease (not Specified)		
3. Gastric Ulcer	1	1	...	1	4	3	1			
4. Gastric Catarrh	1	1	1	...	1	...		
5. Stomach, Other Diseases (not Malignant)	1	...	1	...	2	2	1	1	...	2	1	...	9	4	5			
6. Enteritis (not Epidemic)	26	4	1	...	31	2	1	1	1	1	1	...	38	19	19			
7. Gastro Enteritis	83	7	1	1	93	1	1	2	97	50	47			
8. Appendicitis, Perityphlitis	2	1	1	1	...	1	6	6	...			
9. Hernia	2	2	1	1	1	...	7	7	...			
10. Intestinal Obstruction	2	2	...	1	...	2	...	1	2	...	2	1	...	1	...	1	...	10	5	5			
11. Other Diseases of Intestines	1	...	1	1	1	3	2	1			
12. Peritonitis (not Puerperal)	1	1	1	...			
13. Cirrhosis of Liver	1	1	1	2	2	1	4	1	1	14	7	7			
14. Liver and Gall Bladder, Other Diseases	1	1	...	1	1	1	...	1	3	3	1	12	5	7			
15. Digestive System, Other Diseases	5	5	...	1	1	...	7	5	2			
SUB-CLASS 7.—LYMPHATIC DISEASES.																										
1. Spleen Disease		
2. Lymph System, Other Diseases		
3. Thyroid Body Disease	1	1	1		
4. Supra Renal Capsule Disease		
SUB-CLASS 8.—DISEASES OF URINARY SYSTEM.																										
1. Nephritis, Acute	1	1	...	2	...	4	3	1	2	2	...	3	1	1	2	...	22	11	11		
2. Chronic Bright's Disease, Albuminuria	5	2	3	2	2	3	3	8	6	3	7	4	4	...	52	32	20		
3. Calculus (not Biliary)	2	2	...	2	...		
4. Bladder and Prostate Disease	1	1	3	...	2	5	...	12	10	2		
5. Urinary System, Other Diseases	...	1	1	1	1	...	3	3		
SUB-CLASS 9.—DISEASES OF GENERATIVE SYSTEM.																										
1. Ovarian Tumour (not Malignant)		
2. Other Diseases of Ovary		
3. Uterine Tumour (not Malignant)	1	1	1	2	5	...	5			
4. Other Diseases of Uterus and Vagina	1	...	1	1	1	3	...	3			
5. Disorders of Menstruation		
6. Gener. and Mam. Orgs., Other Diseases	1	1	2	1	1			
SUB-CLASS 10.—ACCIDENTS OF CHILDBIRTH.																										
1. Abortion, Miscarriage	1	2	3	...	3		
2. Puerperal Mania		
3. Puerperal Convulsions	2	2	...	2		
4. Placenta Previa, Flooding	1	1	2	...	2		
5. Pregnancy, Childbirth, Other Accidents		

TABLE No. XXVII.—continued.

CAUSES of DEATHS of PERSONS, at Different Periods of Life, Registered in the Metropolitan Area (Brisbane 10-mile radius) during the Year 1905—continued.

CLASSES, SUB-CLASSES, AND DISEASES.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 and upwards.	Unspecified.	TOTALS.		
																							Persons.	Males.	Females.
CLASS II.—Local Diseases— continued.																									
SUB-CLASS 11.—DISEASES OF LOCOMOTOR SYSTEM.																									
1. Caries, Necrosis	1	1	1	3	2
2. Arthritis, Periostitis	3	1
3. Locomotor System, Other Diseases	1	1
SUB-CLASS 12.—SKIN DISEASES.																									
1. Ulcer, Bed sore	2	2
2. Eczema	...	2	2	2	...
3. Pemphigus	1	1	...
4. Skin Diseases, Other	...	1	1	2	2	1
TOTAL CLASS II.	169	31	15	12	5	232	13	16	26	19	26	16	34	24	24	42	41	51	65	53	85	...	767	412	355
CLASS III.—Other Specified Diseases.																									
CLASS IV.—Ill-defined and Not Specified Diseases.																									
1. Atrophy, Debility	...	2	2	2	2
2. Old Age	1	1	6	23	31	13
3. Dropsy, Ascites, Anasarca
4. Tumour
5. Abscess
6. Hæmorrhage
7. Sudden (Cause unascertained)
8. Other Ill-defined Causes
9. Causes not Specified	...	1	1	1	1
TOTAL CLASS IV.	3	3	1	1	6	23	...	34	14	20
CLASS V.—Violent Deaths.																									
SUB-CLASS 1.—ACCIDENT OR NEGLIGENCE.																									
1. In Mines or Quarries
2. Railways	1	1	1	1	2	2
3. Tramways	1	2	2
4. Other Vehicles	1	1	1	2	3	1	9	8
5. Horses, &c.	1	1	2	1	...	2	...	1	2	3	1	1	9	9
6. Ships, Boats, and Docks (not Drowning)	1	2	1	...	1	...	1	1	6	6
7. Building Operations	1	1	1
8. Machinery	1	1	2	2
9. Weapons and Implements
10. Burns and Scalds	...	1	1	1	...	3	4	3	...	2	1	1	...	2	16	8
11. Poisons, Poisonous Vapours	1	1
12. Drowning	...	1	1	2	4	6	1	...	3	2	1	19	17
13. Suffocation	...	2	2	1	3	2
14. Falls (Otherwise)	1	1	1	1	1	1	6	6
15. Weather—Sunstroke and Heat Apoplexy	...	1	1	2	1	...	1	5	4
16. Weather—Lightning
17. Weather—Other
18. Snake Bites
19. Insect Bites
20. Otherwise, or not stated	1	...	2	2	1	6	6
SUB-CLASS 2.—HOMICIDE.																									
1. Murder { a By Whites	1	1	1
2. Murder { b By Coloured Persons
2. Manslaughter	1	1	1
3. Justifiable Homicide
SUB-CLASS 3.—SUICIDE.																									
1. By Poison	1	...	1	1	...	2	2	...	1	1	9	8
2. By Asphyxia
3. By Hanging or Strangulation
4. By Drowning	1	1	2	2
5. By Firearms	2	1	1	2	6	4
6. By Cutting Instruments	1	1	4	4
7. By Jumping from High Places	1	4	4
8. By Crushing
9. By Other Means
SUB-CLASS 4.																									
1. Execution	1	1	2	2
TOTAL CLASS V.	4	2	2	1	...	9	10	11	9	5	5	10	5	9	6	3	6	13	8	4	3	...	116	100	16
TOTAL NUMBER OF DEATHS OF PERSONS FROM ALL CAUSES	326	51	27	18	11	433	39	36	51	49	71	58	73	66	67	84	76	107	104	97	139	...	1,550	864	686

TABLE No. XXVIII.

CAUSES of DEATHS of MALES and FEMALES, Registered in the Metropolitan Area (Brisbane 10-mile radius) during each Month of the Year 1905.

CLASSES, SUB-CLASSES, AND DISEASES.	JANUARY.		FEBRUARY.		MARCH.		APRIL.		MAY.		JUNE.		JULY.		AUGUST.		SEPTEMBER.		OCTOBER.		NOVEMBER.		DECEMBER.		TOTALS.				
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	Males.	Females.	Persons.		
CLASS I.—General Diseases.																													
SUB-CLASS 1.																													
1. Small-pox	
2. Cow-pox and Effects of Vaccination	
3. Chicken-pox	
4. Measles (Morbili)	
5. Epidemic Rose Rash, German Measles	
6. Scarlet Fever	1	
7. Typhus	
8. Plague	...	1	...	4	2	2	2	1	...	1	1	1	10	5	15
9. Relapsing Fever	
10. Influenza	1	1	...	1	2	1	1	2	1	1	3	6	8	14	
11. Whooping Cough	
12. Mumps	
13. Diphtheria, Membranous Croup	1	1	1	...	2	1	1	2	3	7	10	
14. Cerebro Spinal Fever	
15. Simple Continued Fever	
16. Enteric Fever	...	2	2	...	1	2	2	1	1	...	1	2	1	1	3	8	11	19	
17. Beri Beri	
SUB-CLASS 2.																													
1. Asiatic Cholera	
2. Epid. Diarrhoea, Epid. or Zim. Enteritis	...	1	1	3	2	5
3. Diarrhoea, Choleraic Diarrhoea	...	1	...	2	1	3	1	...	1	1	1	2	2	1	1	...	10	7	17	
4. Dysentery	...	1	...	2	...	1	2	...	1	1	1	1	1	3	8	5	13	
5. Malarial Fever { Dengue Fever	8	24	21	21	1	7	1	1	31	53	84	
Other	
SUB-CLASS 3.																													
1. Hydrophobia	
2. Glanders, Farcy	
3. Anthrax, Splenic Fever	1	1	...	1
4. Tetanus	...	1	1	1	2	1	...	1	1	2	1	1	7	5	12	
SUB-CLASS 4.																													
1. Syphilis	1	1	1	1	2
2. Gonorrhoea, Stricture of Urethra	3	3	...	3	
SUB-CLASS 5.																													
1. Puerperal Septicæmia, Sæpiæmia	1	1	1	...	2	1	6	6	
2. Puerperal Pyæmia	
3. Puerperal Phlegmasia Dolens	1	1	
4. Puerperal Fever	2	2	
5. Infective Endocarditis	1	1	
6. Epidemic Pneumonia, Pneumonic Fever	
7. Erysipelas	1	...	1	1	1	
8. Septicæmia (not Puerperal)	1	...	1	2	2	
9. Pyæmia (not Puerperal)	1	1	
10. Phlegmon, Carbuncle (not Anthrax)	1	1	1	3	
11. Phagedæna	
12. Other Septic Diseases	
SUB-CLASS 6.																													
1. Tuberculous Phthisis, Pulm. Tuberculosis	...	2	1	4	...	1	...	1	1	...	2	2	5	6	2	1	1	4	3	5	...	6	1	32	16	48	
2. Phthisis	3	...	4	2	4	2	3	1	4	2	7	3	1	4	5	2	3	2	4	3	5	5	45	26	71	
3. Tuberculous Meningitis	1	1	1	
4. Tuberculous Peritonitis	1	1	
5. Tabes Mesenterica	...	2	1	1	...	2	4	5	9
6. Lupus	
7. Tubercle of Other Organs	1	1	
8. General Tuberculosis	1	...	2	1	1	1	...	1	5	2	7
9. Scrofula	
SUB-CLASS 7.																													
1. Hydatids	
2. Ankylostoma	
3. Other Animal Parasites	1	1	1	1	2
4. Other Parasites	
SUB-CLASS 8.																													
1. Privation (Starvation, &c.)	
2. Scurvy	
3. Alcoholism, Delirium Tremens	...	1	3	1	2	...	1	1	2	...	1	12	2	14
4. Opium, Morphia Habit	
5. Potomac Poisoning	1	1	1	4	5
6. Chronic Poisoning (not Intentional)	1	1	2	2
7. Industrial Poisoning	
SUB-CLASS 9.																													
1. Rheumatic Fever, Acute Rheumatism	1	1	...	1	1	2	3	5
2. Rheumatism of the Heart	
3. Chronic Rheumatism	
4. Rheumatic Arthritis, Rheumatic Gout	1	1	1	2	3	5
5. Gout	1	1
SUB-CLASS 10.																													
1. Carcinoma	...	3	...	3	2	2	5	2	1	2	1	2	1	3	3	1	3	3	1	3	2	1	3	25	22	47	
2. Sarcoma	1	1	1	1	3	6	9
3. Malignant																													

CAUSES of DEATHS of MALES and FEMALES Registered in the Metropolitan Area (Brisbane 10-mile radius) during each Month of the Year 1905—continued.

TABLE No. XXVIII.—continued.

CAUSES of DEATHS of MALES and FEMALES Registered in the Metropolitan Area (Brisbane 10-mile radius) during each Month of the Year 1905—continued.

CLASSES, SUB-CLASSES, AND DISEASES.	JANUARY.		FEBRUARY.		MARCH.		APRIL.		MAY.		JUNE.		JULY.		AUGUST.		SEPTEMBER.		OCTOBER.		NOVEMBER.		DECEMBER.		TOTALS.		
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	Males.	Females.	Persons.
CLASS II.—Local Diseases— continued.																											
SUB-CLASS 11.—DISEASES OF LOCOMOTOR SYSTEM.																											
1. Caries, Necrosis	1	1	1	2	1	3
2. Arthritis, Periostitis	1	1	2	3
3. Locomotor System, Other Diseases	1	1
SUB-CLASS 12.—SKIN DISEASES.																											
1. Ulcer, Bed sore	1	...	1	2	...	2
2. Eczema	1	...	1
3. Pemphigus	1	1	...	2
4. Skin Diseases, Other	1	1
TOTAL CLASS II.	40	23	27	33	36	44	29	17	36	26	46	25	37	31	28	31	33	35	29	20	39	38	32	32	412	355	767
CLASS III.—Other Specified Diseases.																											
CLASS IV.—Ill-defined and Not Specified Diseases.																											
1. Atrophy, Debility	1	1	...	2
2. Old Age	2	1	...	3	...	1	...	3	1	3	2	...	1	...	2	2	...	2	3	2	2	1	13	18	31
3. Dropsy, Ascites, Anasarca
4. Tumour
5. Abscess
6. Hemorrhage
7. Sudden (Cause unascertained)
8. Other Ill-defined Causes
9. Causes not Specified	1	1	...	1
TOTAL CLASS IV.	2	1	...	3	...	1	...	3	1	3	2	...	1	...	2	2	...	3	3	2	3	1	...	1	14	20	34
CLASS V.—Violent Deaths.																											
SUB-CLASS 1.—ACCIDENT OR NEGLIGENCE.																											
1. In Mines or Quarries	1	1	2
2. Railways	1	1	2
3. Tramways	1	9
4. Other Vehicles	1	1	...	1	1	2	...	3	9
5. Horses, &c.	1	1	1	...	2	...	1	1	6
6. Ships, Boats, and Docks (not Drowning)	1	1	1	...	3	6
7. Building Operations	1	1
8. Machinery	1	...	1	2
9. Weapens and Implements
10. Burns and Scalds	2	3	1	...	1	1	1	1	3	1	1	1	16
11. Poisons, Poisonous Vapours	1
12. Drowning	2	1	1	1	...	1	1	2	...	4	1	17	2	19
13. Suffocation	1	1	1	2	1	3
14. Falls (Otherwise)	2	...	1	...	1	1	6	...	6
15. Weather—Sunstroke and Heat Apoplexy	2	1	2	4	...	5
16. Weather—Lightning
17. Weather—Other
18. Snake Bites
19. Insect Bites	1	...	1
20. Otherwise, or not stated	1	1	...	1	...	1	...	2	6	...	6
SUB-CLASS 2.—HOMICIDE.																											
1. Murder { a By Whites	1	1	...	1
2. Manslaughter	1	1	...	1
3. Justifiable Homicide
SUB-CLASS 3.—SUICIDE.																											
1. By Poison	1	1	...	1	...	1	1	4	...	8	1	9
2. By Asphyxia	1	2
3. By Hanging or Strangulation	1	6
4. By Drowning	1	1	1	1	1	1	1	4	...	4
5. By Firearms	1	2	4	...	4
6. By Cutting Instruments	1	...	1	...	2
7. By Jumping from High Places
8. By Crushing
9. By Other Means
SUB-CLASS 4.																											
1. Execution	1	1	2	...	2
TOTAL CLASS V.	12	5	5	2	9	...	8	...	10	1	8	2	6	1	5	1	4	...	8	1	10	1	15	2	100	16	116
TOTAL NUMBER OF DEATHS OF MALES AND FEMALES FROM ALL CAUSES	76	40	63	55	85	96	81	61	68	56	83	49	69	51	56	51	61	61	62	41	87	63	73	62	864	686	1,550

APPENDIX B.

RETURN showing the Registry Districts of Queensland, with the Names of the Persons holding the Office of District Registrar on 31st December, 1905.

METROPOLITAN DISTRICT—BRISBANE.
THORNHILL WEEDON, REGISTRAR-GENERAL.

COUNTRY DISTRICTS.

Aramac	BRABAZON RICHARD STAFFORD.	Leichhardt	TIMOTHY MURPHY.
Balonne	LAURENCE CRONIN.	Logan	FREDERICK HAMILTON HYDE.
Blackall	ERNEST JOSHUA HENNESSEY.	Mackay	FREDERICK CHARLES MEREDITH
Bowen	WILLIAM GRACE MORAN.		BURNE
Bundaberg	ARTHUR EDGAR AITKIN.	Maranoa	HENRY EDWD. COONEY.
Burke	OCTAVIUS COLES.	Marathon	MICHAEL BROSNAN.
Burnett	JOHN MITCHELL BROWN.	Maryborough	FREDERICK CHARLES HUNTER.
Caboolture	THOMAS BRYCE.	Moreton East	THORNHILL WEEDON.
Cairns	ADOLPHUS ARNOLD STAINES.	Moreton West	MATTHEW McDERMOTT.
Cardwell	WILLIAM COCHRANE MILLER.	Mount Morgan	PERCY GORDON KNYVETT.
Charleville	THOMAS ARTHUR FERRY.	Nundah	THORNHILL WEEDON.
Clermont	FRANK GLIDDON ILLIDGE.	Oxley	JOHN MOFFATT.
Cloncurry	ARTHUR GEORGE CLARKE.	Palmer	JOHN JAMES MORAN.
Cook	ALEXANDER DORSEY.	Peak Downs	FRANCIS WM. KREBS.
Croydon	ROBERT WILLIAM MORAN.	Rockhampton	WALDRON JOSEPH COOPER WALKER
Cunnamulla	WILLIAM JOHN MONTEITH.		BURROWES.
Dalby	GEO. NEEDHAM WALKER.		ROBERT HARTLEY ALLEN Assistant).
Darling Downs Central...	GEORGE ESSEX EVANS.	Somerset	WILLIAM PETER KELLY.
Darling Downs East ...	OSCAR ETHELBERT MESTON.	Springsure	WILLIAM LEIVESLEY.
Darling Downs North ...	GEO. NEEDHAM WALKER.	Stanley	THOS. CAMPBELL PRYDE
Darling Downs West ...	HUBERT MORRIS.	Stanthorpe	CHAS. HEBER SHORT.
Diamantina	JAMES GRANT.	St. Lawrence	AUSTIN CAFFERTY.
Drayton and Toowoomba	GEORGE ESSEX EVANS.	Tambo	JAMES HAYES (Acting).
Enoggera	JOHN NICHOLSON.	Taroom	JOHN TIGHE.
Etheridge	THOMAS HY. BODDINGTON.	Tiaro	PETER CHALMERS.
Fassifern	GEORGE WHITNEY.	Toowong	JOHN NICHOLSON.
Gladstone	WILLIAM SIMPSON.	Townsville	RICHARD CURTIS.
Gympie	ROBERT BLAINE HETHERINGTON.	Warrego	GEORGE PERRY (Acting).
Herberton	WILLIAM ERNEST HERBERT FER-	Warwick	OSCAR ETHELBERT MESTON.
	GUSON.	Westwood	WALDRON JOSEPH COOPER WALKER
Highfields	GEORGE ESSEX EVANS.		BURROWES.
Hughenden	JOHN WOODWARD WYNDHAM	Wide Bay	ROBERT HARTLEY ALLEN (Assistant).
	JACKSON	Woothakata	FREDERICK CHARLES HUNTER.
Ipswich	MATTHEW McDERMOTT.		JOSEPH WILLIAM LEE.
Kennedy	THOMAS HENNESSY.		

Price 2s. 4d.]

By Authority: GEORGE ARTHUR VAUGHAN, Government Printer, William street, Brisbane.